



GG2014A



Tools and Accessories for Glass & Glazing
Freephone 00 800 0421 6144

CRL UK - European Headquarters



CRL Germany



CRL Scandinavia



C.R. Laurence – The Glass Hardware and Accessories Specialist

Offering more than 60,000 products, the company serves the industry from locations throughout Europe, North America and Australia.

CRL Manufacturing

CRL have been manufacturing high quality glass and glazing products for over four decades and has over 600,000 sq ft: approx. 56,000m² of dedicated manufacturing space at our headquarters in Los Angeles, as well as over 400,000 sq ft: approx. 37,000m² of warehouses. Using progressive ISO9001:2008 manufacturing processes in services such as engineering, machining, assembly and packaging, CRL is able to produce the highest quality products and the widest selection in the market today.

If there is a product you can't find please let us know

At CRL we offer over 60,000 products and continue to listen to your ideas for new ones. We have a large capacity for innovating and developing new glass products.

contents



Glass Handling

- 6 Vacuum Lifters
- 15 Dollies & Lifting Grabs
- 17 Transport Pads
- 18 Corner Protectors & Protection Film



Silicones, Sealants & Tools

- 20 Sealants & Tools
- 24 Caulking Guns & Accessories
- 28 Setting Blocks & Shims



Mirror Products, Mastics & Adhesives

- 32 Mirror Adhesives & Mastics
- 34 Mirror Mounting Sets
- 36 Mirror Fixings



Cleaning and Surface Protection

- 40 6K Surface Protection
- 43 Glass Cleaners & Protection
- 46 Squeegees



Glazing Accessories

- 48 Putty Knives
- 51 Cutting Knives
- 52 Replacement Cutting Knife Blades
- 53 Razor Blades & Accessories
- 55 Push Points & Drivers
- 56 General Accessories
- 58 Auto Glass Cut-Out Tools
- 59 Window Ventilators



Safety - Personal Protection Equipment

- 64 Wrist Guards and Gloves
- 66 Aprons
- 67 Clothing and Handling Laps
- 67 Goggles
- 68 Additional PPE

continued overleaf....



contents



Glass Hardware

- 70 Shelf & Cabinet Hardware
- 78 Glass Clamps
- 84 Glass Standoffs
- 87 Hanger Bolts
- 88 U-Channels
- 94 Glass Partition Joints



Glass Cutting

- 98 Glass Cutters
- 102 Replacement Heads
- 105 Cutting Wheels
- 107 Cutting Oils
- 108 Edge Deletion Wheels
- 108 Glass Cutting Accessories
- 115 Measuring Equipment
- 117 Glass Marking
- 118 Electronic Glass Detectors



Glass Processing

- 122 Peripheral Wheels
- 124 CNC Tooling
- 127 Cup Wheels
- 136 Polishing Accessories
- 137 Machine Drills & Blades
- 141 Countersinks
- 142 Drilling/Grinding Accessories
- 142 Dressing Blocks & Sticks
- 143 Coolants & Grinding Additives
- 144 Clean 20 Consumables
- 145 Diamond Grinding Belts
- 145 Trizact Discs
- 146 Manual Hand Grinding Pads & Blocks
- 147 Abrasive Belts
- 149 Belt Machines
- 150 Straight Line Edger
- 151 Upright Diamond Edger
- 151 Portable Drilling Machines
- 152 Scratch Polishing Machine
- 153 Multi Function Tool
- 153 Diamond Cut Out Saw

Further Information

- 155 General Information
- 172 Shipping and Service Information
- 173 Catalogue A-Z Index





Glass Handling

**At CRL, we offer the very best
Glass Handling equipment
available on the market today.**


With Vacuum Lifters, Lifting Frames and Glass Dollies, our complete range of handling equipment will ensure you are able to handle glass around the job site with ease.

**MAXIMUM
PERFORMANCE
MAXIMUM
VALUE**

Best Seller

CRL S338 Sure-Grip 203mm Vacuum Lifter


- Greatest lifting capacity of any 203mm pump activated vacuum lifter
- One hand pump and attachment for safety - 3.3x safety factor rating
- Superior "press and pump" attachment feature
- Built-in vacuum loss indicator
- Soft contoured sure-grip handle for comfort
- Superior 68kg lifting capacity performance
- Meets CE conformance
- Moulded carrying case



**CONVENIENT
VACUUM
INDICATOR**

















**SUPERIOR
COMFORT
AND GRIP**



**FAST
RELEASE**



	CAT. NO.	DESCRIPTION	
	S108	CRL S108 Pump-Action Vacuum Lifter <ul style="list-style-type: none"> • 203mm diameter pad • Proven reliability throughout the world • Heavy-duty 5mm thick abs handle resists bending, especially during heavy lifts • Fast, safe attachment to smooth, non-porous flat surfaces • Four extra mounting points make it easy to attach to metal lifting frames, jigs, and our vacuum ratchet tensioning kit • 56kg lifting capacity 	Best Seller
	S109	CRL S109 Pump-Action Vacuum Lifter <ul style="list-style-type: none"> • 203mm diameter pad • Designed primarily for lifting curved architectural glass • Excellent also for thin, flexible materials • Red-line indicator warns user of any vacuum loss • Moulded carrying case • 56kg lifting capacity 	
	S110	CRL 254mm ABS Handle Vacuum Lifter for Flat Surfaces <ul style="list-style-type: none"> • Designed to carry large sheets of glass, marble or stone safely • Supplied with protective carrying case • Providing safe lifting to the industries since 1992 • 80kg lifting capacity 	
	S7950	CRL 203mm Pump-Action Vacuum Lifter <ul style="list-style-type: none"> • Heavy-duty stainless steel handle • Fast attachment on smooth, non-porous flat surfaces • Can be re-pumped without losing remaining vacuum • Tough ABS plunger with red-line indicator • Full pad face contact when pumped reduces distortion • Can be re-pumped without losing remaining vacuum • Wide release valve lever with safety guard permits quick and complete release • 57kg lifting capacity 	
	W4000	CRL Wood's Powr-Grip® 203mm ABS Handle Vacuum Cup <ul style="list-style-type: none"> • Durable handle • Fast attachment on smooth, non-porous flat surfaces • Check valve allows re-pumping without loss of remaining vacuum • Release valve lever permits quick and complete release • Fast attachment on smooth, non-porous flat surfaces • Red-line indicator warns user of any vacuum loss • Supplied with protective carrying case • Eligible for exchange program • 57kg lifting capacity 	SPARE PARTS AVAILABLE
	W4950	CRL Wood's Powr-Grip® 203mm Vacuum Cup <ul style="list-style-type: none"> • Durable metal handle • Fast attachment on smooth, non-porous flat surfaces • Red-line indicator warns user of any vacuum loss • Check valve allows re-pumping without loss of remaining vacuum • Release valve lever permits quick, complete release • Eligible for exchange program • 57kg lifting capacity 	SPARE PARTS AVAILABLE
	05062	CRL Aluminium Double Pad Vacuum Lifter <ul style="list-style-type: none"> • 60kg lifting capacity • 114mm diameter pads • Handle design allows easy manoeuvring • Strong, lightweight aluminium 	Great Value

	CAT. NO.	DESCRIPTION
	05063 CE	CRL Aluminium Triple Pad Suction Lifter <ul style="list-style-type: none"> • 100kg lifting capacity • 114mm diameter pads • Three suction pads individually operated • Strong, lightweight aluminium
	05061 CE	CRL Aluminium Single Pad Vacuum Lifter <ul style="list-style-type: none"> • 30kg lifting capacity • 114mm diameter pad • One-handed operation • Strong, lightweight aluminium
	05062P CE	CRL Double Pad Suction Lifter <ul style="list-style-type: none"> • 60kg lifting capacity • 114mm diameter pads • Two individually operated pads • Lightweight plastic design
	05063P CE	CRL Plastic Triple Pad Vacuum Lifter <ul style="list-style-type: none"> • 100kg lifting capacity • 114mm diameter pads • Three suction pads individually operated • Lightweight plastic design
	VC1230	CRL 28.5mm Little Grabber Lifter <ul style="list-style-type: none"> • Single finger handle provides precise control • Makes lifting glass easy • 1.8kg lifting capacity
	VC3825	CRL 31.75mm Knuckle Saver Lifter <ul style="list-style-type: none"> • Double finger design • Comfortable finger handle reduces fatigue • Aids in lifting glass • 4.5kg lifting capacity
	05065	CRL Tragboy Single Handle Lifting Tong <ul style="list-style-type: none"> • Used in pairs, one either side of the glass plate that is being lifted • The heavier the glass, the more grip that's applied

Great Value

	CAT. NO.	DESCRIPTION
	0504	CRL Octopus 70 Single Pad Suction Lifter Pump Action Type <ul style="list-style-type: none"> • 70kg lifting capacity • 152mm diameter pad • Includes plastic carrying case
	0505	CRL Octopus 150 Single Pad Suction Lifter Pump Action Type <ul style="list-style-type: none"> • 150kg lifting capacity • 203mm diameter pad • Includes plastic carrying case
	G0284	CRL Vacuum Ratchet Tensioning Kit <ul style="list-style-type: none"> • 147kg lifting capacity • Uses S108 vacuum lifter mounting points • Pulls with tremendous force • Ideal for glass and mirrors • S108 vacuum lifters must be ordered separately
	1414CW	Heavy Duty Cotton Webbing <ul style="list-style-type: none"> • For lifting glass • Heavy-duty cotton webbing 50mm wide • Sold by the 50m roll
	CRL69	CRL All Rubber 153mm Auto Vacuum Cup <ul style="list-style-type: none"> • The perfect tool for handling curved windshields and backlites • This is a manoeuvring aid and has no specific lifting capacity
	W6100	CRL 152.4mm Woods Powr-Grip Vertical Handle Vacuum Cup <ul style="list-style-type: none"> • 32kg lifting capacity • All metal handle and pump • Handle position is ideal for use with windshields • Red-line indicator warns of low vacuum
	0508	CRL Leather Lifting Sling Lifts <ul style="list-style-type: none"> • 85kg lifting capacity • Heavy duty leather sling



CAT. NO.

DESCRIPTION

Wood's
Power-Grip

EUMRT411LDC

**SPARE
PARTS
AVAILABLE**

CE

CRL Wood's 320kg Capacity Manual Rotator/Tilter Vacuum Lifting Frame

- Cord-free operation with on-board gel cell battery
- Four 280mm diameter lipped pads
- Three configurations all from the same unit
- Full 360° rotation with tilt from any position
- Dual vacuum system
- 12V DC

Get specifications online at crlaurence.co.uk

**Call 00 800 0421 6144 and ask for Technical
Sales for technical guidance on this product**



CAT. NO.

EUP11104DC0

**CONTACT
CRL FOR
CURRENT
PRICING**

CE

DESCRIPTION

CRL Wood's Powr-Grip® Single Channel D.C. Vacuum Lifting Frame

- 317kg lifting capacity
- Four 280mm diameter lipped pads
- Dual vacuum system
- 180° edgewise rotation
- 90° tilt, vertical to flat
- 12V DC



**Call 00 800 0421 6144 and ask for Technical
Sales for technical guidance on this product**



CAT. NO.

DESCRIPTION

Wood's
Power-Grip

EUMRTA611LDC

**SPARE
PARTS
AVAILABLE**

CE



CRL Wood's 1100 Series Quadra Tilt Rotator

- Load capacity 500kg
- Dual vacuum system
- Load movement: manual rotation 360° edgewise with automatic locking at each 1/4 revolution, assisted manual tilt 90° between upright and flat
- 12V DC

Get specifications online at crlaurence.co.uk



Call 00 800 0421 6144 and ask for Technical Sales for technical guidance on this product



CAT. NO.

DESCRIPTION

Woods
Power-Grip



EUMRTA811LDC

CE

CRL Woods Powr-Grip® High-Flow DC Quadra-Tilt 1400 Series Rotator

- 635kg load capacity
- Eight 280mm diameter cups
- 220-240 volt dual vacuum system

Woods
Power-Grip



EUP2110445DC0

SPARE
PARTS
AVAILABLE

CE

CRL Wood's DC P2 Two Channel 1.37m Spread Vacuum Lifting Frame for Flat Materials

- Big 279mm diameter vacuum pads
- 180° edgewise rotation
- 90° tilt, vertical to flat

Get specifications online at crlaurence.co.uk

Each EUP2110445DC0 carries its own vacuum pump and controls; applies in 6 sec. and releases in 12; weighs only 32kg ready to work and carries a safe work load rating of 318kg.

The EUP2110445DC0 can be fitted with concave cups for handling curved glass and the individual cups, Cat. No. G3370, are easily replaced if damaged at the job site. Restrictions at the cups minimise the chance of load loss if the glass breaks across one cup. Stocked in 12V DC power, the units are also available in optional 115-Volt AC power. The EUP2110445DC0 comes with a heavy-duty aluminium lift bar which gives the unit 180° of edgewise rotation with positive locking in three positions; 90° of tilt, vertical to flat; and automatic latching in the upright position.

Woods
Power-Grip



EUP211047DC0

CE

CRL Wood's DC Double Channel 2.13m Spread Vacuum Lifting Frame

- Big 279mm diameter 12V DC vacuum pads
- Double channel 2.13m spread vacuum lifting frame
- 180° edgewise rotation
- 90° tilt, vertical to flat

Get specifications online at crlaurence.co.uk

Each bank of four cups of the EUP211047DC carries its own vacuum pump and controls; has a normal minimum vacuum level of 355.6mm Hg; applies in six seconds and releases in 12; weighs only 83kg ready to work and carries a safe work load rating of 635kg. The dual vacuum system features two vacuum line circuits, allowing the lifter to maintain the vacuum level for one circuit even if an unexpected vacuum loss occurs in the other one. This system is designed to reduce the risk of falling loads, which could result from breakage or other accidents that compromise one area of the vacuum system.

CAT. NO.

DESCRIPTION

GT02

CRL GT02 Glasstrax Glass Dolly





- Safe glass transport with large 272kg capacity
- Self clamping action locks loads up to 50.8mm thick
- One person can load and manoeuvre

Best Seller







See it in action



CAT. NO.	DESCRIPTION
	<div> <div>ATD1</div> <div> CRL All Terrain Dolly <ul style="list-style-type: none"> • Terrific for moving heavy glass panels around the job site • Goes where other glass dollies won't • Built-In 203mm Wood's™ Powr-Grip® Vacuum Cup • Includes a set of our RB200 Roller Blocks • Exclusive to CRL • 181kg load capacity </div> </div> <div>Best Seller</div>
	<div> <div>5940</div> <div> CRL Ebor Lifting Grab 3-18mm <ul style="list-style-type: none"> • Glass capacity 500kg </div> </div>
	<div> <div> <div>13063 915mm</div> <div>13065 1524mm</div> <div>13066 1829mm</div> </div> <div> CRL Plate Glass Dolly <ul style="list-style-type: none"> • 159kg weight capacity • Caster design allows turn-on-a-penny manoeuvring • Felt pads cushion loads • Three available lengths </div> </div>
	<div> <div> <div>2401280 1219mm</div> <div>2401281 1829mm</div> </div> <div> CRL Heavy-Duty Steel Frame Glass Dolly <ul style="list-style-type: none"> • 272kg weight capacity • Sturdy steel construction • Two sizes available • Large pneumatic tyres </div> </div>

Transport Pads ▼

	CAT. NO.	DESCRIPTION	
	1407E 1,000 Roll	CRL Blue Transport Pads <ul style="list-style-type: none"> • Medium density • Low-tack, pressure sensitive, adhesive • Leaves no adhesive residue or ghosting marks • 23mm x 18mm x 4mm 	Best Seller
	1407LG10 10,000 Roll 1407LG20 20,000 Roll	CRL Blue Transport Pads <ul style="list-style-type: none"> • Medium density • Low-tack, pressure sensitive, adhesive • Leaves no adhesive residue or ghosting marks • 24mm x 19mm x 4mm 	
	1407R2MM 10,000 Roll	CRL Red Transport Pads <ul style="list-style-type: none"> • 25mm x 19mm x 2mm • Only 2mm thick but highest density of all pads 600kgs/M3 • Low-tack, pressure sensitive, adhesive • Leaves no adhesive residue or ghosting marks • U.V. and temperature resistant 	
	1407R4MM 10,000 Roll	CRL Red Transport Pads <ul style="list-style-type: none"> • 25mm x 19mm x 4mm (All other features as above) 	
	1407R4MM50S 500 Roll	CRL Red Transport Pads <ul style="list-style-type: none"> • 50mm x 50mm x 4mm (All other features as above) 	
	1407G4MM 20,000 Roll	CRL Green Transport Pads <ul style="list-style-type: none"> • 25mm x 19mm x 4mm • Same density and spec as 1407R4MM but green in colour • Used for protecting and transporting thicker, heavier, and/or coated glass • Available in low tack and adhesive-free • Highest density PVC in our range 	
	1416S 16,000 Roll	CRL Green Transport Pads <ul style="list-style-type: none"> • 19mm x 19mm x 4mm • Highest density of the 4mm thick pads, they are also adhesive free • Plastisiser layer creates hold like static 	
	1416R 16,000 Roll	CRL Green Transport Pads <ul style="list-style-type: none"> • 23mm x 18mm x 4mm (All other features as 1416S) 	
	1407B 1,000 Pack	CRL Cork Transport Pads <ul style="list-style-type: none"> • Very popular in mainland Europe • Cost-effective option to PVC • Thin foam underside using the same single-sided adhesive coating technology as the PVC foam pads • Offer excellent high-compression resistance • 19mm x 19mm x 4.5mm 	

Corner Protectors & Protection Film ▼

	CAT. NO.	DESCRIPTION
	1463004K 4mm 1463006K 6mm 1463008K 8mm 1463010K 10mm 1463012K 12mm 1463020K 20mm	Corner Protectors 1000 Pack Bulk Buy <ul style="list-style-type: none"> Designed to protect glass and mirror edges during shipping, handling or storing Will not scratch or damage glass or mirror surfaces, and they help protect large cut-offs from breakage or becoming scrap Protectors are reusable, they simply slide on and off 1,000 pack
	1464004B 4mm 1464006B 6mm 1464008B 8mm 1464010B 10mm 1464012B 12mm 1464020B 20mm	Corner Protectors 250 Pack <ul style="list-style-type: none"> Designed to protect glass and mirror edges during shipping, handling or storing Will not scratch or damage glass or mirror surfaces, and they help protect large cut-offs from breakage or becoming scrap Protectors are reusable, they simply slide on and off 250 pack
	21114G 1200mm x 920m 21120G 1800 mm x 920m	CRL Vitrobor Surface Protection Film <ul style="list-style-type: none"> 40 micron Green Adhesive free No residue Static hold Prevents scratches Tested to BS2782
	21112B 600mm x 850m 21110B 1800 mm x 600m 21114B 1200 mm x 850m 21115B 1500 mm x 850 m 21117B 1000 mm x 1050m (Yellow tint) 21118B 1200 mm x 1050m (Yellow tint)	CRL Vitrobor Surface Protection Film <ul style="list-style-type: none"> 50 Micron Blue Adhesive free No residue Static hold Prevents scratches
	CB1PK Pack of 1000 CB1PK200 Pack of 200	CRL Clear Protective Bumpads Multi-use <ul style="list-style-type: none"> Use on cabinet doors, desk tops, and glass table tops Protect glass tops from scratching Simply peel and stick 12mm diameter 3mm thick



Silicones, Sealants & Tools

CRL has a wide range of industry leading silicone sealants, suitable for shower rooms or the construction environment.

Also on offer are Caulking Guns, Glazing Tapes and many other Sealant Accessories, to offer you the complete package for your business.

High Quality, Great Value Sealants



CAT. NO.

DESCRIPTION

EU33SC Clear
EU33SW White
EU33SBL Black

CRL Acetic Cure Silicone Sealant

- Acetic cure formula
- Plastic cartridges with screw-on nozzles
- High modulus
- 305ml cartridge
- 12 per case
- Special countertop display box

**SHOWER
SEALANT**





CAT. NO.



DESCRIPTION

Best Seller

- EURTV408C Clear
- EURTV408W White
- EURTV408BL Black
- EURTV408G Grey

- CRL Neutral Cure Low Modulus Silicone**
- Low odour, neutral cure formula
 - Compatible with insulating glass glazing
 - Excellent adhesion to most surfaces
 - Low modulus
 - 305ml cartridge
 - 12 per case
 - Special countertop display box
 - Conforms to ISO 11600



	CAT. NO.	DESCRIPTION
	EUCCS	CRL Crystal Clear Silicone <ul style="list-style-type: none"> • High clarity when cured • Applications include shower enclosures and speciality glass assemblies • 310ml cartridge • 12 per case • Special countertop display box
	WCS1	CRL Water Clear Silicone <div>Optically Clear</div> <ul style="list-style-type: none"> • Optically clear when cured • Applications include shower enclosures and speciality glass assemblies • Water clear formulation for sealing glass-to-glass, glass-to-tile, and glass to U-Channel
	FD43B Brown FD43G Grey FD43W White FDSS Black	MS-POLYMER Neutral Cure Silicone <ul style="list-style-type: none"> • For use on window joints and connecting joints • Neutral cure • 310ml cartridge • Odourless • Non-fading and weathering • Paintable • Adheres to many substrates (such as metal, painted wood, glass and plastics) • Volume shrinkage of <3%
	995BL Black 995W White	CRL Dow Corning® 995 Silicone Structural Adhesive <div>For Structural and Protective Glazing</div> <ul style="list-style-type: none"> • Designed specifically for structural and protective glazing • Self-priming to most common building substrates, including most fluoropolymer-based paints
	55BSS	CRL Sealant Finishing Tool <ul style="list-style-type: none"> • Lightweight and flexible, simplifies tooling of sealants • Titanium catalyst material will not stick to silicone or other sealants • Measures approximately 83mm x 89mm • 5mm thick
	SR200	CRL Silicone Remover and Surface Preparation <div>Removes Silicone</div> <ul style="list-style-type: none"> • Degreaser, removes uncured silicone, oils and softens cured silicone • Prepares surfaces to be sealed, painted, or bonded • Evaporates at room temperature • Safe on plastics, non-corrosive to metals • VOC exempt • 473ml bottle

CAT. NO.

DESCRIPTION

EG310Ultra
White colour

CRL EG310Ultra Complete Adhesive

- MS polymer based
- Neutral curing and odourless
- Cures with atmospheric moisture
- Super-fast bonding of mirrors, glass, wood, composite panels, and metal, to a range of substrates
- Free of silicone and isocyanides
- 290ml cartridge

Please refer to instruction guidelines, see crlaurence.co.uk

New

**HIGH
PERFORMANCE
GRIP AND GRAB
ADHESIVE**



eg310
ULTRA
MS POLYMER

NC594

CRL Nozzle Cutter

- Use on all plastic cartridges to cut nozzle tip and threaded tip then cut the nozzle tip to the desired opening size at the proper angle



CRL216HWS

CRL Stick Handle with Chisel End Stick Tool

- Comfortable grip handle can be used with either tapered end or chisel end stick tool
- Provides more leverage for scraping

CRL216H
Handle only



CRL216

Tapered

CRL220

Chiselled

CRL Plastic Stick Tool

- A very popular tool with virtually limitless uses
- Terrific for tooling freshly applied sealants
- CRL216 tapered on both ends
- CRL220 tapered and chisel end on one tool



LRC35







CRL Little Red Nozzle Caps

- Economical and reusable
- Reduces sealant waste








Sealant Saver





Caulking Guns ▼

	CAT. NO.	DESCRIPTION	
	ER3	CRL Standard Smooth Rod Caulking Gun <ul style="list-style-type: none"> • Thumb pressure release button • Our best seller is also great value • Perfect for low viscosity materials 	Great Value
	GA1202	CRL Nylon Strap Frame Caulking Gun <ul style="list-style-type: none"> • Smooth rod • Lightweight, yet durable 	
	GA1203	CRL 12:1 Ratio Strap Frame Caulking Gun <ul style="list-style-type: none"> • Holds standard caulking cartridges • Best choice for low to medium viscosity materials • Instant pressure release to prevent run-on 	
	GA1204	CRL Metal Strap Frame Caulking Gun <ul style="list-style-type: none"> • Popular strap frame design • Smooth rod with thumb release 	
	WG41004	CRL Cox Chilton 12 to 1 Ratio Deluxe Strap Frame Caulking Gun <ul style="list-style-type: none"> • Our most popular model • Holds standard caulking cartridges 	Best Seller
	0744K	CRL Skeleton Caulking Gun "Kennet" <ul style="list-style-type: none"> • A low cost hand operated gun • For use with 310ml cartridge 	

	CAT. NO.	DESCRIPTION
	GA1205	CRL 381mm Sausage and Cartridge Caulking Gun <ul style="list-style-type: none"> • Converts for gunning sausage packs or cartridges • Includes plastic cone nozzle • Lightweight aluminium barrel
	WG410042T	CRL Cox 26:1 Ratio Ascot Strap Frame Caulking Gun <ul style="list-style-type: none"> • Effortless dispensing of high viscosity sealants • Case-hardened working parts with a contoured handle and trigger design to make this gun the ultimate for dispensing high viscosity sealants • High-strength strap frame design features improved high-power bulkhead
	LD188EU LD188C240VEU Spare charger	CRL 12 Volt DC Variable Speed Cordless Cartridge Caulking Gun for Lightweight Sealants <ul style="list-style-type: none"> • Variable speed trigger controls flow of sealant • Use to dispense only lightweight sealants, such as silicones and acrylic latex • Complete with 12 volt battery, one hour charger, and moulded carrying case
	EZ1010	CRL E.Z.D. Glazer De-Glazing Tool <ul style="list-style-type: none"> • Aids in the de-glazing of glass installed with silicone, foam tapes, butyl tapes and other flexible materials • Blade lays flat on the glass and slides into the glazing pocket • Extremely simple-to-use
	EZ1022	CRL Screw-On Replacement Blade - New Style E.Z.D. Glazer Tool <ul style="list-style-type: none"> • Replacement blade for EZ1010 De-Glazing tool
	EZ10G	CRL E.Z.D. Glazer Tool Replacement Hand Guard <ul style="list-style-type: none"> • Easy-to-replace broken or worn out guards • Protects user from cuts
 	WT2000 WT2001 Right hand Replacement blade WT2002 Left Hand Replacement blade	CRL Window De-Glazing Tool <ul style="list-style-type: none"> • Provides extra leverage to remove glass safely and easily • Extremely durable all-aluminium construction • Adaptable for right or left handed users

	CAT. NO.	DESCRIPTION
	UV61410	CRL Transparent UV614 Medium Viscosity UV Adhesive - 100g <ul style="list-style-type: none"> • Solvent free - environmentally friendly with 100% solids in cured state • Even force buildup prevents detrimental stress peaks • One component adhesive, no mixing, no pot life and therefore no time limit for processing • Same refractive index as glass for invisible bonded joints • Good resistance to temperature, chemicals and humidity - resistant to yellowing
	UV60110	CRL UV601 Low Viscosity UV Adhesive - 100g <ul style="list-style-type: none"> • Ideal for glass-to-glass bonding • Capillary action • Optically clear
	UV602L85	CRL UV602 UV/Visible Light Adhesive - 85g <ul style="list-style-type: none"> • Bonds laminated glass UV and visible light cure • Medium viscosity with capillary action • Optically clear • Best adhesion to plastics
	UV604L10	CRL UV604 Medium Viscosity UV/Visible Light Adhesive - 100g <ul style="list-style-type: none"> • Especially strong glass to metal bonds • UV and visible light cure • Medium viscosity • Optically clear
	UVFB25K1T	CRL Pyrosil Adhesion Pretreatment Kit <ul style="list-style-type: none"> • Provides pretreatment of a 4.65m² area • Uses a microscopic, high-strength silicon dioxide layer on glass, metal, ceramic or plastic substrates to help significantly improve the bond strength • Combined with the acrylic primer that is included in the kit, the maximum adhesion for all UV bonding projects is achieved
	UV9SET	CRL Complete 8 Piece Needle Set with Adaptor <ul style="list-style-type: none"> • Eight needle sizes to fit all UV adhesive applications • Colour coded for quick, accurate selection • Sold individually or in a cost-saving set
	UVFB011	CRL Pyrosil Replacement Primer <ul style="list-style-type: none"> • 50ml bottle, provides pretreatment of a 2.32m² area • Allows for optimal adhesion between the substrate and the surface • Normal precautions should be considered for working with an open flame

	CAT. NO.	DESCRIPTION
	UVFB25RC	CRL Pyrosil Replacement Gas Cartridge <ul style="list-style-type: none"> • 50ml cartridge, provides pretreatment of a 2.32m² area • Refill for burner unit
	PENLOC	CRL High Performance Adhesive System <ul style="list-style-type: none"> • 2-component, high performance adhesive system with high power transmission in both static and dynamic loads • Can be used for a very wide range of applications, such as bonding of steel, aluminium, chrome, brass, stone and painted, printed with metal or glass surfaces (in furniture) • Ready mixed by the "microtip" mixing nozzle, directly from the double cartridge
	UV255230 240v UV255 110v	CRL High-Intensity Hand-Held UV Curing Lamp <ul style="list-style-type: none"> • High-intensity light cures fast • Lightweight, under 1.3kg • 4m electrical cord • Built-in cooling fan
	0PX365	CRL High-Intensity LED UV Curing Lamp Kit <ul style="list-style-type: none"> • Small in size, big in energy savings • 30,000 hour LED bulb life • Perfect for affixing UV bonding hardware • Cures all CRL UV bonding adhesives • Requires a CRL 240V EU charger (Cat. No. RB3FB) to work with UK power supply


Glass Bonding System Catalogue

The essential FREE guide to Glass Bonding.

- Hundreds of possible uses in glass construction
- Advanced UV adhesives provide strong bonds to varied substrates
- New innovative fixation devices and a wide selection of UV lamps








Call 00 800 0421 6144
for further information

CAT. NO. GB10E



Setting Blocks & Shims ▼

	CAT. NO.	DESCRIPTION
	KK201 100 x 20 x 1mm White	CRL Plastic Glazing Blocks <ul style="list-style-type: none">• Spacers• Polypropylene• 1000 per package
	KK202 100 x 20 x 2mm Blue	
	KK203 100 x 20 x 3mm Red	
	KK204 100 x 20 x 4mm Yellow	
	KK205 100 x 20 x 5mm Green	
	KK206 100 x 20 x 6mm Black	
	KK221 100 x 22 x 1mm White	
	KK222 100 x 22 x 2mm Blue	
	KK223 100 x 22 x 3mm Red	
	KK224 100 x 22 x 4mm Yellow	
	KK225 100 x 22 x 5mm Green	
	KK226 100 x 22 x 6mm Black	
	KK241 100 x 24 x 1mm White	
	KK242 100 x 24 x 2mm Red	
	KK243 100 x 24 x 3mm Red	
	KK244 100 x 24 x 4mm Yellow	
	KK245 100 x 24 x 5mm Green	
	KK246 100 x 24 x 6mm Black	
	KH802 80 x 8 x 2mm Red	CRL Wood Glazing Blocks <ul style="list-style-type: none">• Spacers• Spacer blocks of impregnated wood• 100 per package
	KH803 80 x 8 x 3mm Green	
	KH804 80 x 8 x 4mm Yellow	
	KH805 80 x 8 x 5mm Blue	
	KH806 80 x 8 x 6mm Black	
	KH202 80 x 20 x 2mm Red	
	KH203 80 x 20 x 3mm Green	
	KH204 80 x 20 x 4mm Yellow	
	KH205 80 x 20 x 5mm Blue	
	KH206 80 x 20 x 6mm Black	
	KH221 80 x 22 x 1mm Natural	
	KH222 80 x 22 x 2mm Red	
	KH223 80 x 22 x 3mm Green	
	KH224 80 x 22 x 4mm Yellow	
	KH225 80 x 22 x 5mm Blue	
	KH226 80 x 22 x 6mm Black	
	KH241 80 x 24 x 1mm Natural	
	KH242 80 x 24 x 2mm Red	
	KH243 80 x 24 x 3mm Green	
	KH244 80 x 24 x 4mm Yellow	
	KH245 80 x 24 x 5mm Blue	
	KH246 80 x 24 x 6mm Black	
	KH302 80 x 30 x 2mm Red	
	KH303 80 x 30 x 3mm Green	
	KH304 80 x 30 x 4mm Yellow	
	KH305 80 x 30 x 5mm Blue	
	KH306 80 x 30 x 6mm Black	

CAT. NO.	DESCRIPTION
	<p>NWCS8 Case of 32</p> <p>BWCS8 Case of 288</p> <p>CRL Wood Composite Shims</p> <ul style="list-style-type: none"> • New technology in wood shims • Snaps four times easier and cleaner than traditional wood • 35% better load support than traditional wood <p>New</p>
	<p>KRS16 1.6mm x 89mm</p> <p>KRS26 1.6mm x 105mm</p> <p>CRL Shimstack Shims</p> <ul style="list-style-type: none"> • Adjustable in thickness and length with just a snap • Choose the desired thickness from 1.5mm to 25.4mm • Installation tab makes insertion easy • Individual shims snap off for the perfect thickness and length every time
	<p>PHS4 Black 6mm</p> <p>PHS6 Blue 1.6mm</p> <p>PHS8 Red 3.2mm</p> <p>CRL Plastic Horseshoe Shims 51mm</p> <ul style="list-style-type: none"> • Colour coded for convenience • Simplifies all levelling requirements • Packed in convenient sleeves and tubs • Economical • Three standard lengths
	<p>PHS14 Black 6mm</p> <p>PHS16 Blue 1.6mm</p> <p>PHS18 Red 3.2mm</p> <p>CRL Plastic Horseshoe Shims 89mm</p> <ul style="list-style-type: none"> • Colour coded for convenience • Simplifies all levelling requirements • Packed in convenient sleeves and tubs • Economical • Three standard lengths
	<p>PHS24 Black 6mm</p> <p>PHS26 Blue 1.6mm</p> <p>PHS28 Red 3.2mm</p> <p>CRL Plastic Horseshoe Shims 76mm</p> <ul style="list-style-type: none"> • Colour coded for convenience • Simplifies all levelling requirements • Packed in convenient sleeves and tubs • Economical • Three standard lengths
	<p>PSB040 1 x 6 x 50mm</p> <p>PSB080 2 x 6 x 50mm</p> <p>PSB125 3 x 6 x 50mm</p> <p>PSB156 4 x 6 x 50mm</p> <p>PSB250 6 x 6 x 50mm</p> <p>PSB375 9 x 6 x 50mm</p> <p>CRL Clear Plastic Setting Blocks</p> <ul style="list-style-type: none"> • Barely visible blocks are great for use in shower installations • 80±5 durometer hardness • Widely used in frameless shower installations <p>Best Seller</p>
	<p>0737 3mm Thick</p> <p>0738 4mm Thick</p> <p>0739 5mm Thick</p> <p>CRL Setting Blocks</p> <ul style="list-style-type: none"> • 10mm wide x 30mm long • Sold by the kilo • Made of plastic

CAT. NO.

DESCRIPTION



EF14C 6.3mm diameter
EF38C 9.5mm diameter
EF12C 12.7mm diameter
EF58C 16mm diameter
EF34C 19mm diameter
EF1C 25mm diameter
EF114C 32mm diameter

CRL Closed Cell Backer Rod


- Compatible with all cold-applied sealants
- Allows easy control of sealant application thickness
- Won't adhere to sealants; no bond breaker needed
- 30.5m roll length



SBRR

CRL Backer Rod Roller

- Installs backer rod in joints from 6mm to 25mm
- Controls proper depth to ensure uniformity



1044017 5mm x 9.5mm
1044018 6.3mm x 9.5mm
1044021 11mm x 12.5mm
1044022 8mm x 12.5mm
1044025 8mm x 25.4mm
1044026 19mm x 25.4mm

CRL Sticker-Tite Self Sealing Closed Cell Sponge Rubber

- Self-sealing closed cell sponge rubber with adhesive on one side
- Available in a variety of thicknesses and widths



98418X38BL Black 9.5mm wide
98418X12BL Black 12.7mm wide
98418X34BL Black 19mm wide
98418X1BL Black 25mm wide

CRL Double Sided Foam Glazing Tape

- Excellent adhesion to wood, vinyl (rigid PVC), aluminium, and glass
- Superior resistance to weathering, oxidation, and UV exposure
- Meets AAMA 810.1 certification
- Aggressive adhesive
- Service temperatures range from -40°C to 82°C
- Available in black, grey and white
- 3.2mm thick, 30m length



Mirror Products, Mastics & Adhesives

**CRL offers a complete
range of Mirror Products,
Mastics and Adhesives all
at fantastic prices.**

We are the one-stop-shop for all your
bathroom hardware needs.



Best Seller

CRL evergrip™ Mirror Adhesive

- Extra fast grab mirror adhesive
- Extra strong holding capacity
- Fast curing, with skin formation in about five minutes
- Adhesion to almost all surfaces
- Low voc, solvent free, low odour
- 310ml cartridge
- Please refer to instruction guidelines, see crlaurence.co.uk

CAT. NO. EG310



Mirror Adhesives and Mastics ▼

**FEATURES
EXCEPTIONALLY
HIGH LEVELS
OF ADHESION.
SEE PAGE 23**



CAT. NO.

EG310ULTRA
White Colour

DESCRIPTION

CRL EG310ULTRA Complete Adhesive

- MS polymer based
- Neutral curing and odourless
- Cures with atmospheric moisture
- Super-fast bonding of mirrors, glass, wood, composite panels, and metal, to a range of substrates
- Free of silicone and isocyanides
- 290ml cartridge

Please refer to instruction guidelines, see crlaurence.co.uk

New



GN100E
Tan Colour

CRL Gunther Ultra/Bond Mastic

- Fast permanent bond
- Will compress to 0.8mm for mirror overlays, can build up to 19mm for uneven surfaces
- Available in 287ml ounce cartridges or gallon cans



GN105P
Grey Colour

CRL Gunther Premier™ Plus Mirror Mastic

- Bonds to porous and non-porous, primed and unprimed surfaces
- Fast permanent bond, yet remains very flexible
- Will compress to 1.6mm for mirror overlays
- Ultra low VOC
- Cartridge contents 304ml



GN8

CRL Gunther Prime-N-Seal Prime

- Enhances adhesion of mastics
- Quick drying
- Easy to apply by brush, roller or spray
- Flat white appearance when dry
- 946ml can




GN4

CRL Gunther Seal-Kwik Mirror Edge Sealant


- Protects mirror edges from "black edge"
- Dries clear
- Easy application with sponge–dauber top
- Built-in applicator top
- Dries clear, and will not yellow or crack with age

Mirror Mounting Sets ▼



CAT. NO.

DESCRIPTION




P19ED08
0.8m² Mirror Surface
P19ED16
1.6m² Mirror Surface
P19ED26
2.6m² Mirror Surface

CRL ED Series Mirror Mounting Set

- Press button mirror mounting set including eccentric discs, press buttons, mirror plates, self-adhesive pads, screws, and wall plugs
- Easy installation
- Fixings hidden from sight
- Suitable for mirror surfaces up to 0.8m², 1.6m², and 2.6m²
- Suitable for wet rooms

Each set includes: P19ED08/P19ED16: 2 each eccentric discs, 2 each press buttons, 2 each mirror plates. P19ED26: 3 each eccentric discs, 2 each press buttons, 3 each mirror plates.




P19EM08
0.8m² Mirror Surface
P19EM16
1.6m² Mirror Surface
P19EM26
2.6m² Mirror Surface

CRL EM Series Mirror Mounting Set

- Magnet mirror mounting set including eccentric discs, mirror-adhesive magnets, mirror plates, self-adhesive pads, screws, and wall plugs
- Easy installation
- Fixings hidden from sight
- Suitable for mirror surfaces up to 0.8m², 1.6m², and 2.6m²
- Suitable for wet rooms

Each set includes: P19EM08/P19EM16: 2 each eccentric discs, 2 each mirror-adhesive magnets, 2 each mirror plates. P19EM26: 3 each eccentric discs, 2 each mirror-adhesive magnets, 3 each mirror plates.








P19LD08
0.8m² Mirror Surface
P19LD16
1.6m² Mirror Surface
P19LD26
2.6m² Mirror Surface


CRL LD Series Mirror Mounting Set

- Simple mirror mounting bracket set including press buttons, mounting brackets, mirror plates, self-adhesive pads, screws, washers, and wall plugs
- Easy installation
- Fixings hidden from sight
- Suitable for mirror surfaces up to 0.8m², 1.6m², and 2.6m²
- Suitable for wet rooms

Each set includes: P19LD08/P19LD16: 2 each mounting brackets, 2 each mirror plates, 2 each press buttons. P19LD26: 3 each mounting brackets, 3 each mirror plates, 2 each press buttons.


CAT. NO.	DESCRIPTION
	<p>2MT24 610mm</p> <p>2MT36 915mm</p> <p>2MT48 1220mm</p> <p>CRL White Woven Category II Mirror Backing</p> <ul style="list-style-type: none"> Keeps glass fragments together should mirror accidentally break thus reducing the chance of personal injury Ready to use and easy-to-apply
	<p>21051A 200mm (100m roll)</p> <p>21051 300mm (100m roll)</p> <p>21052 450mm (100m roll)</p> <p>21053 604mm (100m roll)</p> <p>21056A 770mm (250m roll)</p> <p>21058B 650mm (250m roll)</p> <p>21058A 914mm (250m roll)</p> <p>21060A 1220mm (250m roll)</p> <p>CRL Mirabac Polypropylene Mirror Backing 60 Micron</p> <ul style="list-style-type: none"> Keeps glass fragments together should mirror accidentally break thus reducing the chance of personal injury Ready to use and easy-to-apply Tested to BS EN 12600 <p>Great Value</p>
	<p>2108600</p> <p>CRL Aluminium Tape with Liner</p> <ul style="list-style-type: none"> 600mm x 45m Protects the back of the mirror against moisture ingress
	<p>PLXR13 330mm diameter</p> <p>PLXR18 457mm diameter</p> <p>PLXR26 660mm diameter</p> <p>PLXR30 762mm diameter</p> <p>PLXR36 915mm diameter</p> <p>PLXR48 1220mm diameter</p> <p>CRL Circular Heavy-Duty Clear Plexiglas Convex Mirror</p> <ul style="list-style-type: none"> Improves safety and reduces accidents Discourages shoplifting For indoor or outdoor use, includes edge trim to protect mirror, 160 degree wide angle viewing Arm included
	<p>7020MP 584mm x 274mm</p> <p>7030MP 524mm x 520mm</p> <p>7035MP 785mm x 524mm</p> <p>7040MP 1040mm x 524mm</p> <p>7050MP 1505mm x 524mm</p> <p>CRL Heated Mirror Pads</p> <ul style="list-style-type: none"> Prevents mirror misting Simple installation Applied to back of mirror Made in Europe 240 Volts <p>High Performance</p> <p>CE</p>

Mirror Fixings ▼



CAT. NO.


DESCRIPTION



D645BA Brite Anodised
D645A Satin Anodised
D645GA Gold
D645BL Black
D645BN Brushed Nickel
D645W White

CRL Deep J-Bar Mirror Fixing Trim


- 3.66m stock lengths
- 40 per case



D636BA Brite Anodised
D636A Satin Anodised
D636GA Gold
D636BL Black
D636BN Brushed Nickel
D636W White

CRL Standard J-Bar Mirror Fixing Trim


- 3.66m stock lengths
- 50 per case



S625BA Brite Anodised
S625A Satin Anodised

CRL 16mm Flat Face Mirror Edge Moulding













- Available in several finishes
- 3.66m stock lengths



D1627BA 13mm Brite Anodised
D1627A 13mm Satin Anodised

CRL Satin Anodised Aluminium Angle Extrusion

- 3.66m stock lengths
- Seven finishes
- 50 per case

	CAT. NO.	DESCRIPTION
 	D1628BA 19mm Brite Anodised	CRL Satin Anodised Aluminium Angle Extrusion <ul style="list-style-type: none"> • 3.66m stock lengths • Seven finishes • 50 per case
	D1628A 19mm Satin Anodised	
 	DV2414BA 13mm Brite Anodised	CRL Aluminium Flat Bar Extrusion <ul style="list-style-type: none"> • 19mm x 3mm • Apply with tape or silicone • 3.66m stock lengths
	DV2414A 13mm Satin Anodised	
 	D901BA Brite Anodised	CRL Aluminium Divider Bar <ul style="list-style-type: none"> • 3.66m stock lengths • 50 per case
	D901A Satin Anodised	
	D901GA Gold	
 	L902BA 6.4mm Brite Anodised	CRL Aluminium Face L-Bar Extrusion <ul style="list-style-type: none"> • 3.66m stock lengths • 50 Per case
	L902A 6.4mm Satin Anodised	
 	L502BA 19mm Brite Anodised	CRL Aluminium Face L-Bar Extrusion <ul style="list-style-type: none"> • 3.66m stock lengths • 50 per case
	CRL213234 19mm wide	CRL White 0.8mm Thick All-Purpose Foam Mounting Tape <ul style="list-style-type: none"> • 66m length • Highly adhesive and flexible • Conforms to a wide variety of surfaces • Just peel and apply • Excellent for mirrors, glass, metals, plastics and other surfaces • Ideal for use in combination with mirror adhesive
	CRL211612 12.5mm wide	CRL 1.6mm Thick White All-Purpose Foam Mounting Tape <ul style="list-style-type: none"> • 33m length • Highly adhesive and flexible • Conforms to a wide variety of surfaces • Just peel and apply • Excellent for mirrors, glass, metals, plastics and other surfaces • Ideal for use in combination with mirror adhesive
	CRL211634 19mm wide	
	CRL21161 25mm wide	

CRL Mirror Products, Mastics and Adhesives

	CAT. NO.	DESCRIPTION
	CRL210812 12.5mm wide	CRL 3mm Thick White All-Purpose Foam Mounting Tape <ul style="list-style-type: none"> • 33m length • Highly adhesive and flexible • Conforms to a wide variety of surfaces • Just peel and apply • Excellent for mirrors, glass, metals, plastics and other surfaces • Ideal for use in combination with mirror adhesive
	CRL210834 19mm wide	
	CRL21081 25mm wide	
	AT0201436 Thickness: 0.5mm	CRL Transparent Acrylic Hi-Bond Adhesive Tape <ul style="list-style-type: none"> • Speciality tapes for the fabrication of shower enclosures • Excellent for use with clear polycarbonates, seals, and wipes • Instant pressure sensitive bonding; full strength in 72 hours • Transparent water clear colour choice • Width 6mm, roll length 11m • 36 rolls per case
	AT0401436 Thickness: 1mm	
	655 Set of 4 Clips	CRL E-Z Mount Mirror Clip Sets <ul style="list-style-type: none"> • Our best-selling mirror clip sets are the fast and secure way to hang mirrors • For 4mm and 6mm glass • Made of nickel plated steel • Individual sets or money-saving bulk cartons • Upper clips - have unique, spring loaded flanges. You just expand these clips during installation, it's quick and easy! • Lower clips - always remain stationary and have a 7.9mm channel space. These clips are not spring-loaded, and are designed to carry the mirror's weight
	50655B Bulk carton of 50 sets	
	1627 6 mm - 10 Packs of 4 Clips	CRL Chrome Clips for Mirrors <ul style="list-style-type: none"> • Chrome material • 4mm and 6mm sizes available • 1627 & 1627A include 2 Top and 2 Bottom Clips • 1627B & 1627C include 2 Fixed - 4 Sliding Clips
	1627A 4 mm - 10 Packs of 4 Clips	
	1627B 6 mm - 10 Packs of 6 Clips	
	1627C 4 mm - 10 Packs of 6 Clips	
	MC02CH Chrome	CRL Round Mirror Clip Set <ul style="list-style-type: none"> • 19mm diameter clips for use with 6mm mirror • Supplied with wood screws and anchors • 31.7mm screw length
	MC02BN Brushed Nickel	
	16351	CRL Klick-Klack Clips <ul style="list-style-type: none"> • Superbly moulded, all plastic mirror fixing system. • Supplied as a set of 4 clips, comprising 2 slide locking top clips and 2 strong base clips • For 3mm to 6 mm glass
	1630 19mm	Chrome Plated Dome Heads No 8 Gauge <ul style="list-style-type: none"> • Chrome finish, steel construction • Sold per pack of 200 <p>CRL mirror spacer grommet black rubber top hat type to take no. 8 Gauge screws also available</p>
	1630A 25mm	
	1631 32mm	
	1631A 38mm	
	1631A1 50mm	
	1632 Grommett	

Cleaning and Surface Protection

From old favourites like our CRL Glass Cleaner to fantastic new products like our CRL 6K Hydrophobic Surface Protection System...

CRL can offer you a comprehensive range of cleaning and surface protection products.



**Ideal for
Shower Screens**

Introducing...

6K




Hydrophobic Surface Protection System for Glass

CRL brings to the market a new surface protection system specifically designed to protect both Glass and Stainless Steel. 6K by CRL is a two-step surface protection treatment with a 3 year protection lifespan.

6K at a glance

- Two Stage Process
- Nano-Technology
- 3 Year Protection Lifespan
- Non-Toxic
- UV Stable
- Conforms to EN 45001
- Abrasion Resistance
- Long Lasting Coverage
- 100m² (1000ml bottle)
- 50m² (500ml bottle)
- 25m² (250ml bottle)
- 10m² (100ml bottle)



Treated with 6K

For more information visit crl6k.co.uk

CAT. NO.	DESCRIPTION	Own Label Version Available
 <p>PRE-CLEAN</p>	<p>PC6010 100ml PC6025 250ml PC6050 500ml PC6100 1 Litre</p> <p>CRL 6K Hydrophobic Surface Protection System for Glass and Stainless Steel</p> <ul style="list-style-type: none"> • Stage one - Pre-clean • Thoroughly cleans glass or stainless steel ready for the protection stage • Ideal for shower screens and glass railings • Recommended for use with the CRL Pre-cleaning Cloth (red) • Dries streak-free • Conforms to EN 45001 	
 <p>PROTECT</p>	<p>6K6010 100ml 6K6025 250ml 6K6050 500ml 6K6100 1 Litre</p> <p>CRL 6K Hydrophobic Surface Protection System for Glass and Stainless Steel</p> <ul style="list-style-type: none"> • Stage two - Protect • 3 year protection lifespan • Protects glass or stainless steel • Ideal for shower screens and glass railings • Nano-technology • Long lasting - wide coverage 	Own Label Version Available
	<p>PCCL0TH Red - Pre clean</p> <p>CRL Pre-Clean Cloth for the 6K Hydrophobic Surface Protection System</p> <ul style="list-style-type: none"> • To be used with CRL6K Pre-clean products 	
	<p>6KCL0TH Blue - Protect</p> <p>CRL Protect Cloth for the 6K Hydrophobic Surface Protection System</p> <ul style="list-style-type: none"> • To be used with CRL6K Protect products 	
	<p>AC6050 500ml</p> <p>CRL Aftercare Glass Cleaner</p> <ul style="list-style-type: none"> • Non-silicone based glass cleaner • Leaves glass clear and smear-free • Ideal for shower screens 	Recommended for use with 6K

CAT. NO.

DESCRIPTION



STAGE ONE
DEEP CLEAN

6KSBD660 660ml

CRL 6K Hydrophobic Surface Protection System for Sandblasted Glass

- Stage one – Deep Clean
- Thoroughly cleans sandblasted glass for the protection stage
- Ideal for Sandblasted Glass
- Recommended for use with the CRL Deep cleaning cloth (yellow)
- Dries streak-free

Protect sandblasted surfaces from grease



STAGE TWO
PROTECT

6KSBP100 1 Litre
6KSBP050 500ml

CRL 6K Hydrophobic Surface Protection System for Sandblasted Glass

- Stage two - Protect
- 3 year protection lifespan
- Ideal for sandblasted glass
- Nano-technology
- Long lasting - wide coverage

Protect sandblasted surfaces from grease



6KSBD CLOTH
Yellow - Deep clean

6K Sandblast Deep Clean Cloth

CRL Deep Clean Cloth for the 6K Hydrophobic Surface Protection System for Sandblasted Glass

- To be used with 6KSBD660 Deep Clean



6KSBP CLOTH
Green - Protect

6K Sandblast Protect Cloth

CRL Protect Cloth for the 6K Hydrophobic Surface Protection System for Sandblasted Glass

- To be used with 6KSBP100 & 6KSBP050 Protect

For the Perfect Finish...










Best Seller

CRL Glass Cleaner

- Non-smear, fast acting
- Spray-on wipe-off, brilliant finish
- 12 cans per case
- May be purchased with your label on can (Cat. No. 1702/17022/17023).

EB1701
660ml can

EB1701A
100ml can

CAT. NO.	DESCRIPTION
 <p>1702 1 colour print 17022 2 colour print 17023 3 colour print</p>	<div data-bbox="662 331 794 465">ALL WE NEED IS YOUR COMPANY LOGO</div> <p>CRL Own Label Glass Cleaner</p> <ul style="list-style-type: none"> • An easy way to promote your company • Non-smear, fast acting • Spray-on wipe-off, brilliant finish • 660ml can • Call to discuss needs <div data-bbox="1193 264 1485 304">Promote your business</div>
 <p>TPC16 475ml TPC5GL 18.93 litres</p>	<p>CRL TPC Surface Protector</p> <ul style="list-style-type: none"> • Transparent polymer coating • Water, soil, and stain repellent • Protects glass and many other surfaces • The clear coating guards against the adhesion and build-up of dirt, grime, mould, mildew, rust and mineral deposits • Suitable for clear and sandblasted glass surfaces
 <p>17200</p>	<p>Invisible Shield Glass Surface Sealer 1ltr</p> <ul style="list-style-type: none"> • 1 litre • Seals, polishes and protects glass • Keeps surfaces like new • Prevents build up of soap scum and hard water stains • Suitable for clear and sandblasted glass surfaces
 <p>17230</p>	<p>CRL Invisible Shield Pre-Clean Cream Cleaner</p> <ul style="list-style-type: none"> • 500ml • Removes tough stains • Provides anti-microbial resistant barrier
 <p>17740</p>	<p>CRL Repel Cleaner and Protectant 740ml</p> <ul style="list-style-type: none"> • Cleans to a sparkling shine • Shields glass and other surfaces against water, soil and grime • Prevents mineral and stain build-up for easier cleaning <div data-bbox="1414 1249 1485 1290">New</div>
 <p>1705 5 litres 1706 25 litres 1708 Dispenser bottle</p>	<p>CRL Glass-Brite Concentrated Liquid Glass Cleaner</p> <ul style="list-style-type: none"> • Glass-brite concentrated liquid glass cleaner for hand use or trigger sprays <p>CRL Hand Trigger Spray Dispenser Bottle</p> <ul style="list-style-type: none"> • The easiest and most economical way to use concentrated glass cleaner and other dispensable liquids
 <p>EUCRL7528</p>	<p>CRL Cleaner and Degreaser</p> <ul style="list-style-type: none"> • Contains no ozone depleting chemicals • Evaporates quickly • Cleans surfaces for UV adhesives • Removes all traces of grease and oils and leaves no residue <div data-bbox="1414 1742 1485 1783">New</div>



	CAT. NO.	DESCRIPTION
	CRL10	CRL Plastic Cleaner and Polish <ul style="list-style-type: none"> • Contains no abrasives • Non-static/non-glare • Great for removing tiny scratches • Handy and attractive squeeze bottles make it easy to carry, easy to apply, and a fast mover in over-the-counter sales.
	1710H	Glass Washing Machine Cleaner <ul style="list-style-type: none"> • Concentrated low foaming additive for hot and cold machines • Can be diluted 100:1 • Sold by 25 litre container
	CRL99W	CRL Wipes in a Bucket <ul style="list-style-type: none"> • Quickly removes urethane, tough soils, adhesives, grease, etc. • No rinsing, no drying, no residue • Effective, portable and convenient
	BX15 1 Box 1550 6 Boxes	CRL Lint Free Glass Wipes in Pop Up Dispenser Boxes <ul style="list-style-type: none"> • Ideal for wet or dry applications • New, convenient pop-up dispenser box • Strong, four-ply white paper wipes are virtually lint-free • Reinforced nylon scrim in both directions • The ripple texture makes them easy to hold during use • Six of these pop-up boxes are in each case of 1550
	1714 Roll 1715 Floor Stand Dispenser	CRL Monster Roll White 2-ply Industrial Wipes <ul style="list-style-type: none"> • 1000 sheets • 400mm x 280mm
	MFW2	CRL Micro Fibre Wipes <ul style="list-style-type: none"> • Streak free cleaning on windows and mirrors • Washable up to 500 times • Can be used hundreds of times • 406mm x 406mm size • Packed two per poly bag with a hanger hook so you can also offer them for resale to your customers.
	Z100 Extra Fine Z200 Fine Z300 Medium Z400 Coarse	CRL Steel Wool <ul style="list-style-type: none"> • Comes in four high quality grades from extra fine to coarse • Packed in economical sleeve packs (16 pads per pack) with a handy chart to show which grade is best for every cleaning job.

Best Seller

Squeegees ▼

Squeegees work better with CRL 6K
See page 40



	CAT. NO.	DESCRIPTION	
	17600	CRL Chrome Deluxe Shower Squeegee <ul style="list-style-type: none"> • Perfect for cleaning glass, mirror, ceramic tile, and marble • Suction hook holder requires no drilling • 254mm blade • Replacement blades available 	Best Seller
	SQWC1 White / Chrome SQBC1 Black / Chrome	CRL Superior Squeegees <ul style="list-style-type: none"> • Makes an ideal gift to customers after completing installation of showers • Dual 254mm wide blades wipe water from enclosure door and walls 	
	SP408 203mm SP412 305mm	CRL Rubber Squeegee <ul style="list-style-type: none"> • Thick rubber blade • Sturdy steel handle • Ideal for removing excess moisture and bubbles from window film 	
	FW55E	CRL Window Squeegee <ul style="list-style-type: none"> • Stainless steel handle • 350mm blade 	
	26573	CRL Replacement Wiper Blade <ul style="list-style-type: none"> • For use with CAT.NO. FW55E • 350mm long blade • Rubber blade 	
	CCS1	CRL Crystal Clear Squeegee <ul style="list-style-type: none"> • Crystal clear appearance blends beautifully with glass • Helps prevent accumulation of mildew, and eliminates water spots when used after each shower • Stainless steel blade holder with 254mm rubber blade • Includes strong suction cup holder for handy storage 	



Glazing Accessories

At CRL, we offer over 60,000 products and our core glazing accessories offer excellent value for your business needs.

Our range includes putty knives, razor blades and cutting knives as well as a wide range of glazing accessories. We are the one-stop-shop for all your glazing tool needs.

Tools for the Trade



CRL Putty Knives

- Large soft-grip handle
- Flexible or stiff high carbon steel blade
- Several blade widths to choose from
- Economically priced

HW033 38mm flexible

HW034 51mm flexible







HW035 76mm flexible







HW036 102mm flexible

HW039 76mm stiff



Knives ▼

	CAT. NO.	DESCRIPTION	
	HW048	CRL 8-In-1 Tool Putty Knife <ul style="list-style-type: none"> • 76mm wide blade • Multi purpose tool 	
	23618	Lead Putty Knife <ul style="list-style-type: none"> • Forged steel blade • 210mm long • Made in Germany • Genuine Don Carlos brand 	Best Seller
	23601	Stiff Putty Knife <ul style="list-style-type: none"> • Stiff blade • Continuous blade • 205mm long • Made in Germany 	
	2360328	Stiff Putty Knife <ul style="list-style-type: none"> • Continuous blade • 205mm long • Made in Germany • Width 28mm 	
	4203	CRL Red Devil® 38mm Stiff Knife <ul style="list-style-type: none"> • Solvent-resistant black nylon handle • High-carbon steel blade 	
	2CH114	CRL Russell® 32mm Putty Chisel <ul style="list-style-type: none"> • Quality high grade steel chisel • Laminated wood handle 	


	CAT. NO.	DESCRIPTION
	4231	CRL Red Devil® 32mm Putty Chisel <ul style="list-style-type: none"> • Precision beveled chisel edge • Heavy-duty steel blade
	4243	CRL Red Devil® 32mm Bent Knife <ul style="list-style-type: none"> • Solvent-resistant black nylon handle • High carbon steel blade
	0702	CRL Putty Knife <ul style="list-style-type: none"> • High quality putty knife • Blade length - 110mm • Width - 26mm • Weight - 0.068Kg
	0704	CRL 3110 Putty Knife Chisel <ul style="list-style-type: none"> • Overall length 210mm • Blade width 38mm • Made from high-grade carbon steel for strength and longevity
	0705	CRL 3130 Hacking Knife <ul style="list-style-type: none"> • Extra-strong carbon steel blade • Heavy-duty triple rivet leather handle
	HK1	CRL Hacking Knife <ul style="list-style-type: none"> • Precision-ground blade cuts through the hardest putty • Moulded plastic handle

Great Value

Cutting Knives ▼

	CAT. NO.	DESCRIPTION
	97K	CRL Standard Retractable Blade Utility Knife <ul style="list-style-type: none"> • Three position heavy-duty slider actuation • Overlapping nose for safety • Comes with five blades
	K82	CRL Autoloading Utility Knife <ul style="list-style-type: none"> • Easy, quick blade replacement • Ergonomically designed handle for comfort and control • Comes with five blades
	199	CRL Heavy-Duty Fixed Blade Utility Knife <ul style="list-style-type: none"> • Industrial quality die cast handle • Comes with five blades
	82L	CRL Heavy-Duty Retractable Blade Utility Knife <ul style="list-style-type: none"> • Safety orange colour • Industrial quality • Comes with three blades
	99	CRL Stanley® Heavy-Duty Retractable Blade Utility Knife <ul style="list-style-type: none"> • Industrial quality • Retractable blade • Features a five-position slide and heavy-duty metal body
	L2K	CRL Olfa® Heavy-Duty Retractable Blade Knife <ul style="list-style-type: none"> • All-purpose knife • Comfortable rubber grip




Replacement Cutting Knife Blades ▼


	CAT. NO.	DESCRIPTION
	H1K	CRL Olfa® Super Heavy-Duty Retractable Blade Knife <ul style="list-style-type: none"> • Large 25.4mm wide blade • Comfortable rubber grip
	14171	CRL Stanley Type Utility Knife Blades <ul style="list-style-type: none"> • Sold per box of 100
	1992C Pack of 100	CRL Heavy-Duty Utility Knife Blades <ul style="list-style-type: none"> • Our best selling utility blades • Heavy-duty 0.6mm thickness • Handy slide-out dispenser of 100
	1991C	CRL Standard Utility Knife Blades <ul style="list-style-type: none"> • Standard .018" thickness • Fit virtually all utility knives • 20 packs of 5 each
	LB50B	CRL Breakaway Blades for the L2K and XL2 Knives <ul style="list-style-type: none"> • Super sharp breakaway blades • Blades fit CRL retractable knives and other similar brands • Pack quantity 50
	HB5B	CRL Super Heavy Duty Breakaway Blades <ul style="list-style-type: none"> • Large 25mm wide blade • For use with H1K knife • Blades fit CRL retractable knives and other similar brands • 5 Blades per pack

Razor Blades & Accessories ▼







	CAT. NO.	DESCRIPTION
	51S	CRL Single Edge Razor Blades <ul style="list-style-type: none"> • Our most popular single edge blade • Precision honed, surgical steel edges • Individually wrapped to protect the edge • Multiple uses • 100 per box
	1409	CRL Single Edge Razor Blades <ul style="list-style-type: none"> • Deliver durability along with an exact quality cut • Each blade is individually wrapped to protect the edge until you are ready to use • 100 per box
	117200	CRL Razor Blade Knife <ul style="list-style-type: none"> • Easy way to handle single edge razor blades • This knife is compatible with our Cat. No. 51S & 1409 single edge razor blades
	KKB12	CRL Heavy Duty Industrial Blades <ul style="list-style-type: none"> • Single edge blades with no side notches • For use in paint scrapers and mat cutters • 100 per box
	3223	CRL Razor Blade Holder and Window Scraper <ul style="list-style-type: none"> • Safely holds all single edge metal razor blades • Quality scraping and cutting tools • This knife is compatible with our Cat. No. 51S & 1409 single edge razor blades

**Ideal for use with
CAT. NO. 117200**

	CAT. NO.	DESCRIPTION	
	RS65	CRL Razor Blade Holder and Scraper <ul style="list-style-type: none"> • Safely hold single edge metal razor blades • Comfortable handle for a sure grip 	Best Seller
	1419	CRL Red Devil Safety Scraper <ul style="list-style-type: none"> • For use with 51S single edge razor blades 	
	183100	CRL Carton Cutter <ul style="list-style-type: none"> • Uses CRL 51S single edge razor blades • Quality scraping and cutting tool • Safe and economic way to hold razor blades 	








Everything CRL in the palm of your hand

-  Search our vast product database
-  Get your pricing
-  Check stock availability
-  Order with express checkout
-  Find CRL service centre locations
-  Contact us







Visit **crlaurence.co.uk** from your smart phone or scan the QR code for the total CRL experience on the move.








Push Points & Drivers ▼

CAT. NO.	DESCRIPTION
 <p>30 Retail display of 12 packages</p> <p>31B 0.45kg bulk container</p>	<p>CRL Push Points</p> <p>Manual Insert</p> <ul style="list-style-type: none"> • Our most popular push points • Packaged in convenient display boxes for over-the-counter sales • Available in bulk, packages, or retail carded
 <p>PD9</p>	<p>CRL PD9 Diamond Point Driver</p> <ul style="list-style-type: none"> • All metal design • Drives 8mm no.1 points • Adjustable strike force
 <p>1P Pack of 5,000</p> <p>1B Box of 45,000</p>	<p>CRL 8mm Universal Diamond Points</p> <ul style="list-style-type: none"> • Stacked points are available in two package quantities • Works with our PD9 driver
 <p>FT898 9.5mm</p> <p>FT895 16mm</p>	<p>CRL Frame Master® Points</p> <p>For use with CAT. NO. FM075</p> <ul style="list-style-type: none"> • Exclusively for the Frame Master® point driver • Wax-free for a strong hold
 <p>FM075</p>	<p>CRL Fletcher Frame Master® Point Driver</p> <ul style="list-style-type: none"> • Quick loading reversible point magazine • Uses 9.5mm or 16mm points • Adjustable strike force

General Accessories ▼

	CAT. NO.	DESCRIPTION
	0220	CRL Glazier's Hammer <ul style="list-style-type: none"> • 304mm wooden shaft • Steel head
	PGL11	CRL Plate Glass Lifting Tool <ul style="list-style-type: none"> • For lifting and setting plate glass • Helps prevent lifting related injuries • Aids in storefront window installation
	0735	CRL Block Lever Plastic Head <ul style="list-style-type: none"> • Handy tool for all glazing jobs • Strong wooden handle with hard-wearing plastic head
	0741	CRL Glazing Shovel All Plastic <ul style="list-style-type: none"> • Sold individually • Lever action • Plastic
	0736	CRL Block Lever All Wood <ul style="list-style-type: none"> • Sold individually • Wood
	VR10	CRL 280mm Blue Handle Vinyl Roller Tool <ul style="list-style-type: none"> • Knurl diamond grip and a ball bearing wheel

Best Seller

	CAT. NO.	DESCRIPTION
	VR04	CRL Standard 2.5cm Vinyl Roller Tool <ul style="list-style-type: none"> • Ideal for inserting all types of flat spline and roll-in gaskets • Made from solid aluminium with a hard coat anodised finish • Knurl diamond grip and a ball bearing wheel
	S5403	CRL Glass Cutter and Pencil Pouch <ul style="list-style-type: none"> • Made from top-quality leather • Handy accessory for everyday work • Includes a strap for your tape measure or pliers
	4050	CRL Scrape 'N' Pry Bar <ul style="list-style-type: none"> • Multi-purpose tools made of hardened, tempered steel • Two sizes with chisel ground edges
	V63W 6mm wide x 3mm thick V64W 6mm wide x 4mm thick V93W 9mm wide x 3mm thick V94W 9mm wide x 4mm thick V122W 12mm wide x 2mm thick V123W 12mm wide x 3mm thick V124W 12mm wide x 4mm thick V125W 12mm wide x 5mm thick	CRL Glazing Tape <ul style="list-style-type: none"> • Self-adhesive polyethylene • Sold by the 2m roll • White • Also available in black - please enquire
	1M 1 lb 2M 2 lb	CRL Rubber Mallet <ul style="list-style-type: none"> • Ideal for auto channel installations • Available in 1 or 2 pound weights

Ordering from CRL

Buy direct from our online catalogue
Open 24/7 crlaurence.co.uk

Phone our freephone number
00 800 0421 6144

There's a friendly voice to help with your product enquiries.




Auto Glass Cut-Out Tools ▼

	CAT. NO.	DESCRIPTION
	RKB410	CRL 25mm Long Shank Stainless Steel Cold Knife Blades <ul style="list-style-type: none"> • Gives additional clearance • Extra long shank • Use with all handles
	AN5002 25mm AN5003 32mm AN5004 38mm	CRL UltraWiz® Ultra-Thin Cold Knife Blades <ul style="list-style-type: none"> • Ultra fast for quick glass removal • Ultra thin for easy cutting action • Use with all 19mm shank handles
	AN3007K	CRL UltraWiz® Lever-Action Cold Knife <ul style="list-style-type: none"> • Uses all 19mm shank CRL blades • Comfortable grip • Flip lever to adjust blade length
	RK160	CRL Standard Cold Knife <ul style="list-style-type: none"> • Our best selling removal tool • Uses all CRL cold knife blades

Auto Glass Tools and Hardware Catalogue

Large range of Auto Accessories available

CAT. NO. CRL43



Window Ventilators ▼

	CAT. NO.	DESCRIPTION
	1801	CRL Vent-A-Matic 121mm Glass Aperture without Shutters 101 <ul style="list-style-type: none"> Stormguard recommended CAT.NO. 1801SG Aperture size 121mm Performance size 5093mm² Ideal for use in kitchens and bathrooms Non electric window ventilator Clear No shutters
	1801SG	CRL Vent-A-Matic Stormguard SG5 <ul style="list-style-type: none"> For use with CAT.NO. 1801 & CAT.NO. 1802 Clear
	1802	CRL Vent-A-Matic 121mm Glass Aperture with Shutters 102 <ul style="list-style-type: none"> Stormguard recommended CAT.NO. 1801SG Aperture size 121mm Performance size 5093mm² Ideal for use in kitchens and bathrooms Non electric window ventilator Clear Control operated by a pull cord
	1802S	CRL Vent-a-Matic 121mm Glass Aperture with Shutters and StormGuard C102S <ul style="list-style-type: none"> This model comes complete with stormguard for exposed situations Aperture size 121mm Performance size 5093mm² Ideal for use in kitchens and bathrooms Non electric window ventilator Clear Control operated by a pull cord
	1805	CRL Vent-A-Matic 162mm Glass Aperture without Shutters 105 <ul style="list-style-type: none"> Stormguard recommended CAT.NO. 1805SG Aperture size 162mm Performance size 9000mm² Ideal for use in kitchens and bathrooms Non electric window ventilator Clear No shutters
	1805SG	CRL Vent-A-Matic Stormguard SG6 <ul style="list-style-type: none"> For use with CAT.NO. 1805, CAT.NO. 1806 & CAT.NO. 1807L Clear

	CAT. NO.	DESCRIPTION
	1806	CRL Vent-A-Matic 162mm Glass Aperture with Shutters 106 <ul style="list-style-type: none"> • Stormguard recommended CAT.NO. 1805SG • Aperture size 162mm • Performance size 9000mm² • Ideal for use in kitchens and bathrooms • Non electric window ventilator • Clear • Control operated by a pull cord
	1806S	CRL Vent-a-Matic 162mm Glass Aperture with Shutters and StormGuard C106S <ul style="list-style-type: none"> • This model comes complete with stormguard for exposed situations • Aperture size 162mm • Performance size 9000mm² • Ideal for use in kitchens and bathrooms • Non electric window ventilator • Clear • Control operated by a pull cord
	1807L	CRL Vent-A-Matic Slimline 162mm Glass Aperture with Shutters RXL <ul style="list-style-type: none"> • Stormguard recommended CAT.NO. 1805SG • Aperture size 162mm • Performance size 9000mm² • Designed for sash or sliding windows • Non electric window ventilator • Clear • Control operated by a pull cord
	1808	CRL Vent-A-Matic 162mm Glass Aperture Static with StormGuard JG <ul style="list-style-type: none"> • This model comes complete with stormguard for exposed situations • Aperture size 162mm • Performance size 9000mm² • Gas ventilator continuous air flow • Square louvered design • Clear • Static ventilator
	1809L	CRL Vent-A-Matic 219mm Glass Aperture with Shutters SXL <ul style="list-style-type: none"> • Stormguard recommended CAT.NO. 1809SG • Aperture size 219mm • Performance size 16741mm² • Combats condensation • For larger rooms; offices and hospitals • Clear • Control operated by a pull cord • Non electric window ventilator
	1809SG	CRL Vent-A-Matic Stormguard SG8 <ul style="list-style-type: none"> • For use with CAT.NO. 1809L • Clear
	1810PBS	CRL Vent-A-Matic 159mm Glass Aperture Static with Stormguard PBS <ul style="list-style-type: none"> • This model comes complete with stormguard for exposed situations • Aperture size 159mm • Performance size 10322mm² • Gas ventilator • Fits sash or sliding windows • Clear • Static ventilator • Non electric window ventilator

	CAT. NO.	DESCRIPTION
	18110	<p>CRL Vent-A-Matic 159mm Glass Aperture Static with Stormguard DGS/PBS</p> <ul style="list-style-type: none"> • This model comes complete with stormguard for exposed situations • Aperture size 159mm • Performance size 10322mm² • Gas ventilator • Fits any circular hole 160mm to 200mm • Clear • Static ventilator • Non electric window ventilator
		<p>Suitable for double glazing up to 32mm thick</p>
	1812B	<p>CRL Vent-A-Matic 162mm Glass Aperture with StormGuard DGS106</p> <ul style="list-style-type: none"> • This model comes complete with StormGuard for exposed situations • Aperture size 162mm • Performance size 9000mm² • Controllable ventilator • Hermetically sealed unit • Clear • Control operated by a pull cord • Non electric window ventilator
		<p>Suitable for double glazing up to 32mm thick</p>
	1813B	<p>CRL Vent-A-Matic 162mm Glass Aperture Static with StormGuard DGS/JG</p> <ul style="list-style-type: none"> • This model comes complete with StormGuard for exposed situations • Aperture size 162mm • Performance size 7096mm² • Controllable ventilator • Non electric window ventilator • Clear • Static ventilator
		<p>Suitable for double glazing up to 32mm thick</p>
	1814	<p>CRL Vent-A-Matic Aperture Adaptors</p> <ul style="list-style-type: none"> • CRL Vent-A-Matic aperture adaptors enable the CAT.NO. 1805, CAT.NO. 1806 and CAT.NO. 1807L to be fitted into existing apertures of 180mm-188mm • Clear
	1810PB	<p>Vent-A-Matic PB 165mm Glass Aperture Static Clear</p> <ul style="list-style-type: none"> • CRL Vent-A-Matic 164mm glass aperture static PB • Great value double louvered model • Aperture size 164mm • Performance size 9677mm² • Ideal for use in kitchens and bathrooms • Non electric window ventilator • Clear • Static ventilator

	CAT. NO.	DESCRIPTION
	S239AR	Smart Window Fan - White - 220-240V <ul style="list-style-type: none"> • Loading and depressurising window fan • For single and double glazing • Quick and easy installation and maintenance • Low noise through the ball bearing motor • 220-240V with a flow rate of 750m³/h
	V208M	Window Fan 20/8M - White - 220-240V <ul style="list-style-type: none"> • Depressurising window fan ONLY • For single and double glazing • Quick and easy installation and maintenance • 220-240V with a manual flow rate of 450m³/h
	V208AR	Window Fan 20/8AR - White - 220-240V <ul style="list-style-type: none"> • Loading and depressurising window fan • For single and double glazing • Quick and easy installation and maintenance • 220-240V with a manual flow rate of 450m³/h
	VENT10	CRL Ventimatic 10 <ul style="list-style-type: none"> • Loading and depressurising window fan • For single-and double glazing • 220V-240V with Flow rate of 100m³/h • White
	VENT15	CRL Ventimatic 15 <ul style="list-style-type: none"> • Loading and depressurising window fan • For single-and double glazing • 220V-240V with a flow rate of 155 m³/h • White

The Complete Collection

- EUAB12UK for the Binder with the following selection of brochures:
 - EUTL12 TAPER-LOC® Frameless Glass Balustrade System
 - DH12UK Door Hardware & Partitioning Systems for Glass
 - RS12UK Aluminium Railing & Windscreen Systems
 - GA13UK Glass Awnings Brochure
 - SDH12UK Shower Door Hardware
 - SDS12UK Sliding Door Systems for Glass
- EUAB12 for the Binder only

The ring binder enables you to add new brochures as they are published.

For your copy call: **00 800 0421 6144** or email: **CRL@crlaurence.co.uk**



Safety - Personal Protection Equipment

**Your safety is our prime concern,
and our wide range of industry
leading Personal Protective
Equipment will ensure you stay
safe on the job.**

From gloves to goggles, we are the one-stop shop
for all your safety needs.



Performance Information

1 being the lowest performance index



4 5 4 4

abrasion resistance performance index (1-4)

blade cut resistance performance index (1-5)

tear resistance performance index (1-4)

puncture resistance performance index (1-4)

CAT. NO.

DESCRIPTION

0601

Best Seller



CRL Cut Resistant Wrist Guard

- Our best value Wrist Guard
- Sold by the pair
- Hook & Loop fastening
- BS EN 388 3-5-4-4

0601K

Best Seller



Kevlar Wrist Guards Black Cotton

- Sold by the pair
- Hook & Loop fastening
- BS EN 388 3-5-4-4

4X2259M
229mm

4X2257M
178mm

Great Value



Nylon Wrist Protectors

- Lightweight and flexible
- Available in two lengths
- Stitched with Kevlar®
- ANSI Level 2 cut protection
- Sold only by the pair
- Not certified to BS EN 388 - Classed as minimal risk

063718

CRL Marigold FS18 Kevlar Sleeves

- 457mm long
- BS EN 388 1-3-4-X



0606

Gristle Type Glove Yellow Fully Dipped

- Lightweight cotton gloves with knitted wrists
- Fully dipped polyurethane coating for improved grip
- Not certified to BS EN 388 - Classed as minimal risk



	CAT. NO.	DESCRIPTION
	06062	Blue Textured Latex Gloves <ul style="list-style-type: none"> • Conforms to BSEN388 • Medium weight crinkle natural rubber coating • 100% cotton jersey liner • BS EN 388 1-1-3-1
	0625A Small - Size 8 0626 Medium - Size 9 0627 Large - Size 10	Powerflex Kevlar® Glove <ul style="list-style-type: none"> • BS EN 388 4-5-4-4
	300KVM Medium 300KVL Large 300KVXL Extra Large	Atlas Kevlar® Cut Resistant Gloves <ul style="list-style-type: none"> • The perfect glove for glass fabricators • Cut Level Rating: 3 • Protects against cuts, punctures, and slashes • High tensile strength at low weight • Not certified to BS EN 388 - Classed as minimal risk
	0630 Medium - Size 8 0630A Large - Size 9	Easyflex Light Nitrile Glove <ul style="list-style-type: none"> • BS EN 388 2-1-1-1
	0637S Small - Size 7 0637M Medium - Size 8 0637L Large - Size 9 0637XL Extra Large - Size 10	Marigold Industrial Green Gloves <ul style="list-style-type: none"> • BS EN 388 3-1-4-3
	70105	Latex Gloves <ul style="list-style-type: none"> • Black • Lightweight • BS EN 388 3-1-2-1
	962FDL Large 962FDXL Extra Large	CRL Large Fuzzy Duck® PVC Gloves <ul style="list-style-type: none"> • Breathable PVC coating keeps hands cool • Two-piece jersey liner for comfort • Excellent gripping properties on glass • Four sizes to assure a perfect fit • BS EN 388 3-1-2-1

	CAT. NO.	DESCRIPTION
	SG10	CRL "New Style" Knit Wrist Smooth Palm Gloves <ul style="list-style-type: none"> • For handling glass and sheet metal • Cost saving in a quality glove • Smooth rubber coating for glass use • Not certified to BS EN 388 - Classed as minimal risk
	SG12	CRL "New Style" Gauntlet Cuff Smooth Palm Gloves <ul style="list-style-type: none"> • For handling glass and sheet metal • Cost saving in a quality glove • Smooth rubber coating for glass use • Not certified to BS EN 388 - Classed as minimal risk
	GR1PL Large GR1PXL Extra Large GR1P2X Extra Extra Large	CRL GripPro Impact Performance Gloves <ul style="list-style-type: none"> • Shock absorbing Impact-X™ padding • Heavy-Duty Elastic Hook & Loop closure • Lightweight and Durable RhinoTex™ synthetic leather palm • Not certified to BS EN 388 - Classed as minimal risk
	262SM Small 265MD Medium 266LG Large 268XL Extra Large	CRL Powder-Free Disposable Latex Gloves <ul style="list-style-type: none"> • Fully-textured surface • Can be worn on either hand • Available in four sizes • Powder-free • Not certified to BS EN 388 - Classed as minimal risk
	0602B	Leather Apron Without Bib <ul style="list-style-type: none"> • Chrome leather <p>NOTE: Not Certified to BS EN 388 - classed as minimal risk</p>
	0624	Kevlar® Cutter's Apron <ul style="list-style-type: none"> • Tested BS EN 388 4542 • Green heavy duty apron • Kevlar lined reinforced front and pocket
	2235	Plastic Apron <ul style="list-style-type: none"> • 1092mm long • Full splash protection • Comfortable, lightweight and washable • General purpose apron for use in wet conditions

CAT. NO.	DESCRIPTION
 <p>993898MD Medium 993898LG Large 993898XL Extra Large</p>	<p>Cut Protection Polo Shirt</p> <ul style="list-style-type: none"> • Dark blue with grey sleeves • Maximum cut and puncture resistance • Offers both style and comfort • Cordura® material reinforcement in the belly area
 <p>PKJ153MD Medium PKJ153LG Large PKJ153XL Extra Large</p>	<p>CRL Cut Protection Jacket</p> <ul style="list-style-type: none"> • Provides maximum protection • Heavy-duty and durable • Provides cut resistance to level five for the arms and shoulders and a puncture rating of three • The exterior design features a snap closure front and two front flap pockets, while the inside has a comfortable poly-cotton liner
 <p>0604</p>	<p>Handling Lap Without Thumb Hole</p> <ul style="list-style-type: none"> • Soft rubber for extra grip
 <p>HG245</p>	<p>Handling Lap With Thumb Hole</p> <ul style="list-style-type: none"> • Heavy-duty rubber holds glass firmly
 <p>CL0210 Clear Lens</p>	<p>CRL Radians® Vector™ Safety Glasses</p> <ul style="list-style-type: none"> • Great protection • Classic design • 100% polycarbonate lens that meets the ANSI Z87.1-1989 Standard • Distortion-free with fog and scratch resistance built in
 <p>0607</p>	<p>CRL Protective Goggles</p> <ul style="list-style-type: none"> • Strong lightweight goggles with good clear vision and ventilated sides to prevent misting • They offer comfort and protection against flying particles, dust and splash
 <p>0608</p>	<p>CRL Lightweight Visitor Spectacles</p> <ul style="list-style-type: none"> • Distortion free, anti-glare clear lenses • Can be worn with or without prescription glasses • Feature exclusive wrap-around side shields, and an anti-glare brow guard • Impact resistant polycarbonate spectacles

	CAT. NO.	DESCRIPTION
	G1001	CRL Disposable Dust Mask <ul style="list-style-type: none"> • Ideal protection against dust when sanding, grinding and cutting • Protect against nuisance and non-toxic dusts, powders, pollen, and other common airborne irritants • Comfortable and lightweight, they are designed to be worn with or without eyeglasses or goggles without interfering with your maximum field of vision • Sold per box of 50
	ES515	CRL Band Mount Hearing Protectors <ul style="list-style-type: none"> • Swivel ear cup construction • Universal fit • For low-noise environments • Seals the ear with minimum pressure, permitting conversational speech and warning signals to be heard • The ear cushions are ultra-soft for comfort and extended wear
	ES986	CRL Disposable Foam Ear Plugs <ul style="list-style-type: none"> • Economical ear protection • 200 wrapped pairs per box
	347	CRL Armadillo Knee Pads <ul style="list-style-type: none"> • Flexible air cushion for added protection • One size fits all
	0614	CRL Safety Helmet White <ul style="list-style-type: none"> • Made from an improved, injection-moulded, high density polyethylene that offers superior protection against impact, penetration, and shock • Good resistance to chemicals and voltage, yet it weighs less than 340g, making it comfortable to wear • Four point integral suspension has head gripping, extra contoured nape strap for better fits of all head sizes
	1SC	CRL Tyvek® Shoe Covers <ul style="list-style-type: none"> • Protects your customer's floor mats • Made of Lightweight Tyvek® Material with PVC sole • One size fits all • 10 pairs per pack
	K61027	CRL 10 Person First Aid Kit <ul style="list-style-type: none"> • Ideal for mobile use • Compact and convenient • Meets ANSI standard Z308.1.2009



Glass Hardware


CRL has an ever-growing selection of Glass Hardware equipment, including Glass Clamps, Standoffs, U-Channels and Glass Partition Joints.

These products are all supported by our specialised technical sales teams who are able to offer practical solutions to exceed your expectations.

Shelf & Cabinet Hardware ▼

	CAT. NO.	DESCRIPTION
	DL631CH Chrome	CRL Adjustable Shelf Bracket <ul style="list-style-type: none"> For glass or wood shelves 3mm to 24mm thick For shelves up to 254mm deep (protrusion from wall)
	DL631BN Brushed Nickel	
	FA10CH Square Chrome 28.6mm wide x 25.4mm deep	CRL Interior Shower Shelf Clamp <ul style="list-style-type: none"> For 6mm to 10mm thick glass No glass fabrication required Available in three styles, and up to eight finishes
	FA11CH Rectangular Chrome 100mm wide x 25.4mm deep	
	FA12CH Chrome 49.2mm wide x 25.4mm deep	CRL Rounded Interior Shower Shelf Clamp <ul style="list-style-type: none"> For 6mm to 10mm thick glass No glass fabrication required Available in three styles, and up to eight finishes
	1020CHR Chrome	CRL No-Drill Shelf Clamp for 10mm Glass <ul style="list-style-type: none"> Solid brass with chrome or gold plated finishes Secure glass with set screws - no drilling of glass required 19.8mm diameter
	1020GP Gold	
	1230CHR Chrome - 31mm Long	CRL No-Drill Glass Shelf Clamps for 10mm Glass <ul style="list-style-type: none"> Available in solid brass with chrome or gold plated finishes Secure glass with set screw - no drilling of glass required Sizes available 10mm and 12 mm thick glass
	1270CHR Chrome - 70mm Long	
	1430CHR Chrome - 31mm Long	CRL No-Drill Glass Shelf Clamps for 12mm Glass <ul style="list-style-type: none"> Available in solid brass with chrome or gold plated finishes Secure glass with set screw - no drilling of glass required Sizes available for 10mm and 12mm thick glass
	1470CHR Chrome - 70mm Long	

Best Seller



CRL Aluminium Shelf Extrusions are designed to support glass shelves without a lot of visible metal. The cleat easily attaches to studs with screws, and can support a shelf with a maximum projection of 305mm. Offered in 2.4m long Extrusions, you are no longer limited to "standard size" shelves. The Extrusions may be easily cut to size, and by installing matching End Caps the shelves make for a beautiful presentation.

CAT. NO.

DESCRIPTION

SE1418BA Brite Anodised
SE1418BN Brushed Nickel

CRL Aluminium Shelving Extrusions for Glass 457mm Length

- For 6mm thick glass
- Available in four lengths and finishes
- Easy to install

SE3818BA Brite Anodised
SE3818BN Brushed Nickel

CRL Aluminium Shelving Extrusions for Glass 457mm Length

- For 10mm thick glass
- Available in four lengths and finishes
- Easy to install

NOTE: Glass is not included

SE1424BA Brite Anodised
SE1424BN Brushed Nickel

CRL Aluminium Shelving Extrusions for Glass 610mm Length

- For 6mm thick glass
- Available in four lengths and finishes
- Easy to install

SE3824BA Brite Anodised
SE3824BN Brushed Nickel

CRL Aluminium Shelving Extrusions for Glass 610mm Length

- For 10mm thick glass
- Available in four lengths and finishes
- Easy to install

NOTE: Glass is not included

SE1436BA Brite Anodised
SE1436BN Brushed Nickel

CRL Aluminium Shelving Extrusions for Glass 914mm Length

- For 6mm thick glass
- Available in four lengths and finishes
- Easy to install

SE3836BA Brite Anodised
SE3836BN Brushed Nickel

CRL Aluminium Shelving Extrusions for Glass 914mm Length

- For 10mm thick glass
- Available in four lengths and finishes
- Easy to install

NOTE: Glass is not included

SE1496BA Brite Anodised
SE1496BN Brushed Nickel

CRL Aluminium Shelving Extrusions for Glass 2.4m Length

- For 6mm thick glass
- Available in four lengths and finishes
- Easy to install

SE3896BA Brite Anodised
SE3896BN Brushed Nickel

CRL Aluminium Shelving Extrusions for Glass 2.4m Length

- For 10mm thick glass
- Available in four lengths and finishes
- Easy to install

NOTE: Glass is not included





END14BA
 Brite Anodised (6mm glass)
END14BN
 Brushed Nickel (6mm glass)
END38BA
 Brite Anodised (10mm glass)
END38BN
 Brushed Nickel (10mm glass)

CRL End Cap for Aluminium Shelving Extrusion

- Cover exposed edges of our aluminium shelving extrusions
- Formed and shaped to fit, ready to install

	CAT. NO.	DESCRIPTION
	EH202	CRL European Style Glass Door Overlay Hinge <ul style="list-style-type: none">• 5mm to 6mm glass• Opens a full 90 degrees• For use with CAT. NO. EH122 mounting plate
	EH204	CRL European Style Glass Door Inset Hinge <ul style="list-style-type: none">• 5mm to 6mm glass• Opens a full 90 degrees• For use with CAT. NO. EH122 mounting plate
	EH122	CRL Chrome European Style Glass Door Hinge Mounting Plate <ul style="list-style-type: none">• Designed for easy installation• Chrome
	EH120	CRL Hinge Cover Plate <ul style="list-style-type: none">• Black plastic hinge cover plate snaps onto mounting arm of overlay or inset hinges• One per package.

Installation Instructions










"A" INSET
Overlay Hinge = 36.9mm
Inset Hinge = 36.9mm
Plus Glass Thickness

Suggested Guideline for Hinge Installations

DOOR HEIGHT	NO. OF HINGES REQUIRED	MAXIMUM DOOR WEIGHT
914mm	2	9.1kg
1524mm	3	14.5kg
2133mm	4	20.4kg
2438mm	5	23.1kg



CAT. NO.	DESCRIPTION
	<p>EH156 Chrome</p> <p>EH158 Brass</p> <p>CRL European Style Glass Door Hinge Cover Plate</p> <ul style="list-style-type: none"> Designed for easy installation
	<p>FP88 Clear</p> <p>FP88BX Clear - 100 Bulk Pack</p> <p>FP89 Black</p> <p>FP89BX Black - 100 Bulk Pack</p> <p>FP86 Silver</p> <p>FP86BX Silver - 100 Bulk Pack</p> <p>CRL Showcase Stick-On Finger Pull</p> <ul style="list-style-type: none"> 19mm wide x 70mm long x 3.2mm deep Available in five popular colours Easy-to-install, just peel and stick <p>Best Seller</p>
	<p>MFPC8</p> <p>CRL Acrylic Mirror Stick-On Finger Pull</p> <ul style="list-style-type: none"> 25.4mm wide x 76.2mm long Ideal for sliding glass or mirror cabinet doors Stick-on application Blends with mirror doors Clear
	<p>KV836</p> <p>CRL Anochrome Showcase Threaded Finger Pull</p> <ul style="list-style-type: none"> For all glass doors Requires drilling a 22mm hole in glass Easy to install in glass from 6mm to 8mm thick
	<p>FP214BS</p> <p>CRL Laguna Series Thru-Glass Pull</p> <ul style="list-style-type: none"> For 10mm to 12mm Glass 57mm diameter Low profile design allows for full door opening access Requires a 48mm diameter hole in glass Brushed stainless finish
	<p>220CH</p> <p>CRL Randomly Keyed Glass Showcase Lock</p> <ul style="list-style-type: none"> Ratchet length 133.3mm x ratchet width 10.3mm Fits up to 8mm thick glass doors Screw-on ratchet bar to hold lock onto glass Secure, double-bit key Chrome Available in keyed alike
	<p>1670P6</p> <p>CRL Door Lock Plunger Type for 6mm Glass</p> <ul style="list-style-type: none"> Security lock for cabinet case

CAT. NO.

DESCRIPTION

LK50

CRL Lock for Cabinet Glass Door

- Installation requires drilling 25mm diameter hole in glass
- Provides security and doubles as a knob to open doors
- Chrome finish
- Plunger lock for sliding doors




16780

Length 2m

CRL Rollertrack Bottom Track

- 21mm Wide, 18mm High
- Perfect for showcases and display cabinets
- Designed for 6mm toughened glass
- Smooth operating nylon rollers are built into the lower track
- Simple 'lift and drop' glass installation
- Top channel can be used as side jambs or for a surround frame
- Polished aluminium finish




16790

Length 2m

CRL Rollertrack Top Track

- 21mm Wide, 18mm High
- Perfect for showcases and display cabinets
- Designed for 6mm toughened glass
- Smooth operating nylon rollers are built into the lower track
- Simple 'lift and drop' glass installation
- Top channel can be used as side jambs or for a surround frame
- Polished aluminium finish



CAT. NO.
DESCRIPTION



CTA36A
Length 914mm
CTA48A
Length 1219mm
CTA72A
Length 1829mm

CRL Continental Style Pre-Cut Security Track Assembly

- Designed for 5mm and 6mm glass
- Pre-cut assemblies in three lengths
- Satin anodised
- For use with End Cap, CAT. No. DV148SC


DV148SC
CRL Satin Chrome End Cap for Aluminium DV146 H-Bar


- Provides finished appearance to DV146 H-Bar
- Available in brass and chrome finishes
- The DV146 H bar is used in the CTA kits



D609A
Length 3.66m


CRL Aluminium Plastic Lined Double Upper Channel

- Made from highest quality no. 6063 alloy
- Available in attractive finishes
- Satin anodised
- For use with CAT. No's:
D602A, DV146A, DV147, DV144C, 0681SC, 6306



CAT. NO.


DESCRIPTION



DV146A
Length 3.66m

CRL Aluminium H-Bar Extrusion for Showcases

- Made from highest quality no. 6063 alloy
- Available in attractive finishes
- Satin anodised
- For use with CAT. No's:
0681SC, D602A, DV609A, DV147, DV144C, 6306



DV144C

CRL Gray Vinyl for DV146 "H" Bar






- Designed for use in H-Bar track assemblies
- Fits DV146 H-Bar
- 30.5m roll
- For use with CAT. No's:
D602A, DV146A, DV609A, DV147, 0681SC, 6306



0681SC

CRL Satin Chrome End Cap Sliding Door Lock

- Fits into the cut end of the DV146 H-Bar to secure the bypassing panels when also using a Cat. No. 6306 Anti-Lift Clip
- Lock comes with two keys
- Lock provides desired security without having to drill glass
- No need to drill glass
- Satin chrome
- For use with CAT. No's:
D602A, DV146A, DV609A, DV147, DV144C, 6306
- Available in keyed alike

	CAT. NO.	DESCRIPTION
 	D602A Length 3.66m	CRL Aluminium Lower Channel for Deep Recess Installations <ul style="list-style-type: none"> • Made from highest quality no. 6063 alloy • Available in attractive finishes • Satin anodised • For use with CAT. No's: 0681SC, DV146A, DV609A, DV147, DV144C, 6306
 	DV147	CRL Nylon Showcase Track Roller for "DV" Series Track <ul style="list-style-type: none"> • Permits showcase doors to move effortlessly • Nylon roller • Steel housing • 50mm length • For use with CAT. No's: D602A, DV146A, DV609A, DV144C, 0681SC, 6306
	6306	CRL Anti-Lift Clip for Showcase Track <ul style="list-style-type: none"> • Designed to prevent showcase doors from being removed when they are in the locked position • Secured to the track assembly with two screws (not supplied) • For use with CAT. No's: 0681SC, D602A, DV609A, DV147, DV144C, DV146A




Glass Clamps ▼

Round

CAT. NO.

DESCRIPTION



Z406CH

Chrome




Z406BN

Brushed Nickel



CRL Z-Series Round Type Flat Base Zinc Clamp

- 6mm and 8mm glass
- Replacement gaskets are available by ordering CRL Cat. No. Z14RG
- The ideal clamp for use on mezzanines, partitions, railings and windbreaks
- Base metal: zinc casting
- Steel pin available for additional glass support
- Tested and engineered to meet and exceed code standards
- Removable securing pin provided with clamp

CAT. NO.		DESCRIPTION
	Z410CH Chrome	CRL Z-Series Round Type Flat Base Zinc Clamp <ul style="list-style-type: none">• 10mm glass• Replacement gaskets are available by ordering CRL Cat. No. Z38RG• The ideal clamp for use on mezzanines, partitions, railings and windbreaks• Base metal: zinc casting• Steel pin available for additional glass support• Tested and engineered to meet and exceed code standards
	Z410BN Brushed Nickel	
	Z210CH Chrome	CRL Z-Series Round Type 50.8mm Radius Base Zinc Clamp <ul style="list-style-type: none">• For 10mm thick glass• The ideal clamp for use on mezzanines, partitions, railings and windbreaks• Base metal: zinc casting• Steel pin available for additional glass support• Tested and engineered to meet and exceed code standards• Removable securing pin provided with clamp• Replacement gaskets available
	Z210BN Brushed Nickel	
	Z510PS Polished Stainless	CRL Z-Series Round Type Flat Base Stainless Steel Clamp <ul style="list-style-type: none">• For 10mm glass• Replacement gaskets are available by ordering CRL Cat. No. Z38RG• The ideal clamp for use on mezzanines, partitions, railings and windbreaks• Base metal: stainless steel• Steel pin available for additional glass support• Tested and engineered to meet and exceed code standards• Removable securing pin provided with clamp• Z510PS is Grade 316
	Z510BS Brushed Stainless	

CAT. NO.

DESCRIPTION




Z310PS
Polished Stainless

Z310BS
Brushed Stainless



CRL Z-Series Round Type 50.8mm Radius Base Stainless Steel Clamp

- For 10mm glass
- The ideal clamp for use on mezzanines, partitions, railings and windbreaks
- Base metal: stainless steel
- Steel pin available for additional glass support
- Tested and engineered to meet and exceed code standards
- Removable securing pin provided with clamp




Z412CH
Chrome

Z412BN
Brushed Nickel



CRL Z-Series Round Type Flat Base Zinc Clamp

- 12mm glass
- Replacement gaskets are available by ordering CRL Cat. No. Z12RG
- The ideal clamp for use on mezzanines, partitions, railings and windbreaks
- Base metal: zinc casting
- Steel pin available for additional glass support
- Tested and engineered to meet and exceed code standards (engineering reports)
- Removable securing pin provided with clamp



Z512PS
Polished Stainless


Z512BS
Brushed Stainless



CRL Z-Series Round Type Flat Base Stainless Steel Clamp



- For 12mm glass
- Replacement gaskets are available by ordering CRL Cat. No. Z12RG
- The ideal clamp for use on mezzanines, partitions, railings and windbreaks
- Base metal: stainless steel
- Steel pin available for additional glass support
- Tested and engineered to meet and exceed code standards
- Removable securing pin provided with clamp

CAT. NO.	DESCRIPTION
 <p>EUZFBZ Raw Zinc Finish</p> <p>EUZFBBS Stainless Steel 316</p>	<p>CRL Large D Shape Clamp 63mm x 45mm</p> <ul style="list-style-type: none">• 63mm x 45mm D shape clamp• Steel pin included for additional glass support (removable if required)• Please enquire about radius back options• Rubber gasket not included• Please order the following rubber gaskets to suit:<ul style="list-style-type: none">CAT.NO. EUZ8G for 8mm glassCAT.NO. EUZ876G for 8.76mm glassCAT.NO. EUZ10G for 10mm glassCAT.NO. EUZ1076G for 10.76mm glassCAT.NO. EUZ12G for 12mm glassCAT.NO. EUZ1276G for 12.76mm glass

Square	CODE	DESCRIPTION
 <p>Z812CH Chrome</p> <p>Z812BN Brushed Nickel</p>		<p>CRL Z-Series Square Type Flat Base Zinc Clamp</p> <ul style="list-style-type: none">• Designed to accommodate 12mm glass thickness• Replacement gaskets are available by ordering CRL Cat. No. Z12SG• The ideal clamp for use on mezzanines, partitions, railings and windbreaks• Steel pin available for additional glass support• Tested and engineered to meet and exceed code standards• Removable securing pin provided with clamp
 <p>Z810CH Chrome</p> <p>Z810BN Brushed Nickel</p> <p>Z810SC Satin Chrome</p>		<p>CRL Z-Series Square Type Flat Base Zinc Clamp</p> <ul style="list-style-type: none">• Designed to accommodate glass thickness of 10mm• The ideal clamp for use on mezzanines, partitions, railings and windbreaks• Base metal: zinc casting• Steel pin available for additional glass support• Tested and engineered to meet and exceed code standards• Removable securing pin provided with clamp

CAT. NO.

DESCRIPTION



Z610CH

Chrome


Z610BN

Brushed Nickel



CRL Z-Series Square Type Radius Base Zinc Clamp

- For 10mm glass
- Replacement gaskets are available by ordering CRL Cat. No. Z38SG
- The ideal clamp for use on mezzanines, partitions, railings and windbreaks
- Base metal: zinc casting
- Steel pin available for additional glass support
- Tested and engineered to meet and exceed code standards
- Removable securing pin provided with clamp



Z910PS

Polished Stainless

Z910BS

Brushed Stainless



CRL Z-Series Square Type Flat Base Stainless Steel Clamp

- Designed to accommodate glass thickness of 10mm
- Replacement gaskets are available by ordering CRL Cat. No. Z38SG
- The ideal clamp for use on mezzanines, partitions, railings and windbreaks
- Steel pin available for additional glass support
- Tested and engineered to meet and exceed code standards
- Removable securing pin provided with clamp
- Grade 316



Z710PS

Polished Stainless


Z710BS

Brushed Stainless



CRL Z-Series Square Type Radius Base Stainless Steel Clamp

- For 10mm glass
- Replacement gaskets are available by ordering CRL Cat. No. Z38SG
- The ideal clamp for use on mezzanines, partitions, railings and windbreaks
- Base metal: stainless steel
- Steel pin available for additional glass support
- Tested and engineered to meet and exceed code standards (engineering reports)
- Removable securing pin provided with clamp
- Grade 316

	CAT. NO.	DESCRIPTION
	ZBOLT 8mm diameter 25.4mm length 5/16"-18 thread	CRL Z-Clamp Bolt <ul style="list-style-type: none"> • For securing Z-Series clamps to tubing • Simplifies Z-Clamp installation • For metal attachments • Minimum order quantity 10
	ZLAG 8mm diameter 51mm length 5/16" thread	CRL Z-Clamp Lag Bolt <ul style="list-style-type: none"> • Stainless screws for use with CRL's Z-Series clamps • Simplifies Z-Clamp installation • For wood attachments • Minimum order quantity 10

The Complete Collection

- EUAB12UK for the Binder with the following selection of brochures:
 - EUTL12 TAPER-LOC® Frameless Glass Balustrade System
 - DH12UK Door Hardware & Partitioning Systems for Glass
 - RS12UK Aluminium Railing & Windscreen Systems
 - GA13UK Glass Awnings Brochure
 - SDH12UK Shower Door Hardware
 - SDS12UK Sliding Door Systems for Glass
- EUAB12 for the Binder only


The ring binder enables you to add new brochures as they are published.



For your copy call: **00 800 0421 6144** or email: CRL@crlaurence.co.uk

Glass Standoffs ▼

**19mm
diameter**



CAT. NO.

DESCRIPTION


Polished Stainless
S0B3412PS 12mm
S0B3434PS 19mm
S0B341PS 25mm
S0B34112PS 38mm
S0B342PS 50mm
S0B344PS 100mm
S0B346PS 150mm

Brushed Stainless
S0B3412BS 12mm
S0B3434BS 19mm
S0B341BS 25mm
S0B34112BS 38mm
S0B342BS 50mm
S0B344BS 100mm
S0B346BS 150mm

Chrome
S0B3434CH 19mm
S0B341CH 25mm
S0B34112CH 38mm
S0B342CH 50mm
S0B344CH 100mm
S0B346CH 150mm

CRL 316 Polished Stainless 19mm Diameter Standoff Base

- Available in many distinct finishes including brushed stainless, polished stainless and chrome to accommodate any project requirement
- Accomplish your design objective by choosing one of eight different lengths
- Popular decorator finishes
- 316 stainless steel can be used indoors or outdoors



CAP34PS
 Polished Stainless
CAP34BS
 Brushed Stainless
CAP34CH
 Chrome


CRL 316 19mm Diameter Standoff Cap Assembly

- Choice of two styles available in several popular finishes
- Standard cap

CAT. NO.

DESCRIPTION

32mm diameter



Polished Stainless
S0B11412PS 12mm
S0B11434PS 19mm
S0B1141PS 25mm
S0B114112PS 38mm
S0B1142PS 50mm
S0B1144PS 100mm
S0B1146PS 150mm

Brushed Stainless
S0B11412BS 12mm
S0B11434BS 19mm
S0B1141BS 25mm
S0B114112BS 38mm
S0B1142BS 50mm
S0B1144BS 100mm
S0B1146BS 150mm

Chrome
S0B11412CH 12mm
S0B11434CH 19mm
S0B1141CH 25mm
S0B114112CH 38mm
S0B1142CH 50mm
S0B1144CH 100mm
S0B1146CH 150mm

CRL 316 Polished Stainless 32mm Diameter Standoff Base

- Available in many distinct finishes to accommodate any project requirement
- Accomplish your design objective by choosing one of eight different lengths
- Popular decorator finishes
- 316 stainless steel can be used indoors or outdoors


NOTE: please ONLY use CRL Hanger bolts**Square Standoffs Also Available**See crlaurence.co.uk for more details/finishes.

CAP114PS
 Polished Stainless
CAP114BS
 Brushed Stainless
CAP114CH
 Chrome
CAPF114BS
 Flush Cap

CRL 316 32mm Diameter Standoff Cap Assembly

- Choice of several matching finishes
- Flush cap also available
- Made from polished 316 stainless

38mm diameter




Polished Stainless
S0B11212PS 12mm
S0B11234PS 19mm
S0B1121PS 25mm
S0B112112PS 38mm
S0B1122PS 50mm
S0B1124PS 100mm

Brushed Stainless
S0B11212BS 12mm
S0B11234BS 19mm
S0B1121BS 25mm
S0B112112BS 38mm
S0B1122BS 50mm
S0B1124BS 100mm

CRL 316 Brushed Stainless 38mm Diameter Standoff Base

- Infinite design options including signage, furniture and retail display
- Made from 316 stainless steel and available in two finishes
- Accomplish your design objective by choosing any of several different lengths
- Threaded completely through

NOTE: please ONLY use CRL Hanger bolts**Square Standoffs Also Available**See crlaurence.co.uk for more details/finishes.

CAP112PS
 Polished Stainless
CAP112BS
 Brushed Stainless
CAPF112BS
 Flush Cap


CRL 316 38mm Diameter Standoff Cap Assembly

- Secured with 9.5mm (3/8") - 16 threaded stud
- Made from 316 stainless steel and available in two finishes
- Custom sizes and finishes are also available

CAT. NO.

DESCRIPTION

50mm
diameter



Polished Stainless
S0B212PS 12mm
S0B234PS 19mm
S0B21PS 25mm
S0B2112PS 38mm
S0B22PS 50mm
S0B24PS 100mm

Brushed Stainless
S0B212BS 12mm
S0B234BS 19mm
S0B21BS 25mm
S0B2112BS 38mm
S0B22BS 50mm
S0B24BS 100mm


CRL 316 Brushed Stainless 50mm Diameter Standoff Base

- Infinite design options including signage, furniture and retail display
- Two 316 stainless finishes
- Threaded 25.4mm on each end
- Six standard lengths

Square Standoffs Also Available
 See crlaurence.co.uk for more
 details/finishes.



**A full range of 25mm diameter
stand offs also available**



CAP2PS
 Polished Stainless
CAP2BS
 Brushed Stainless
LPC2BS
 Low Profile Cap

CRL 316 50mm Diameter Standoff Cap Assembly

- Secured with 9.5mm - 16 threaded stud
- Made from 316 stainless steel and available in two finishes
- Custom sizes and finishes are also available




Brushed Stainless
SM14BS 6mm glass
SM38BS 10mm glass
SM12BS 12mm glass
 Chrome
SM14CH 6mm glass
SM38CH 10mm glass
SM12CH 12mm glass


CRL Slot Mount Standoffs

- Designed to hold 6mm, 10mm or 12mm thick panels
- No drilling required for installation

Best Seller









SM14BS/CH
 SM12BS/CH



SM38BS/CH

CRL Hanger Bolts ▼


	CAT. NO.	DESCRIPTION	
	HB14112S 38mm	CRL Stainless Hanger Bolt for 19mm Standoffs <ul style="list-style-type: none"> • Thread size works with all 19mm standoff bases 	
	HB14212S 63mm		
	HB516112S 38mm	CRL Stainless Hanger Bolt for 32mm Standoffs <ul style="list-style-type: none"> • 8mm - 18 thread size works with all 32mm standoff bases 	Great Value
	HB516212S 63mm		
	HB516112Z 38mm		
	HB516212Z 63mm		
	HB38112S 38mm	CRL Stainless Hanger Bolt for 38mm Standoffs <ul style="list-style-type: none"> • 8mm - 18 thread size works with all 38mm standoff bases 	
	HB38212S 63mm		
	TR3816X36S	CRL Stainless Hanger Bolt for 32mm Standoffs <ul style="list-style-type: none"> • 8mm - 18 thread size works with all 32mm standoff bases 	
	165HB416 6.3 - 20mm	CRL Hanger Bolt Driver <ul style="list-style-type: none"> • Used to drive hanger bolt into wall easily • For hand or electric screw driver 	
	S0W 19-32mm SSW12 38-50mm	CRL Spanner Wrench for Round Standoff Cap Assembly <ul style="list-style-type: none"> • Easily permits standoff cap assemblies to be tightened or loosened 	

Further products available please see crlaurence.co.uk

U-Channels ▼

CAT. NO.

DESCRIPTION



SDCD516BA
Brite Anodised


SDCD516BN
Brushed Nickel

CRL 8mm Aluminium Deep U-Channel

- Available in 2.49m lengths
- CRL aluminium U-Channels for 6mm and 8mm glass
- Extremely versatile extrusions in up to eight popular finishes
- Wet glaze with clear silicone

Great Value

You may also need CAT No. EU33S



SDCD38BA
Brite Anodised - 2.49m



SDCD38BN
Brushed Nickel - 2.49m

SDCD3812BA
Brite Anodised - 3.65m

SDCD3812BN
Brushed Nickel - 3.65m

CRL 10mm Aluminium Deep U-Channel

- CRL Aluminium U-Channels for 8mm-10mm glass
- 19mm high profile
- May be used alone or with regular depth U-Channel
- Wet glazed with clear silicone to secure glass
- Available in 2.49m and 3.65m stock lengths
- Available in 17 finishes - see crlaurence.co.uk



SDCD12BA
Brite Anodised - 2.49m

SDCD12BN
Brushed Nickel - 2.49m







SDCD1212BA
Brite Anodised - 3.65m

SDCD1212BN
Brushed Nickel - 3.65m

CRL 12mm Aluminium Deep U-Channel

- CRL Aluminium U-Channels for 10mm-12mm glass
- 19mm high profile
- May be used alone or with regular depth U-Channel
- Wet glazed with clear silicone to secure glass
- Available in 2.49m and 3.65m stock lengths
- Available in 17 finishes - see crlaurence.co.uk

Best Seller

	CAT. NO.	DESCRIPTION
 	SDCR38BA Brite Anodised SDCR38BN Brushed Nickel	CRL 10mm Aluminium Regular U-Channel <ul style="list-style-type: none"> • CRL Aluminium U-Channels for 8mm & 10mm glass • 10mm high profile • Wet glazed with clear silicone to secure fixed panels of glass • Lower profile allows maximum glass exposure • Popular 2.49m stock lengths <div data-bbox="879 757 1513 808"> You may also need CAT No. EU33S  </div>
 	SDCR12BA Brite Anodised SDCR12BN Brushed Nickel	CRL 12mm Aluminium Regular U-Channel <ul style="list-style-type: none"> • CRL Aluminium U-Channels for 10mm & 12mm glass • 10mm high profile • Wet glazed with clear silicone to secure fixed panels of glass • Lower profile allows maximum glass exposure • Popular 2.49m stock lengths
	SDCEC38CH Chrome SDCEC38BN Brushed Nickel	CRL End Cap for 10mm Deep U-Channel <ul style="list-style-type: none"> • Available in several attractive finishes • Covers open end of SDCEC38 Series U-Channels • Easy-to-install

CAT. NO.

DESCRIPTION





SDCEC12CH
Chrome

SDCEC12BN
Brushed Nickel

CRL End Cap for 12mm Deep U-Channel

- Available in several attractive finishes
- Covers open end of SDCD12 and DUC38 Series U-Channels
- Easy to install





SDCD1515A Satin Anodised
15mm x 15mm x 15mm
SDCD1515CH Chrome Plated
15mm x 15mm x 15mm
SDCD1515BN Brushed Nickel
15mm x 15mm x 15mm

CRL Aluminium U-Channel



- Wet glaze with clear silicone to secure glass
- Available in several finishes
- 2mm wall thickness
- Sold per 3 metre length

Mirror Chrome Finish




SDCD2020A Satin Anodised
20mm x 20mm x 20mm
SDCD2020CH Chrome Plated
20mm x 20mm x 20mm
SDCD2020BN Brushed Nickel
20mm x 20mm x 20mm

You may also need CAT No. EU33S



SDCD3020A Satin Anodised
30mm x 20mm x 30mm
SDCD3020CH Chrome Plated
30mm x 20mm x 30mm
SDCD3020BN Brushed Nickel
30mm x 20mm x 30mm



SDCD4020A Satin Anodised
40mm x 20mm x 40mm
SDCD4020CH Chrome Plated
40mm x 20mm x 40mm
SDCD4020BN Brushed Nickel
40mm x 20mm x 40mm



STEP 1
Fix flexible
vinyl for
interior of
shower



STEP 2
Insert glass
panel into
channel



STEP 3
Fit rigid leg vinyl
into channel to
secure glass



STEP 4
Done!


CAT. NO.





DUC516BA
Brite Anodised - 8mm
DUC516BN
Brushed Nickel - 8mm
DUC38BA
Brite Anodised - 10mm
DUC38BN
Brushed Nickel - 10mm



DESCRIPTION

CRL Dry Glaze U-Channel With Vinyl











- 2.49m length
 - Individually packaged
 - Clear vinyl's secure glass in channel and eliminate the need for messy silicone
 - Recess in bottom channel hides caulk line
 - DUC38 can be used with 8mm glass where RV8DUC rigid vinyl is used. (Available separately)
- NOTE: glass is not included



CAT. NO.		DESCRIPTION
 	WU2SASL Satin Anodised	CRL Aluminium Deep 51mm Wet/Dry Glaze U-Channel <ul style="list-style-type: none"> • Deep 51mm height • Available in 3m or 6m stock lengths • Typically used at the bottom of glass panels • Use with silicone (wet) or glazing gasket (dry) for 10mm and 12mm glass • Matching end caps sold separately
	WU2BSASL Brushed Stainless	
	WU2BASL Brite Anodised	
 	WU2ECSA Satin Anodised	CRL End Caps for WU2 Deep 51mm U-Channel <ul style="list-style-type: none"> • Fits WU2 deep 51mm wet/dry glaze U-Channels • Easy-to-install with silicone sealant • Finishes off exposed ends • Six standard architectural finishes, with custom finishes available
	WU2ECBSA Brushed Stainless Anodised	
	WU2ECBA Brite Anodised	
 	WU1SASL Satin Anodised	CRL Aluminium Deep 38mm Wet/Dry Glaze U-Channel <ul style="list-style-type: none"> • Deep 38mm height • Available in 3m or 6m stock lengths • Typically used at the bottom of glass panels • Use with silicone (wet) or glazing gasket (dry) for 10mm and 12mm glass • Matching end caps sold separately • Gasket sold separately
	WU1BSASL Brushed Stainless	
	WU1BASL Brite Anodised	
 	WU1ECSA Satin Anodised	CRL End Caps for WU1 Deep 38mm U-Channel <ul style="list-style-type: none"> • Fits WU1 deep 38mm wet/dry glaze U-Channels • Easy-to-install with silicone sealant • Finishes off exposed ends • Six standard architectural finishes, with custom finishes available
	WU1ECBSA Brushed Stainless Anodised	
	WU1ECBA Brite Anodised	


CAT. NO.	DESCRIPTION
 	<p>WU3SASL Satin Anodised</p> <p>WU3BSASL Brushed Stainless</p> <p>WU3BASL Brite Anodised</p> <p>CRL Aluminium Shallow 25mm Wet/Dry Glaze U-Channel</p> <ul style="list-style-type: none"> • Shallow 25.4mm height • Available in 3m or 6m stock lengths • Typically used at the bottom of glass panels • Use with silicone (wet) or glazing gasket (dry) for 10mm and 12mm glass • Matching end caps sold separately
	<p>WU3ECSA Satin Anodised</p> <p>WU3ECBSA Brushed Stainless Anodised</p> <p>WU3ECBA Brite Anodised</p> <p>CRL End Caps for WU3 Shallow 25mm U-Channel</p> <ul style="list-style-type: none"> • Fits WU3 shallow 25mm wet/dry glaze U-Channels • Easy-to-install with silicone sealant • Fits WU3SASL and WU3SA240 • Finishes off exposed ends • Six standard architectural finishes, with custom finishes available
	<p>RG38100 10mm Glass 30m Length Roll</p> <p>RG38500 10mm Glass 152m Length Roll</p> <p>RG12100 12mm Glass 30m Length Roll</p> <p>RG12500 12mm Glass 152m Length Roll</p> <p>CRL Roll-In Glazing Gasket</p> <ul style="list-style-type: none"> • Roll-in glazing gasket for 10mm and 12mm glass • Eliminates the need for silicone • Black colour material can be used with all finishes of our wet/dry U-Channel • For use with WU1, WU2, WU3 channel
 	<p>D631BA Brite Anodised</p> <p>D631BN Brushed Nickel</p> <p>CRL 6mm Single Aluminium Channel</p> <ul style="list-style-type: none"> • Extruded aluminium U-Channel in finishes to match our sculptured series posts • Wet glaze with clear silicone • New brushed nickel and oil rubbed bronze finishes • 3.66m stock lengths

Glass Partition Joints ▼

CAT. NO.	DESCRIPTION
 	<p>EZCC88 8-8.8mm Glass</p> <p>EZCC10 10mm Toughened Glass</p> <p>EZCC108 10.8 Laminated Glass</p> <p>EZCC12 12mm Toughened Glass</p> <p>EZCC128 12.8 Laminated Glass</p> <p>CRL Glass Partition 180° Joint</p> <ul style="list-style-type: none"> • A clear slimline finish between two glass panels • Provide a sleek and minimal finish to enhance the overall aesthetics of glass partition systems • Unlike wet glazing with silicone sealants, EZ-Glaze Crystal clear joint strips are easy to apply, saving the labour required to mask and apply silicone, plus the clean-up • It cuts easily, will not bubble like silicone sealants and will not adversely affect laminated glass
 	<p>EZCA10 10mm Toughened Glass</p> <p>EZCA108 10.8 Laminated Glass</p> <p>EZCA12 12mm Toughened Glass</p> <p>EZCA128 12.8 Laminated Glass</p> <p>CRL Glass Partition 135° Joint</p> <ul style="list-style-type: none"> • A connecting joint between fixed panels at 135 degrees • Provide a sleek and minimal finish to enhance the overall aesthetics of glass partition systems • Unlike wet glazing with silicone sealants, EZ-Glaze Crystal clear joint strips are easy to apply, saving the labour required to mask and apply silicone, plus the clean-up • It cuts easily, will not bubble like silicone sealants and will not adversely affect laminated glass
 	<p>EZCE10 10mm Toughened Glass</p> <p>EZCE108 10.8 Laminated Glass</p> <p>EZCE12 12mm Toughened Glass</p> <p>EZCE128 12.8 Laminated Glass</p> <p>CRL Abutment Joint</p> <ul style="list-style-type: none"> • Versatile slimline joint for use between glass panels • Provide a sleek and minimal finish to enhance the overall aesthetics of glass partition systems • Unlike wet glazing with silicone sealants, EZ-Glaze Crystal clear joint strips are easy to apply, saving the labour required to mask and apply silicone, plus the clean-up • It cuts easily, will not bubble like silicone sealants and will not adversely affect laminated glass
 	<p>EZCT10 10mm Toughened Glass</p> <p>EZCT108 10.8 Laminated Glass</p> <p>EZCT12 12mm Toughened Glass</p> <p>EZCT128 12.8 Laminated Glass</p> <p>CRL 3-Way Joint</p> <ul style="list-style-type: none"> • 'T' joint for a slimline connection between three glass panels • Provide a sleek and minimal finish to enhance the overall aesthetics of glass partition systems • Unlike wet glazing with silicone sealants, EZ-Glaze Crystal clear joint strips are easy to apply, saving the labour required to mask and apply silicone, plus the clean-up • It cuts easily, will not bubble like silicone sealants and will not adversely affect laminated glass
 	<p>EZCL10 10mm Toughened Glass</p> <p>EZCL108 10.8 Laminated Glass</p> <p>EZCL12 12mm Toughened Glass</p> <p>EZCL128 12.8 Laminated Glass</p> <p>CRL 90° Corner Joint</p> <ul style="list-style-type: none"> • A slimline corner joint • Provide a sleek and minimal finish to enhance the overall aesthetics of glass partition systems • Unlike wet glazing with silicone sealants, EZ-Glaze Crystal clear joint strips are easy to apply, saving the labour required to mask and apply silicone, plus the clean-up • It cuts easily, will not bubble like silicone sealants and will not adversely affect laminated glass

CAT. NO.

DESCRIPTION



CL0N10 10mm
CL0N108 10.8mm
CL0N12 12mm
CL0N128 12.8mm

CRL Clip-On Seals - 180° In-Line 2 way

- Clear glass joint system
- Clips over the glass joint
- 3m lengths
- Saves time and money
- Safe with laminated glass



CL0N210 10mm
CL0N2108 10.8mm
CL0N212 12mm
CL0N2128 12.8mm

CRL Clip-On Seals - 90° 2 way


- Clear glass joint system
- Clips over the glass joint
- 3m lengths
- Saves time and money
- Safe with laminated glass
- With adhesive tape strip



CL0N310 10mm
CL0N3108 10.8mm
CL0N312 12mm
CL0N3128 12.8mm

CRL Clip-On Seals - 90° 3 way joint

- Clear glass joint system
- Clips over the glass joint
- 3m lengths
- Saves time and money
- Safe with laminated glass
- With adhesive tape strip



CL0N410 10mm
CL0N4108 10.8mm
CL0N412 12mm
CL0N4128 12.8mm

CRL Clip-On Seals - 135° 2 way

- Clear glass joint system
- Clips over the glass joint
- 3m lengths
- Saves time and money
- Safe with laminated glass
- With adhesive tape strip



G0284

CRL Vacuum Ratchet Tensioning Kit

You may also need

- Uses S108 vacuum lifter mounting points
- Pulls with tremendous force
- Ideal for countertops, marble, granite, flooring, mirrors, glass, etc.
- Carrying capacity is 147kg
- S108 vacuum lifters must be ordered separately



Glass Cutting

 **TOYO® CUTTERS**
EXCLUSIVE MASTER EUROPEAN DISTRIBUTOR

**CRL is proud to be the Exclusive
Master European Distributor of
TOYO® cutting tools.**

We offer a comprehensive range of Glass Cutting Hardware including cutters, replacement cutting heads and axles, cutting oil and much more.

Glass Cutters ▼

TOYO® has developed a new cutting system called 'Tap Wheel™'. This is TOYO®'s patented product and provides the following features...

1. The wheel itself vibrates when rolling due to the special design inside the wheel, which provides a non-slip and stable score line and even deeper cut into the glass to enable an easy and clean square break-out.
2. There is no rolling defect of the wheel with glass chippings, which can be seen with conventional wheels, assuring a smooth and consistent cutting quality with further improvement in durability.



CAT. NO.

DESCRIPTION

TC17VVB



For
Cutting
4-8mm
Glass

**CRL TOYO® Supercutter® Brass Handle
Straight Head Oil Cutter**

New

- Equipped with new TOYO® patented Tap Wheel technology
- Precise grinding technology improves cutting
- New cemented carbide wheel and axle gives improved cutting and life
- Brass straight end handles
- 140 degree hone angle

REPLACEMENT FOR TC17B

TC17VVP










For
Cutting
4-8mm
Glass


**CRL TOYO® Supercutter® Plastic Handle
Straight Head Oil Cutter**















New








- Equipped with new TOYO® patented Tap Wheel technology
- Precise grinding technology improves cutting
- New cemented carbide wheel and axle gives improved cutting and life
- Plastic straight end handles
- 140 degree hone angle







REPLACEMENT FOR TC17P




CAT. NO.	DESCRIPTION
	TC10P CRL TOYO® Original Supercutter® Plastic Handle Pattern Head Oil Cutter <ul style="list-style-type: none"> • Straight end handles • Cut type pattern • Plastic straight end handles • 140 degree hone angle • Carbide wheels premium
	TC10B CRL TOYO® Original Supercutter® Brass Handle Pattern Head Oil Cutter <ul style="list-style-type: none"> • Straight end handles • Cut type pattern • Brass straight end handles • 140 degree hone angle • Carbide wheels premium
	TC20 CRL TOYO® Straight "Dry Wheel" Supercutter® <ul style="list-style-type: none"> • Black handle and wide straight head • Moulded handle for positive grip • Long-lasting TOYO® carbide wheels
	TC1P CRL TOYO® Comfort-Grip Supercutter® With Pattern Head <ul style="list-style-type: none"> • Straight end handle • Self-oiling • Premium quality
	TC1PR CRL TOYO® Comfort-Grip Rainbow Colour Supercutter® With Pattern Head <ul style="list-style-type: none"> • Straight end handle • Self-oiling • Premium quality
	TC1S CRL TOYO® Comfort-Grip Supercutter® With Wide Head <ul style="list-style-type: none"> • Straight end handle • Self-oiling • Premium quality
	EU12401L 1 Litre EU12405L 5 Litres EU124025L 25 Litres CRL Non Evaporating Glass Cutting Oil <ul style="list-style-type: none"> • For use with hand cutters and automatic tables • Blended from stocks of highly refined base oils complying with both the British and European Pharmacopoeia Monographs • 3 years of shelf life (unopened) from date of manufacture • Ideal for thick glass

	CAT. NO.		DESCRIPTION
	TC1SR	For Cutting 4-6mm Glass	CRL TOYO® Comfort-Grip Rainbow Colour Supercutter® With Wide Head <ul style="list-style-type: none"> • Straight end handle • Self-oiling • Premium quality
	TC21PVR	For Cutting 3-5mm Glass	CRL TOYO® Custom-Grip Supercutter® Custom Grip with Pattern Head <ul style="list-style-type: none"> • Tap Wheel™ technology provides a superior cut • Custom-Grip Supercutter® with pattern head • Adjustable grip • Improved oil control
	TC21SVR	For Cutting 3-5mm Glass	CRL TOYO® Custom-Grip Supercutter® Custom Grip with Straight Head <ul style="list-style-type: none"> • Tap Wheel™ technology provides a superior cut • Custom-Grip Supercutter® with straight head • Adjustable grip • Improved oil control
	TC22	For Cutting 4-6mm Glass	CRL TOYO® Pattern "Dry Wheel" Supercutter® <ul style="list-style-type: none"> • Black handle and pattern head • Interchangeable heads • Long-lasting TOYO® Carbide Wheels
	TC50	For Cutting 3-5mm Glass	CRL TOYO® Cutter TC50 Shape 360° <ul style="list-style-type: none"> • Mounted on a miniature bearing to allow 360 degree rotation • Ideal for shapes and curves down to fine radii
	TC600PR	For Cutting 3-5mm Glass	CRL TOYO® Pistol-Grip Supercutter® Glass Cutter Pattern Head <ul style="list-style-type: none"> • Rainbow coloured handle • 140 degree hone angle with pattern head • Designed for hours of fatigue-free cutting • Self-lubricating head fed by an oil reservoir in the handle
	TC600S	For Cutting 4-6mm Glass	CRL TOYO® Pistol-Grip Supercutter® Straight Head Glass Cutter <ul style="list-style-type: none"> • Clear polycarbonate handle • Honed 140 degree straight head • Designed for hours of fatigue-free cutting • Self-lubricating head fed by an oil reservoir in the handle

	CAT. NO.		DESCRIPTION	
	TC600SVB		CRL TOYO® Tap Wheel™ Thick Glass Supercutter® Cutter <ul style="list-style-type: none"> • Standard wide head or optional pattern head pistol grip • Smooth cutting action for glass up to 19mm thick • Automatic self-oiling action 	Ideal for Thick Glass
	TC90		TOYO® TC90 Hand Oil Filled Cutter <ul style="list-style-type: none"> • Toyo brand • Self-lubricating, swivelling head glass scorer-cutter 	
	TC9PR		CRL TOYO® Thomas-Grip Supercutter® With Pattern Head <ul style="list-style-type: none"> • Pattern head model • Self-oiling • Unique, ergonomically designed handle • Range of coloured handles 	Ideal for Art Glass
	TC9SR		CRL TOYO® Thomas-Grip Supercutter® With Wide Head <ul style="list-style-type: none"> • Wide head model • Self-oiling • Unique grip • Range of coloured handles 	
	P1050		CRL Plastic Handle Straight Head Oil Cutter <ul style="list-style-type: none"> • Self lubricating wheel for long life • Interchangeable cutting heads 	
	S1050		CRL Brass Handle Straight Head Oil-Type Cutter <ul style="list-style-type: none"> • Self lubricating wheel for long life • Interchangeable cutting heads 	
	G100		CRL Heavy-Duty 6 Wheel Glass Cutter <ul style="list-style-type: none"> • Best selling glass cutter in Europe • Popular 6 wheel design 	

	CAT. NO.	DESCRIPTION
	511CC 63.5mm-610mm	CRL Precision Circle Cutter <ul style="list-style-type: none"> • Our most popular circle cutter • Precision action cutting wheels • Vacuum cup base • Models for diameters up to 1981mm
	512CC 63.5mm-813mm	
	514CC 63.5mm-1220mm	
	516CC 63.5mm-1981mm	
	PSC200 610mm	CRL Production Speed Cutter <div>Ideal for Repeat Cuts</div> <ul style="list-style-type: none"> • Constructed of lightweight anodised extruded aluminium • Rides on adjustable rollers, for a left or right-handed person
	PSC400 1220mm	
	PSC600 1829mm	
	T101	CRL 6 Wheel Replacement Cutter Turret <ul style="list-style-type: none"> • Knurled thumbscrew adjusts and removes for replacement purposes • Six 134 degree tungsten Carbide Wheels • For use with G100, Speedcutter
	TC17H	CRL TOYO® Supercutter® Replacement Cutting Head - 140 Degree Straight Cutting Head <ul style="list-style-type: none"> • Replacement head for TC17B/TC17P • Quality cutting head engineered for long service life • Fits original, comfort-grip, and Thomas-Grip Supercutters®
	TC17VVH	CRL TOYO® Supercutter® Straight Head Oil Cutter - 140 Degree Straight Cutting Head <div>New</div> <ul style="list-style-type: none"> • Replacement head for TC17VVB/TC17VVP • Equipped with new TOYO® Patented Tap Wheel technology • Precise grinding Technology improves cutting • New cemented carbide wheel and axle gives improved cutting and life
	TC10H	CRL TOYO® Supercutter® Replacement Cutting Head - 140 Degree Pattern Cutting Head <ul style="list-style-type: none"> • Replacement head for TC10B/TC10P • Fits original, comfort-grip, and Thomas-Grip Supercutters® • Quality cutting head engineered for long service life
	TC20H	CRL TOYO® "Dry Wheel" Supercutter® Straight Replacement Head <ul style="list-style-type: none"> • Replacement head for TC20 • Interchangeable heads • Long-lasting TOYO® Carbide Wheels

	CAT. NO.	DESCRIPTION
	TC21HPV	CRL TOYO® Custom-Grip Supercutter® Replacement Pattern Cutting Head <ul style="list-style-type: none"> • Replacement head for TC21PVR • Tap Wheel™ technology provides a superior cut
	TC21HSV	CRL TOYO® Custom-Grip Supercutter® Replacement Straight Cutting Head <ul style="list-style-type: none"> • Replacement head for TC21SVR • Tap Wheel™ technology provides a superior cut • Replacement straight cutting head • Adjustable grip • Improved oil control
	TC21HSVR	CRL TOYO® Straight Head 153 Degree for Heavy Plate - Custom Grip, TAP <ul style="list-style-type: none"> • Replacement head for TC21SVR • TAP technology for deep, clean cuts • Fits the TOYO® custom grip oil cutters • 153 degree hone angle for heavy plate cutting
	TC22H	CRL TOYO® “Dry Wheel” Supercutter® Replacement Head <ul style="list-style-type: none"> • Replacement head for TC22 • Interchangeable head • Long-Lasting TOYO® Carbide Wheels • Moulded handle for positive grip
	TC600HS	CRL TOYO® Supercutter® Replacement Cutting Head - 153 Degree <ul style="list-style-type: none"> • Replacement head for TC600S • Quality cutting head engineered for long service life • Fits original, comfort-grip, and Thomas-Grip Supercutters® • Supplied with 153 degree cutting wheel
	TC600HSV	CRL Replacement Wide Head 153 Degree Thick Glass Cutter <ul style="list-style-type: none"> • Replaces the cutting head on your TC600SVB CRL TOYO® Tap Wheel™ thick glass Supercutter® • For cutting up to 19mm Glass

	CAT. NO.	DESCRIPTION
	GLS1	CRL Glass Slicker <ul style="list-style-type: none"> • Deposits thin film of lubricant on glass • Achieves cleaner, smoother cuts and breaks
	OCS671	CRL Cutter Oiling Stand <ul style="list-style-type: none"> • Vacuum cup base holds firm to glass • Keeps cutter wheel oiled between cuts • Use to store cutter in between cuts to keep wheel lubricated
	TG070	CRL Glass Chip Brush <ul style="list-style-type: none"> • Mechanical roller brush collects glass splinters • A safe and effective way to protect your hands • Effective way to clean up glass chips and splinters

Ordering from CRL

Buy direct from our online catalogue
Open 24/7 crlaurence.co.uk

Phone our freephone number
00 800 0421 6144

There's a friendly voice to help with your product enquiries.



Carbide Cutting Wheels for Automatic Tables ▼



CAT. NO.	OUTSIDE DIAMETER	INSIDE HOLE DIAMETER	WHEEL ANGLE	FOR USE WITH WHEEL INSERT	FOR USE WITH AXLE	GLASS THICKNESS SUITABILITY
C228055140R	5.79mm	1.4mm	140°	125004001	AC1054180	5mm to 8mm
C228055144R	5.79mm	1.4mm	144°	125004001	AC1054180	8mm to 10mm
C228055155RG	5.79mm	1.4mm	155°	125004001	AC1054180	8mm to 19mm
C175055154RG	4.4mm	1.4mm	154°	125004002	AC1054180	10mm to 12mm
C175055160RG	4.4mm	1.4mm	160°	125004002	AC1054180	16mm to 19mm
C196051135CR	5.0mm	1.3mm	135°	N/A	AC1049165 OR AC1049315	2mm to 3mm
C196051140CR	5.0mm	1.3mm	140°	N/A	AC1049165 OR AC1049315	2mm to 3mm
C196051145CR	5.0mm	1.3mm	145°	N/A	AC1049165 OR AC1049315	3mm to 5mm
C196051150CR	5.0mm	1.3mm	150°	N/A	AC1049165 OR AC1049315	5mm
C196051155CR	5.0mm	1.3mm	155°	N/A	AC1049165 OR AC1049315	6mm
C221055135RG	5.6mm	1.4mm	135°	125004001	AC1054180	5mm to 6mm
C221055140RG	5.6mm	1.4mm	140°	125004001	AC1054180	5mm to 8mm
C221055145RG	5.6mm	1.4mm	145°	125004001	AC1054180	8mm to 10mm
C221055150RG	5.6mm	1.4mm	150°	125004001	AC1054180	8mm to 19mm
C221055155RG	5.6mm	1.4mm	155°	125004001	AC1054180	8mm to 19mm
C221055158RG	5.6mm	1.4mm	158°	125004001	AC1054180	8mm to 19mm
W245062114P	6.22mm	1.57mm	114°	125002800	AC1062370	2mm
W245062128R	6.22mm	1.57mm	128°	125002800	AC1062370	3mm
W245062132D	6.22mm	1.57mm	132°	125002800	AC1062370	3mm to 5mm
W245062135D	6.22mm	1.57mm	135°	125002800	AC1062370	5mm
W245062142D	6.22mm	1.57mm	142°	125002800	AC1062370	5mm to 8mm
W245062152D	6.22mm	1.57mm	152°	125002800	AC1062370	8mm to 19mm
W245062154D	6.22mm	1.57mm	154°	125002800	AC1062370	8mm to 19mm
V500118114P	12.7mm	3mm	114°	N/A	AC1116375	10mm to 19mm

Cutting Wheels Axles ▼



Precision ground tungsten axles

CAT. NO.	DESCRIPTION	FOR USE WITH WHEEL INSERT
AC1116375	CRL Carbide Cutting Wheel Axle	*
AC1062250	CRL Carbide Cutting Wheel Axle	**
AC1062370	CRL Carbide Cutting Wheel Axle	125002800
AC1049165	CRL Carbide Cutting Wheel Axle	***
AC1049315	CRL Carbide Cutting Wheel Axle	***
AC1054180	CRL Carbide Cutting Wheel Axle	125004002

* Axle for V500 Wheel. There is no Insert for a V500 Wheel ** Used for Pillar Post applications using C175 or C245 Wheels. Wheel & Axle only, currently no Insert applications.
 *** Axle for C196 Wheel configuration, axle length depends on Pillar Post

Wheel Inserts ▼



- Made from hardened steel, they're easy to remove and replace, yet extremely durable
- Special design applications can also be accommodated
- Our wheel inserts feature a bayonet stem that makes it easy and quick to mount into a pillar post

CAT. NO.	DESCRIPTION	FOR USE WITH AXLE
125004001	CRL M1 Insert for C221 / C228 Range Cutting Wheels	AC1054180
125004002	CRL M1 Insert for C175 / C215 / C245 Range Cutting Wheels	AC1054180
125002800	CRL ATF Insert for W245 Range Cutting Wheels	AC1062370

CRL Carbide Wheel 'PUSH FIT' Unit with Lugs ▼



Each of CRL's wheel units include:

- One carbide cutting wheel and one carbide axle.
- The axle maximizes cutting wheel life by providing a durable support for the wheel.
- Our units fit Bottero and Grenzabach glass cutting equipment

CAT. NO.	DESCRIPTION	COLOUR	WHEEL ANGLE	GLASS THICKNESS
PC215055135RG	CRL Carbide Wheel Unit - 5.5mm Wheel Diameter	White	135°	2mm to 5mm
PC215055140RG	CRL Carbide Wheel Unit - 5mm Wheel Diameter	Grey	140°	4mm to 6mm
PC215055145RG	CRL Carbide Wheel Unit - 5.5mm Wheel Diameter	Black	145°	6mm to 8mm
PC215055150RG	CRL Carbide Wheel Unit - 5mm Wheel Diameter	Green	150°	10mm to 12mm
PC215055155RG	CRL Carbide Wheel Unit - 5.5mm Wheel Diameter	Red	155°	15mm to 19mm


CRL Carbide Wheel 'PUSH FIT' Unit without Lugs ▼



CAT. NO.	COLOUR	OUTSIDE DIAMETER	WHEEL ANGLE	GLASS THICKNESS	MATERIAL
0170CT*	White	5.5mm	135°	3mm to 5mm	Tantalix
0170DT*	Black	5.5mm	145°	6mm to 10mm	Tantalix
0170C	White	5mm	135°	2mm to 4mm	Carbide
0170D	Black	5mm	145°	4mm to 6mm	Carbide
0170E	Red	5mm	155°	6mm+	Carbide

*Long Life/Tantalix Best Quality for Coated Glass and Shape Cutting


Cutting Oils ▼

	CAT. NO.	DESCRIPTION
	1241	CRL Aquasol Cutting Oil Fully Water Soluble <ul style="list-style-type: none"> • Sold per litre • Fully water soluble, for use in automatic tables where glass is undergoing a washing process
	EU12401L 1 Litre EU12405L 5 Litres EU124025L 25 Litres	CRL Non Evaporating Glass Cutting Oil <ul style="list-style-type: none"> • For use with hand cutters and automatic tables • Blended from stocks of highly refined base oils complying with both the British and European pharmacopoeia monographs • 3 years shelf life (unopened) from date of manufacture • Ideal for thick glass
	EUW4101L 1 Litre - Clear EUW4105L 5 Litres - Clear EUW41025L 25 Litres - Clear	CRL Evaporating Vapourmax Cutting Oil <ul style="list-style-type: none"> • CRL Vapourmax Cutting Oil is a soluble evaporating cutting oil, for use in automatic tables. • Non ozone depleting • Low odour • Virtually aromatic free • Residue free finish
	EUW9531L 1 Litre EUW9535L 5 Litres EUW95325L 25 Litres	CRL Evaporating Vapourmax 53 Cutting Fluid <ul style="list-style-type: none"> • Fast evaporating cutting fluid for fat, soft-coated, automotive and mirrored glass 2mm-15mm • Residue free finish • Recommended for low e
	EUW9601L 1 Litre EUW9605L 5 Litres EUW96025L 25 Litres	CRL Evaporating Vapourmax 60 Cutting Fluid <ul style="list-style-type: none"> • Washable cutting fluid for shape cutting • Residue free finish




Great Value








Recommended for
shape cutting








Edge Deletion Wheels for Automatic Cutting Tables ▼

	CAT. NO.	DESCRIPTION
	11DL62067 10mm Wide	CRL Edge Deletion Polishing Wheel - Long Life <ul style="list-style-type: none"> • 203mm diameter (except for 11ED1251276 - which is 125mm) • Used on glass cutting tables where a separate attachment takes this wheel to remove softcoat coating • 76.2mm bore
	11DL6206712 12mm Wide	
	11DL62048 20mm Wide	
	11ED2001076 10mm Wide	CRL Edge Deletion Polishing Wheel <ul style="list-style-type: none"> • 203mm diameter (except for 11ED1251276 - which is 125mm) • Used on glass cutting tables where a separate attachment takes this wheel to remove softcoat coating • 76.2mm bore
	11ED1251276 12mm Wide	
	11ED2001276 12mm Wide	
	11ED2002076 20mm Wide	






Glass Cutting Accessories ▼






	CAT. NO.	DESCRIPTION
	RET12	CRL Round Edge Template Guide <ul style="list-style-type: none"> • Make consistent radius corners easier than ever • Choose from 12 radii 10mm to 70mm • Solid plastic construction makes it economical and unbreakable • Features four slip-resistant pads that not only keep the template in place during use, but also reduce the risk of scratching the glass.
	03171	CRL T-Square Super 800mm <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time.
	03172	CRL T-Square Super 1250mm <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time.

	CAT. NO.	DESCRIPTION
	03173	CRL T-Square Super 1350mm <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time
	03174	CRL T-Square Super 1550mm <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time
	03251	CRL L-Square Unbraced 800mm <ul style="list-style-type: none"> • Manufactured to be square • Single piece • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Made to exacting specifications to ensure the right angle time after time
	03352	CRL L-Square Unbraced 1350mm <ul style="list-style-type: none"> • Manufactured to be square • Single piece • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Made to exacting specifications to ensure the right angle time after time
	03252	CRL L-Square Braced 1350mm <ul style="list-style-type: none"> • Solid braced design • Manufactured to be square • Single piece • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Made to exacting specifications to ensure the right angle time after time
	03253	CRL L-Square Braced 1550mm <ul style="list-style-type: none"> • Solid braced design • Manufactured to be square • Single piece • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Made to exacting specifications to ensure the right angle time after time
	03073 2150mm Length, 2 Suction Cups 03074 2600mm Length, 3 Suction Cups 03075 3300mm Length, 4 Suction Cups	CRL Suction Lathe <ul style="list-style-type: none"> • 10mm thick • 70mm wide

	CAT. NO.	DESCRIPTION
	M00553	CRL 600mm L-Square <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time • Upright Length: Internal - 600mm / External - 640mm • Upright Thickness: 4mm • Upright Width: 55mm • Bottom Leg Length: Internal - 165mm / External - 220mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 55mm
	M00554	CRL 800mm L-Square <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time • Upright Length: Internal - 800mm / External - 845mm • Upright Thickness: 4mm • Upright Width: 60mm • Bottom Leg Length: Internal - 230mm / External - 290mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 60mm
	M00555	CRL 1050mm L-Square <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time • Upright Length: Internal - 1050mm / External - 1100mm • Upright Thickness: 4mm • Upright Width: 65mm • Bottom Leg Length: Internal - 315mm / External - 380mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 565mm
	M00556	CRL 1250mm L-Square <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time • Upright Length: Internal - 1250mm / External - 1310mm • Upright Thickness: 4mm • Upright Width: 65mm • Bottom Leg Length: Internal - 380mm / External - 445mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 65mm
	M00557	CRL 1500mm L-Square <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time • Upright Length: Internal - 1500mm / External - 1560mm • Upright Thickness: 4mm • Upright Width: 65mm • Bottom Leg Length: Internal - 440mm / External - 505mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 65mm
	M00566	CRL 500mm Square in a Sole Piece <ul style="list-style-type: none"> • Solid design • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Upright Length: Internal - 500mm / External - 620mm • Upright Thickness: 4mm • Upright Width: 50mm • Bottom Leg Length: Internal - 165mm / External - 220mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 50mm
	M00567	CRL 700mm Square in a Sole Piece <ul style="list-style-type: none"> • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Upright Length: Internal - 700mm / External - 750mm • Upright Thickness: 4mm • Upright Width: 50mm • Bottom Leg Length: Internal - 210mm / External - 260mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 50mm

	CAT. NO.	DESCRIPTION
	M00568	CRL 900mm Square <ul style="list-style-type: none"> • Solid design • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Upright Length: Internal - 900mm / External - 940mm • Upright Thickness: 4mm • Upright Width: 50mm • Bottom Leg Length: Internal - 270mm / External - 320mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 50mm
	M00569	CRL 1100mm Square <ul style="list-style-type: none"> • Solid design • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Upright Length: Internal - 1100mm / External - 1160mm • Upright Thickness: 4mm • Upright Width: 60mm • Bottom Leg Length: Internal - 325mm / External - 380mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 60mm
	M00570	CRL 1250mm Square <ul style="list-style-type: none"> • Solid design • The sturdy, durable and accurate design makes this the ideal tool for any glazier • Upright Length: Internal - 1250mm / External - 1290mm • Upright Thickness: 4mm • Upright Width: 60mm • Bottom Leg Length: Internal - 380mm / External - 440mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 60mm
	M00574	CRL 350mm L-Square <ul style="list-style-type: none"> • Sturdy, durable and accurate • Made to exacting specifications to ensure the right angle time after time • Upright Length: Internal - 1500mm / External - 1560mm • Upright Thickness: 4mm • Upright Width: 65mm • Bottom Leg Length: Internal - 440mm / External - 505mm • Bottom Leg: 3-Ply Thickness - 12mm / Width - 65mm
	1401A 6mm thick 1401B 9mm thick	Bench Felt High Grade Black Wool <ul style="list-style-type: none"> • Bench felt high grade black wool • 1829mm wide • 6ft wide, sold by the running foot
	1401F	Flotex Water Tolerant/Hard Wearing Table Top Cover <ul style="list-style-type: none"> • Flotex water tolerant/hard wearing • 2m wide • Sold by the linear metre
	VCR72 1829mm Length VCR96 2439mm Length	CRL Phenolic Straight Edge <ul style="list-style-type: none"> • 76mm wide x 12.7mm thick • 3 suction cups • Holds securely to glass • Now better than ever!

	CAT. NO.	DESCRIPTION	
	RD1932	CRL 216mm Drop Jaw Glass Break Pliers <ul style="list-style-type: none">• Excellent forged steel pliers for glass up to 12mm in thickness• One of the most popular glass tools• Drop jaw design for superior leverage	
	RD1935	CRL Flared Jaw Glass Pliers <ul style="list-style-type: none">• Recommended glass thickness 6mm• 15mm (maximum) jaw opening• 26mm flared jaw• Smooth grip• 210mm overall length• Precision machined tips	Best Seller
	TB19	CRL TOYO® Power Breaker Pliers <ul style="list-style-type: none">• Recommended glass thickness 8-19mm• Accepts glass up to 19mm thick• 19:1 leverage ratio	Great Value
		Also comes as a complete set with TC600SVB Cutter – CAT.NO. TB19600	
	1050	CRL Offset Glass Pliers <ul style="list-style-type: none">• Recommended glass thickness 3-6mm• Used to trim plate glass in hard to reach places• Lightweight and portable• Very useful in storefront glazing• All steel construction	

	CAT. NO.	DESCRIPTION
	GRP512	CRL Glass Running Pliers <ul style="list-style-type: none">• Recommended glass thickness 3-10mm• Lightweight aluminium and portable• Easy to carry• Plastic jaws won't chip glass
	PPG1	CRL PPG Glass Running Pliers <ul style="list-style-type: none">• Recommended glass thickness 3-12mm• Self-aligning "floating block" jaws stay parallel to glass• For glass up to 12mm thick
	169 152mm Pliers 189 203mm Pliers	CRL Lightweight Glass Running and Nipping Pliers <ul style="list-style-type: none">• Recommended glass thickness 3-6mm• Made from strong, lightweight plastic• Provides excellent leverage for clean breaks• Replaceable jaws for running or nipping
	169RJ Running Jaw	CRL Replacement Jaws for 152mm 169 Pliers <ul style="list-style-type: none">• Two per set• Designed for easy replacement, just snap the old jaws out of their saddle and press these in
	189NJ Nipping Jaw 189RJ Running Jaw	CRL Replacement Jaws for 203mm 189 Pliers <ul style="list-style-type: none">• Two per set• Designed for easy replacement, just snap the old jaws out of their saddle and press these in

Replacement Jaws Available

CAT. NO.

DESCRIPTION

STT1



CRL Wood's™ Stowaway Tilt Table

The CRL Wood's™ Stowaway Tilt Table transforms from a working full size 1835 x 2451mm tilting glass cutting table, into its compact 654mm deep folded storage mode in only minutes. The 2026mm folded height of this table makes it ideal for transport and use on-the-job site, as it fits easily through doors and hallways. Crossed support legs ensure a stable, 889mm high working surface with a 225kg load capacity.

- Great space saver in the shop
- Great time saver on the job site
- From cutting to storage in minutes









2402500









CRL 1.82m x 2.43m Counterbalanced Tilting Cutting Table





- Durable carpet: cushions glass and protects against scratches
- Counterbalance pans: fill with cement or bricks
- Retractable wooden toes: support glass in vertical position for loading
- Can be equipped with a 12 ball air float system, breaker bars, or both
- Other sizes and accessories available upon request
- Contact technical sales for further details

Measuring Equipment ▼

	CAT. NO.	DESCRIPTION
	0426	CRL Stanley Steel Tape 3m <ul style="list-style-type: none"> • Metric and imperial • Blade locking mechanism • 13mm (1/2") wide • 3m (10ft) length
	0427S	CRL Stanley Powerlock Metal Case Tape 5m <ul style="list-style-type: none"> • Sturdy metal casing • Metric and imperial • 19mm (3/4") wide • 5m (16ft) length
	SBM3	STANLEY FATMAX 3m <ul style="list-style-type: none"> • 16mm wide • 3m length • Metric
	SBM5	STANLEY FATMAX 5m <ul style="list-style-type: none"> • 32mm wide • 5 metre • Metric • 3 rivet hook for accurate measurement
	54819	CRL 4.8m Fractional/Metric Tape Rules 19mm (3/4") Wide <ul style="list-style-type: none"> • Self-locking professional quality blade • Tape reads in both fractional and metric • Tape reads in vertical orientation on back side of blade • Carpenter's two-colour blade markings down to 0.8mm • 4.8m (16ft) length
	54829	CRL 4.8m Fractional/Metric Tape Rules 25mm (1") Wide <ul style="list-style-type: none"> • Self-locking professional quality blade • Tape reads in both fractional and metric • Tape reads in vertical orientation on back side of blade • Carpenter's two-colour blade markings down to 0.8mm • 4.8m (16ft) length


	CAT. NO.	DESCRIPTION	
	130583	CRL Steel Tape <ul style="list-style-type: none"> • 3 metre • Metallic • 20mm wide 	Great Value
	0471A	CRL Fleximeter <ul style="list-style-type: none"> • For easy measuring of all types of door and window units • Sturdy metal construction 	Great Value
	1GCALMM	CRL Metric Insulating Glass Caliper <ul style="list-style-type: none"> • Measures I.G. Unit thickness in sliding windows and doors • Quick and easy-to-use • 101.6mm scale on both sides • Made of high impact resistant plastic for durability. • An inexpensive way to measure insulating glass units or any other object where thickness dimensions are required 	
	406065	CRL Electronic Level and Angle Locator with Digital Display <ul style="list-style-type: none"> • Use for setting aluminium base shoe prior to installing TAPER-LOC® Dry Glaze System • Angle measurements in degrees • Screen automatically inverts for overhead measurements • Audible indicator for both 0 and 90 degrees • Push button calibration 	
	15075B Brass Stencil 15075P Plastic Stencil	CRL Blast Pack Safety Marking Kit <ul style="list-style-type: none"> • For sandblasting safety lettering onto glass • Complete with blast pistol, stencil, stencil holder, retaining ring, dust bags and blasting agent 	Contact CRL for Stencil Options
	1507	CRL Blast Pistol for Sandblasting <ul style="list-style-type: none"> • Associated sand blast components also available, contact CRL 	

Glass Marking ▼

	CAT. NO.	DESCRIPTION
	0336 White	CRL Chinagraph Pencils <ul style="list-style-type: none"> Sold per box of 12 Ideal for marking glass, plastic, etc. The pencil mark is impervious to water and dampness, yet is easily removed with a dry cloth.
	0337 Yellow	
	0338 Red	
	0339 Black	
	GM44	CRL Yellow Glass Marking Pencil <ul style="list-style-type: none"> Our most popular marking pencil Long lasting points Bright, stand-out yellow colour Great for marking on glass, acrylics, marble, tile, etc. Sharpen to a precise point, and their bright yellow colour makes them ideal for all marking purposes
	76P40 Red	CRL Stabilo Glass Markers <ul style="list-style-type: none"> Designed for marking on glass Quick drying permanent ink A truly handy marking pen for every glass shop
	76P46 Black	
	0346	CRL White SF Glass Marking Sticks <ul style="list-style-type: none"> Sold per box of 10 Waterproof wax crayons

Everything CRL in the palm of your hand

 Search our vast product database

 Order with express checkout

 Get your pricing

 Find CRL service centre locations

 Check stock availability

 Contact us

Visit crlaurence.co.uk from your smart phone or scan the QR code for the total CRL experience on the move.



Electronic Glass Detectors ▼

	CAT. NO.	DESCRIPTION
	0472S Single Glazed 0472D Double Glazed	CRL Coated Glass Detector <ul style="list-style-type: none"> • Identify low emissivity Low-E coated glass • Comprehensive instructions included • Developed to distinguish low emissivity coated glass from ordinary float glass • It is used to detect whether a single pane of glass contains Pilkington® K Glass™. This is essential when manufacturing and installing double glazed units
	CD1 Single Glazed	CRL Conductive Coating Detector <ul style="list-style-type: none"> • Red indicator lights up on contact with Low-E • Edge stop restricts use to edge of glass, prevents scratching • Small enough to fit in your shirt pocket
	CD2 Double Glazed	CRL Non-Contact Detector <ul style="list-style-type: none"> • Single button activation • Visual red LED indicator and audible signal announces coating is found • Helps assure manufacturers and customers that coating is present • Slips comfortably into shirt pocket or briefcase
	CD3	CRL Dual Purpose Detector <ul style="list-style-type: none"> • Switches between direct contact and non-contact modes • Visual and audible signals indicate Low-E presence • Maintains calibration at all times • Compact, reliable, and efficient
	0480	CRL Merlin Lazer Glass Measuring Gauge <ul style="list-style-type: none"> • Quickly and accurately identifies laminated glass • No glass removal necessary • Provides accurate measurement of single glass and air gap thickness in single, double, and triple glazed units • All readings can be taken from one side without the need to remove the glass
	0481	CRL Merlin Lazer Toughened Glass Indicator <ul style="list-style-type: none"> • Quickly verify whether glass has been toughened • Identify from one side only

Great Value

New!

New!

New!

CAT. NO.	DESCRIPTION
<p>The image shows a black and yellow handheld device with a large yellow scale on the left side. The scale has markings for 'AIR SPACE THICKNESS (mm)' and 'GLASS THICKNESS (mm)'. The device has a 'PUSH BUTTON TO POWER LASER' and the CRL logo. Text on the device includes 'CAT. NO. MG1500', 'C.R. LAURENCE', 'crlaurence.com', and 'MADE IN THE USA'.</p>	<p>MG1500MM</p> <p>CRL Metric Scale Glass Thickness Laser</p> <ul style="list-style-type: none"> Measures from inside of the building- no glass removal is necessary Calculates thicknesses of insulating glass, laminated, bullet-resistant, and single lite float glass Padded carrying case and batteries included Provides metric measurements Easy to read scale <p>Best Seller</p>
<p>The image shows a blue and orange handheld device with a digital display screen at the top. The screen shows '0.0000'. Below the screen is a 'POWER' button. The device has the CRL logo and text: 'Glass-Chek PRO', 'C.R. LAURENCE', 'crlaurence.com', and 'MADE IN THE USA'.</p>	<p>GC3000</p> <p>CRL Glass-Chek Pro</p> <ul style="list-style-type: none"> Measures single pane glass thickness, double and triple glazed units Measures air gap, low-e coatings, & laminate interlayers. Digital display
<p>The image shows a black handheld device with a digital display screen at the top. The screen shows '0.0000'. Below the screen is a 'POWER' button. The device has the CRL logo and text: 'STRENGTHENED GLASS DETECTOR', 'C.R. LAURENCE', 'crlaurence.com', and 'CAT. NO. SG2700'.</p>	<p>SG2700</p> <p>CRL Strengthened Glass Detector</p> <ul style="list-style-type: none"> Identifies heat-strengthened glass Indicates thickness of the first pane of glass Tests single or double panes
<p>The image shows a black handheld device with a digital display screen at the top. The screen shows '0.0000'. Below the screen is a 'POWER' button. The device has the CRL logo and text: 'UVG4', 'C.R. LAURENCE', 'crlaurence.com', and 'MADE IN THE USA'. A circular inset image shows the device emitting a blue light.</p>	<p>UVG4</p> <p>CRL Tin Side Detector</p> <ul style="list-style-type: none"> Battery powered UV lamp (batteries included) Identifies the tin side of float glass
<p>The image shows a blue handheld device with a digital display screen at the top. The screen shows 'SIDE 1 IS TIN SIDE'. Below the screen is a 'PRESS BUTTON TO TAKE READING' button. The device has the CRL logo and text: 'TIN SIDE DETECTOR', 'MODEL TS2300', 'C.R. LAURENCE', 'crlaurence.com', and 'MADE IN THE USA'.</p>	<p>TS2300</p> <p>CRL Digital Tin Side Detector</p> <ul style="list-style-type: none"> Digital technology Easy-to-read meter UV lamp is not required Identifies the tin side of float glass <p>Best Seller</p>

CAT. NO.

DESCRIPTION

TS1320

CRL Commercial Tin Side Detector

- The solution glass processors have been waiting for
- More rugged design
- Definitive test results
- Momentary power switch helps conserve energy
- Pulse the power on and off making it easier to identify the milky white glow when placed on the tin side of glass



WP4500

CRL Window Energy Profiler

Great Sales Tool

- Tests windows in frame without removal
- Simultaneously displays percentage of allowable UV transmission, percentage of visible light, percentage of infrared light transmission, and solar heat gain co-efficient
- Completely portable with convenient handle for taking measurements
- Convenient carrying case included



SP2065

CRL Solar Transmission and BTU Power Meter

- Demonstrate your products solar performance
- Displays solar transmission and BTU power readings
- Easily switches to BTU measurements



SP1065

CRL BTU Digital Solar Power Meter

- Solar power readings in BTUs/Hr-Ft²
- Digital modern-day technology
- Identify high performance windows





Glass Processing

CRL provides an unrivalled source of glass processing tools and consumables for the glass merchant and processor.

Our sophisticated distribution network ensures rapid delivery throughout Europe.

Peripheral Wheels for Small SLE's & Upright Edgers ▼



CAT. NO.

DESCRIPTION

0801AV05M 4mm glass
0801AV06M 5mm glass
0801AV08M 6mm glass
0801AV12M 10mm glass

**CRL Pencil Edge Diamond Wheel
for Upright Edgers 38.1mm bore**

- 150mm diameter wheel
- 5mm diamond depth

0801AW05M 4mm glass
0801AW06M 5mm glass
0801AW08M 6mm glass
0801AW12M 10mm glass

**CRL Pencil Edge Diamond Wheel
for Upright Edgers 50mm bore**

- 150mm diameter wheel
- 5mm diamond depth

0801AX08M 6mm glass

**CRL Pencil Edge Diamond Wheel
for Upright Edgers 22mm bore**

- 150mm diameter wheel
- 5mm diamond depth



0802AV05M 4mm glass
0802AV07M 6mm glass

CRL Flat/2 Arris Diamond Wheel 38.1mm bore

- 150mm diameter wheel
- Trapezoidal profile

0802AW05M 4mm glass
0802AW07M 6mm glass
0802AW12M 10mm glass


CRL Flat/2 Arris Diamond Wheel 50mm bore

- 150mm diameter wheel
- Trapezoidal profile

0802AX07M 6mm glass

CRL Flat/2 Arris Diamond Wheel 22mm bore

- 150mm diameter wheel
- Trapezoidal profile





0804HC 38.1mm bore
0804HB 50mm bore

CRL Split V Arris Diamond Wheel

- 2 x 45° diamond wheels with spacers
- 150mm diameter wheel





	CAT. NO.	DESCRIPTION
	1101AA1 38.1mm bore	CRL Polish Wheel 15mm wide 9R Grade <ul style="list-style-type: none"> For upright diamond edgers and small straight line edgers 150mm diameter wheel
	1101AA2 50mm bore	
	1101AA4 22mm bore	
	1101LA1 38.1mm bore	CRL Polish Wheel 20mm wide LUX6 Grade <ul style="list-style-type: none"> A peripheral polish wheel for upright diamond edgers and small straight line edgers 150mm diameter wheel
	1101LA2 50mm bore	
	1101LA3 22mm bore	
	1101MA1 38.1mm bore	CRL Polish Wheel 15mm wide RR120 Grade <ul style="list-style-type: none"> A peripheral polish wheel for upright diamond edgers and small straight line edgers 150mm diameter wheel
	1101MA2 50mm bore	
	1101MA3 22mm bore	
	1101MA4 50mm bore	CRL Polish Wheel 20mm wide RR120 Grade <ul style="list-style-type: none"> A peripheral polish wheel for upright diamond edgers and small straight line edgers 150mm diameter wheel
	1101MA5 22mm bore	
	1101MA7 38.1mm bore	

Peripheral Wheels for Schiatti Double Edger ▼

	0801SF10 Coarse 4mm glass	CRL Pencil Edge Diamond Wheel 25mm bore for Schiatti Double Edger <ul style="list-style-type: none"> 175mm diameter wheel
	0801SF12 Fine 4mm glass	
	0801SF30H Coarse 6mm glass	
	0801SF32H Fine 6mm glass	
	1101JP2 Grade SCR1	CRL Polish Wheel 20mm wide 90mm bore <ul style="list-style-type: none"> 200mm diameter wheel
	1101LG1 Grade LUX3	
	1101LG2 Grade LUX6	
	1101MG1 Grade RR80	
	1101MG2 Grade RR120	
	1101MG3 Grade RR180	

CNC Tooling for Intermac, Denver, Bavelloni, Bimatech, Technometal ▼

	CAT. NO.	DESCRIPTION
	086447FRA	CRL Goldfinger Diamond Router <ul style="list-style-type: none"> • Used for various CNC work-centres • 20mm diameter • 40mm high • 3 segments • ADI
	086443FR 3 segments 086444FR 4 segments 086445FR 6 segments 086448FR 5 segments	Diamond Router <ul style="list-style-type: none"> • Used for various CNC work-centres • 20mm diameter (086443FR - 12mm diameter) • 40mm high
	0864429FRA 10mm diameter 27mm high 0864433FRA 14mm diameter 40mm high	ADI Diamond Router <ul style="list-style-type: none"> • Used for various CNC work-centres • ADI
	0811B0B08 8mm wide 0811B0B12 12mm wide 0811B0B14 14mm wide 0811B0B17 17mm wide 0811B0B22 22mm wide	CRL Diamond Wheel Flat Edge Segmented 22mm bore <ul style="list-style-type: none"> • Centre water feed holes • ADI • Used for various CNC work-centres • 100mm diameter wheel
	086349PB 8mm wide 086350PB 10mm wide 086351PB 12mm wide 086352PB 14mm wide 086354PB 17mm wide 086356PB 22mm wide 086360PB 28mm wide	CRL Diamond Wheel Flat Edge Segmented 22mm bore <ul style="list-style-type: none"> • Centre water feed holes • Bovone • Used for various CNC work-centres • 100mm diameter wheel
	086349PA 8mm wide 086350PA 10mm wide 086351PA 12mm wide 086352PA 14mm wide 086354PA 17mm wide 086356PA 22mm wide 086360PA 27mm wide	CRL Diamond Wheel Flat Edge Segmented 22mm bore <ul style="list-style-type: none"> • ADI • Used for various CNC work-centres • 100mm diameter wheel

CAT. NO.	DESCRIPTION
	<p>086650TRA Medium 4mm glass 086651TRA Fine 4mm glass 086652TRA Medium 5mm glass 086654TRA Medium 6mm glass 086655TRA Fine 6mm glass 086656TRA Medium 8mm glass 086657TRA Fine 8mm glass 086658TRA Medium 10mm glass 086659TRA Fine 10mm glass 086660TRA Medium 12mm glass 086661TRA Fine 12mm glass 086662TRA Medium 15mm glass 086663TRA Fine 15mm glass 086664TRA Medium 19mm glass 086665TRA Fine 19mm glass</p> <p>CRL Trapezoidal Diamond Wheel 22mm bore</p> <ul style="list-style-type: none"> • ADI • Flat edge and arris • Used for various CNC work-centres • 100mm diameter wheel
	<p>0802B0B07F Fine 6mm glass 0802B0B07M Medium 6mm glass 0802B0B09F Fine 8mm glass 0802B0B09M Medium 8mm glass 0802B0B11F Fine 10mm glass 0802B0B11M Medium 10mm glass 0802B0B14F Fine 12mm glass 0802B0B14M Medium 12mm glass 0802B0B17F Fine 15mm glass 0802B0B17M Medium 15mm glass 0802B0B21F Fine 19mm glass 0802B0B21M Medium 19mm glass</p> <p>CRL Trapezoidal Diamond Wheel 22mm bore</p> <ul style="list-style-type: none"> • ADI • Centre water feed holes • Flat edge and arris • Used for various CNC work-centres • 100mm diameter wheel
	<p>086650TRB Medium 4mm glass 086652TRB Medium 5mm glass 086653TRB Fine 5mm glass 086654TRB Medium 6mm glass 086655TRB Fine 6mm glass 086656TRB Medium 8mm glass 086658TRB Medium 10mm glass 086659TRB Fine 10mm glass 086660TRB Medium 12mm glass 086661TRB Fine 12mm glass 086662TRB Medium 15mm glass 086663TRB Fine 15mm glass 086664TRB Medium 19mm glass 086665TRB Fine 19mm glass</p> <p>CRL Trapezoidal Diamond Wheel 22mm bore</p> <ul style="list-style-type: none"> • Bovone • Centre water feed holes • Flat edge and arris • Used for various CNC work-centres • 100mm diameter wheel
	<p>086008GA Medium 4mm glass 086017GA Medium 6mm glass 086018GA Fine 6mm glass</p> <p>CRL Pencil Edge Diamond Wheel 22mm bore</p> <ul style="list-style-type: none"> • ADI • Used for various CNC work-centres • 100mm diameter wheel



CAT. NO.

DESCRIPTION

086617TRA Medium 4mm glass
086622TRA Medium 5mm glass
086624TRA Medium 6mm glass
086625TRA Fine 6mm glass
086627TRA Medium 8mm glass
086628TRA Fine 8mm glass
086630TRA Medium 10mm glass
086631TRA Fine 10mm glass
086633TRA Medium 12mm glass
086634TRA Fine 12mm glass
086636TRA Medium 15mm glass
086637TRA Fine 15mm glass
086639TRA Medium 19mm glass
086640TRA Fine 19mm glass

CRL Trapezoidal Diamond Wheel 12mm bore

- ADI
- 25mm diameter wheel
- Flat edge and arris
- Used for various CNC work-centres
- For internal cutouts and notches



086914A 4mm glass
086915A 5mm glass
086918A 6mm glass
086924A 8mm glass
086930A 10mm glass
086936A 12mm glass
086945A 15mm glass
086957A 19mm glass
086960A 25mm glass

CRL Trapezoidal Router Bit

- 15mm diameter (apart from 086960A - 18mm)
- Flat edge and arris
- Used for various CNC work-centres
- For internal cutouts and notches





102505C 5mm*
102506C 6mm*
102507C 7mm*
102508C 8mm*
102510C 10mm*
102511C 11mm*
102512C 12mm*
102513C 13mm*
102514C 14mm*
102515C 15mm*
102516C 16mm*
102517C 17mm*
102518C 18mm*
102519C 19mm*
102520C 20mm*
102521C 21mm*
102522C 22mm*
102523C 23mm*
102524C 24mm*
102525C 25mm*
102526C 26mm*
102527C 27mm*
102528C 28mm*
102529C 29mm*
102530C 30mm*
102532C 32mm*
102534C 34mm*
102535C 35mm*
102536C 36mm*
102538C 38mm*
102540C 40mm*

CRL Diamond Drill Vitrobor Master

- Continental fit
- Designed for use on CNC work-centres
- Designed particularly for use on CNC work-centres to minimize shelling caused by single sided drilling operation
- 75mm long

*Hole Size

	CAT. NO.	DESCRIPTION
	1120012 25mm wide 1120015 30mm wide	CRL Polishing Wheel 12mm bore BD Grade <ul style="list-style-type: none"> • 25mm diameter wheel • Used for various CNC work-centres
	1120023 15mm wide 1120024 20mm wide 1120025 25mm wide 1120035 50mm wide	CRL Polishing Wheel 22mm bore BD Grade <ul style="list-style-type: none"> • 100mm diameter wheel • Used for various CNC work-centres
	1120115 15mm wide 1120125 25mm wide 1120130 30mm wide	CRL Polishing Wheel 22mm bore B STAR Grade <ul style="list-style-type: none"> • 100mm diameter wheel • Used for various CNC work-centres
	1120204 4mm glass 1120206 6mm glass 1120208 8mm glass 1120210 10mm glass 1120212 12mm glass 1120215 15mm glass 1120219 19mm glass	CRL Trapezoidal Polishing Wheel 22mm bore ONE Grade <ul style="list-style-type: none"> • 100mm diameter wheel • Preformed flat edge & arris profile • Used for various CNC work-centres
		

Cup Wheels for Metral Straight Line Edgers ▼

	CAT. NO.	DESCRIPTION
	0805CP 170 grit 0805CR D76 grit	CRL Cup Diamond Wheel for Metral Straight Line Edger <ul style="list-style-type: none"> • 150mm diameter wheel • 30mm bore
	0807CR 325 grit	CRL Cup Diamond Wheel for Metral Straight Line Edger <ul style="list-style-type: none"> • 130mm diameter wheel • Arris positions • 30mm bore
	1104CR grade 9R80 1104CR1 grade 9R40 1104CR2 grade 9R120	CRL Cup Polish Wheel for Metral Straight Line Edger <ul style="list-style-type: none"> • 150mm diameter wheel • 40mm high • 50mm bore
		
	1106CR grade N99 1106CR1 grade 9R60	CRL Cup Polish Wheel for Metral Straight Line Edger <ul style="list-style-type: none"> • 130mm diameter wheel • 35mm high • 50mm bore • Arris positions

Cup Wheels for Bovone Straight Line Edgers ▼

	CAT. NO.	DESCRIPTION
	0805EF1 70/80 grit ELB14 position 1	CRL Cup Diamond Wheel for Bovone Straight Line Edger <ul style="list-style-type: none">• 150mm diameter wheel• Continuous rim• Metal bond• 22mm bore
	0805EL1 100/120 grit ELB10 position 1, ELB14 position 2	
	0805EL2 140/170 grit ELB10 position 2, ELB14 position 3	
	0805ELB1A 120/140 grit ELB17/45 position 7	
	0805ELB1 50/60 grit ELB17/45 position 1	CRL Cup Diamond Wheel for Bovone Straight Line Edger <ul style="list-style-type: none">• 150mm diameter wheel• Segmented rim• Metal bond• 22mm bore
	0805ELB2 70/80 grit ELB17/45 position 2	
	0805ELB3 140/170 grit ELB17/45 position 3	
	0805EM1 80/100 grit ELB10/45 position 1, ELB14/45 position 1	
	0805EM2 120/140 grit ELB10/45 position 2, ELB14/45 position 2&7	
	0807EF1 ELB14 position 5&6	CRL Cup Diamond Wheel for Bovone Straight Line Edger <ul style="list-style-type: none">• 150mm diameter wheel• Resin bond (except 0807EF1)• 22mm bore
	0807EF2 ELB14 position 9&10	
	0807EF2A ELB14 position 5&6	
	0807EL1 ELB10 position 4&6, ELB17/45 position 8&9	
	0807EM1 ELB10/45 position 7&9, ELB14/45 position 8&10	
	0809EL3 230/270 grit ELB10 position 3, ELB10/45 position 3, ELB14 position 4	
	0809EL4 325/400 grit ELB10 position 8, ELB10/45 position 4, ELB14 position 7, ELB17/45 position 4&10, ELB14/45 position 4&12	
	0809EL5 25 Micron Grit ELB10 position 9, ELB10/45 position 5, ELB14 position 8, ELB17/45 position 5&11, ELB14/45 position 5&13	
	1106EM2	CRL Cup Polish Wheel for Bovone Straight Line Edger MB1 Grade <ul style="list-style-type: none">• 150mm diameter wheel• 22mm bore• Arris positions
	1109EM 170mm diameter	CRL Felt Polish Wheel Spiral Wound for Bovone Straight Line Edger <ul style="list-style-type: none">• 25mm wide• 70mm bore
	1109EN 130mm diameter for arris ELB14	

Cup Wheels for Bottero Straight Line Edgers ▼

	CAT. NO.	DESCRIPTION
	0805FM2 120 grit 0805FM2A 170 grit 0805FM3 230 grit 0805FM4 320 grit	CRL Cup Diamond Wheel for Bottero Straight Line Edger <ul style="list-style-type: none"> • Continuous rim • 150mm diameter • 50mm bore
	0806FM1 120 grit 0806FM2 120 grit 0806FM2A 170 grit 0806FM3M 230 grit	CRL Cup Diamond Wheel for Bottero Straight Line Edger <ul style="list-style-type: none"> • Segmented rim • 150mm diameter • 50mm bore
	0809FN2B Position 2	CRL Cup Diamond Wheel for Bottero Straight Line Edger <ul style="list-style-type: none"> • 150mm diameter • 50mm bore • 230 grit • Resin bond
	1104FM1 Grade 9R60 1104FM2 Grade 9R40 1104GM1 Grade 9RS60 1104GM2 Grade 9RS40 1104GM3 Grade 9RS80	CRL Cup Polish Wheel for Bottero Straight Line Edger <ul style="list-style-type: none"> • 150mm diameter • 50mm bore • 40mm deep
	1104FM3 Grade X3000	CRL Cup Polish Wheel for Bottero Straight Line Edger <ul style="list-style-type: none"> • High quality cerium wheel • 150mm diameter • 50mm bore • 40mm deep
		

The Complete Collection

- EUAB12UK for the Binder with the following selection of brochures:
 - EUTL12 TAPER-LOC® Frameless Glass Balustrade System
 - DH12UK Door Hardware & Partitioning Systems for Glass
 - RS12UK Aluminium Railing & Windscreen Systems
 - GA13UK Glass Awnings Brochure
 - SDH12UK Shower Door Hardware
 - SDS12UK Sliding Door Systems for Glass
- EUAB12 for the Binder only



The ring binder enables you to add new brochures as they are published.






For your copy call: **00 800 0421 6144** or email: CRL@crlaurence.co.uk

Cup Wheels for Schiatti Straight Line Edgers ▼


	CAT. NO.	DESCRIPTION
	0805UA1 120 grit	CRL Cup Diamond Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • Continuous rim • 150mm diameter wheel • 25mm bore
	0805VS1 170 grit	
	0805UA2M 230 grit	
	0806UA1 120 grit	CRL Cup Diamond Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • Segmented rim • 150mm diameter wheel • 25mm bore
	0806VS1 170 grit	
	0806UA2 230 grit	
	0807UA 130mm diameter	CRL Cup Diamond Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • 20mm bore • Arris positions
	0807VD 150mm diameter	
	1104AA6 150mm diameter 9R40 grade	CRL Cup Polish Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • 22mm bore • 40mm thick
	1104AA6A 155mm diameter 9R40 grade	
	1104AA7 150mm diameter 9R80 grade	
	1104AA7A 155mm diameter 9R80 grade	
	1104AB1 150mm diameter 9RS grade	
	1104AB1A 155mm diameter 9RS grade	
	1104AB3 150mm diameter 9RS40 grade	CRL Cup Polish Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • 68mm bore • 40mm thick
	1104AB3A 155mm diameter 9RS40 grade	
	1104AB3AWP 155mm diameter 9RS40 grade	
	1104AB4 150mm diameter 9RS80 grade	
	1104AB4A 155mm diameter 9RS80 grade	
	1104AB4AWP 155mm diameter 9RS80 grade	

	CAT. NO.	DESCRIPTION
	1104AF 22mm bore X081 grade	CRL Cup Polish Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • Cerium impregnated for final stage polishing • 150mm diameter wheel • 40mm thick
	1104AF1 68mm bore X081 grade	
	1104AFS 22mm bore X3000 grade	
	1104AFT 68mm bore X3000 grade	
	1104SCH2240 Smart 40 grade	CRL Cup Polish Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • On solid backing plate for additional rigidity on machine • 150mm diameter wheel • 40mm thick • 22mm bore
	1104SCH2280 Smart 80 grade	
	1103AB1	CRL Cup Polish Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • 100mm diameter wheel • 50mm bore • 25mm thick • Arris positions
	1106AA2 10S grade	CRL Cup Polish Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • Arris positions • 125mm diameter wheel • 35mm thick • 22mm bore
	1106AA5 220N99 grade	
	1106AL 22mm bore 10S grade	CRL Cup Polish Wheel for Schiatti Straight Line Edger <ul style="list-style-type: none"> • Arris positions • 150mm diameter wheel • 40mm thick
	1106AM 68mm bore 10S grade	
	1111SC	CRL Felt Polish Wheel Spiral Wound for Schiatti Straight Line Edger <ul style="list-style-type: none"> • 150mm diameter wheel • 25mm thick • 105mm bore

Cup Polish Wheels for Bavelloni Straight Line Edgers ▼

	CAT. NO.	DESCRIPTION
	1104BA1 9RS40 grade	CRL Cup Polish Wheel for Bavelloni Straight Line Edger <ul style="list-style-type: none"> • 150mm diameter wheel • 40mm thick • 70mm bore
	1104BA2 9RS60 grade	
	1104PR2 X3000 grade	CRL Cup Polish Wheel for Bavelloni Straight Line Edger <ul style="list-style-type: none"> • High quality cerium wheel • 150mm diameter wheel • 30mm thick • 70mm bore
	1106MB1 MB1 grade	CRL Cup Polish Wheel for Bavelloni Straight Line Edger <ul style="list-style-type: none"> • 150mm diameter wheel • 40mm thick • 70mm bore

Cup Polish Wheel for Lattuada Straight Line Edgers ▼

	1104LA1 grade 10S40	CRL Cup Polish Wheel for Lattuada Straight Line Edger <ul style="list-style-type: none"> • Suitable for various models of Lattuada straight line edgers • 150mm diameter (except 1106LA - 100mm diameter) • 50mm bore • 30mm deep
	1104LA2 grade 10S60	
	1106LA grade MB1 Arris positions	


Cup Wheels for Bavelloni Beveling Machines ▼


	CAT. NO.	DESCRIPTION
	0808BM1 Max 60/80 position 1	CRL Cup Diamond Wheel for Bavelloni Beveling Machine <ul style="list-style-type: none"> • Metal bond • 10mm bore • 150mm diameter
	0808BM2 Max 60/80 position 2	
	0808BV1 B73 position 1	
	0808BV2 B73 position 2	
	0809BV3 B73 position 3	CRL Cup Diamond Wheel for Bavelloni Beveling Machine <ul style="list-style-type: none"> • Resin bond • 10mm bore • 150mm diameter
	0809BV4 B73 position 4	
	0809BS3 Max 60/80 position 3	
	0809BS4 Max 60/80 position 4	
	0809BS5 Max 60/80 position 5	
	0809BS6 Max 60/80 position 6	
	1106MX MB1 grade	CRL Cup Polish Wheel for Bavelloni Beveling Machine <ul style="list-style-type: none"> • Arris positions • 100mm diameter wheel • 40mm thick • 10mm bore
	1109BA 25mm bore	CRL Felt Polish Wheel Spiral Wound for Bavelloni Beveling Machine <ul style="list-style-type: none"> • 150mm diameter wheel • 40mm thick
	1109BB 70mm bore	



Everything CRL in the palm of your hand

 Search our vast product database

 Order with express checkout

 Get your pricing

 Find CRL service centre locations





 Check stock availability

 Contact us


Visit crlaurence.co.uk from your smart phone or scan the QR code for the total CRL experience on the move.






Cup Wheels for Bovone Bevelling Machines ▼

	CAT. NO.	DESCRIPTION
	0808HP1 Position 1	CRL Cup Diamond Wheel for Bovone Bevelling Machine <ul style="list-style-type: none"> • Metal bond • 150mm diameter wheel • 22mm bore
	0808HP2 Position 2	
	0808HP3 Position 3	
	0801GA 4mm groove width	CRL Pencil Edge Diamond Wheel for Bovone Bevelling Machine <ul style="list-style-type: none"> • 150mm diameter wheel • 22mm bore
	0801GA1 6mm groove width	
	0809HP3R Position 3	CRL Cup Diamond Wheel for Bovone Bevelling Machine <ul style="list-style-type: none"> • Resin bond • 150mm diameter wheel • 22mm bore
	0809HP4 Position 4	
	0809HP5 Position 5	
	0809HP6 Position 6	
	0809HP7 Position 7	
	1109FA 70mm bore (Italian)	CRL Felt Polishing Wheel Spiral Wound for Bovone Bevelling Machine <ul style="list-style-type: none"> • 150mm diameter wheel • 25mm thick
	1109MM 40mm bore	
	1109XA 70mm bore (American)	
	1109FB 115mm bore (Italian)	CRL Felt Polishing Wheel Spiral Wound for Bovone Bevelling Machine <ul style="list-style-type: none"> • 185mm diameter wheel • 25mm thick
	1109XB 115mm bore (American)	



Wheels for Technometal Brilliant Cutting Machines ▼

	1114TB06 6mm thick	CRL Brilliant Cut Polish Wheel for Technometal CNC Machine <ul style="list-style-type: none"> • 150mm diameter wheel • 60mm bore
	1114TB10 10mm thick	






Cup Wheels for Bottero Bevelling Machines ▼

	CAT. NO.	DESCRIPTION
	0808NP1 Position 1	CRL Cup Diamond Wheel for Bottero Bevelling Machine <ul style="list-style-type: none"> • For Bottero 910P Beveller • Metal bond
	0808NP2 Position 2	
	0809NP3 Position 3	CRL Cup Diamond Wheel for Bottero Bevelling Machine <ul style="list-style-type: none"> • For Bottero 910P Beveller • Resin bond
	0809NP4 Position 4	
	0809NP5 Position 5	
	0809NP6 Position 6	
	1109FA (Italian)	CRL Felt Polishing Wheel Spiral Wound for Bottero Bevelling Machine <ul style="list-style-type: none"> • 150mm diameter wheel • 25mm thick • 70mm bore
	1109XA (American)	

Wheels for Intermac Brilliant Cutting Machines ▼

	0814MV2 5mm wide	CRL Diamond Wheel Brilliant Cut for Intermac Machines <ul style="list-style-type: none"> • 140mm diameter • 22mm bore
	0814MV3 6mm wide	
	0814MV6 10mm wide	
	1114MA5 5mm wide	CRL Polish Wheel Brilliant Cut for Intermac Machines <ul style="list-style-type: none"> • 140mm diameter • 22mm bore
	1114MA6 6mm wide	
	1114MA10 10mm wide	

Polishing Accessories ▼

	CAT. NO.	DESCRIPTION
	1222A 1kg	CRL Cerium Oxide <ul style="list-style-type: none"> Premium cerium oxide for fast stock removal Exceptional suspension qualities Ideal for recirculating slurry systems Easily cleaned from glass and equipment Contains no zinc Pink colour
	C0301 454g	
	C0453 20kg	
 <div data-bbox="387 922 520 1057">GREAT VALUE</div>	C0453W 25kg	CRL Polishing Cerium Oxide Hi-Grade <ul style="list-style-type: none"> Premium quality cerium oxide for fast stock removal High TREO content Ideal for bevelling, edging and scratch polishing easily cleaned for glass and equipment White colour
	1217 Complete kit	CRL Baume Gauge & Parts <ul style="list-style-type: none"> Kit consists of a 390mm tall glass phial/jar, plus a glass hydrometer with 50 graduations
	12172 Scale hydrometer (No Jar)	
	12174 Jar only	
	1323	CRL Polishing Bob <ul style="list-style-type: none"> Will remove light scratches and water deposits from glass using any electric drill or power tool with a standard chuck
	5703	CRL Complete Polishing Head Assembly <ul style="list-style-type: none"> Used for light scratch removal Can be used with a cordless drill Consists of a 38.1mm thick x 76mm diameter wool felt wheel, aluminium adapter plate, and a 6mm diameter shank

Diamond Blades for Putsch Meniconi Saw ▼



CAT. NO.

0903PA
300mm diameter
0903PD
350mm diameter

DESCRIPTION

CRL Diamond Saw Blade for Putsch Meniconi Saw

- D252 grit
- 30mm bore
- 5mm thick

Parallel Shank Electroplated Drills ▼



100406P
6mm hole size
100410P
10mm hole size
100425P
25mm hole size

CRL Diamond Drill Parallel Shank

- Electroplated drill bit
- Suitable for use in standard drilling machines using a chuck key
- Due to drill wall thickness we recommend that use is restricted to the drill stand, as any sideways movement during drilling can easily break the drill bit
- Other diameters available

Spearpoint Drill Bits ▼



216 3.17mm (1/8") hole size
316 4.76mm (3/16") hole size
416 6.35mm (1/4") hole size
516 7.93mm (5/16") hole size
616 9.52mm (3/8") hole size
816 12.70mm (1/2") hole size

CRL Spearpoint Glass Drill

- Suitable for use in standard drilling machines using a chuck key
- For use with low rpm drilling machines



Habit Fitting Diamond Drills

85mm Long ▼



CAT. NO.

DESCRIPTION

100203H 3mm*	100220H 20mm*	100240H 40mm*
100204H 4mm*	100221H 21mm*	100242H 42mm*
100205H 5mm*	100222H 22mm*	100244H 44mm*
100206H 6mm*	100223H 23mm*	100245H 45mm*
100207H 7mm*	100224H 24mm*	100246H 46mm*
100208H 8mm*	100225H 25mm*	100248H 48mm*
100209H 9mm*	100226H 26mm*	100250H 50mm*
100210H 10mm*	100227H 27mm*	100252H 52mm*
100211H 11mm*	100228H 28mm*	100255H 55mm*
100212H 12mm*	100229H 29mm*	100260H 60mm*
100213H 13mm*	100230H 30mm*	100270H 70mm*
100214H 14mm*	100232H 32mm*	100275H 75mm*
100215H 15mm*	100233H 33mm*	*Hole Diameter
100216H 16mm*	100234H 34mm*	
100217H 17mm*	100235H 35mm*	
100218H 18mm*	100236H 36mm*	
100219H 19mm*	100238H 38mm*	

CRL Habit Fit Electroplated Diamond Drill

- For fast cutting, high production runs
- Habit, tapered mount
- Long work life



100304H 4mm*	100321H 21mm*	100342H 42mm*
100305H 5mm*	100322H 22mm*	100344H 44mm*
100306H 6mm*	100323H 23mm*	100345H 45mm*
100307H 7mm*	100324H 24mm*	100346H 46mm*
100308H 8mm*	100325H 25mm*	100348H 48mm*
100309H 9mm*	100326H 26mm*	100350H 50mm*
100310H 10mm*	100327H 27mm*	100352H 52mm*
100311H 11mm*	100328H 28mm*	100355H 55mm*
100312H 12mm*	100329H 29mm*	100360H 60mm*
100313H 13mm*	100330H 30mm*	100370H 70mm*
100314H 14mm*	100332H 32mm*	100375H 75mm*
100315H 15mm*	100333H 33mm*	*Hole Diameter
100316H 16mm*	100334H 34mm*	
100317H 17mm*	100335H 35mm*	
100318H 18mm*	100336H 36mm*	
100319H 19mm*	100338H 38mm*	
100320H 20mm*	100340H 40mm*	

CRL Habit Fit Sintered Diamond Drill

- More robust but slower cutting than electroplated type of drill

Diamond drills are designed for use with a central coolant feed, preferably by means of water feed chuck. For best results the following points should be observed:

- Run the tool as near as possible to the recommended speed below. These speeds are not intended to be rigidly adhered to, as in certain circumstances a variation will improve results, but they will prove satisfactory in most cases.

Diameter in millimeters

Up to 6mm diameter = 4,000 rpm
 7mm-25mm diameter = 2,000 rpm
 26mm-38mm diameter = 1,500 rpm
 39mm-50mm diameter = 1,000 rpm
 Over 50mm diameter = 500 rpm

- Water Feed: The drill chuck should be connected directly to the water main if possible and not a header tank. This is to ensure enough water pressure to eject the cores. 3 to 5mm drills need maximum water pressure i.e. above 30lb per square inch for efficient core ejection.
- Where possible always drill over a hole in the machine table to ensure the core does not jam in the drill.
- Never try to drill with a core stuck inside the drill.

- Allow the drill to do the cutting and do not try to force it through the work.
- Before drilling, ease off the return spring tension on the drilling machine to enable the operator to 'feel' the drill cutting.
- If the drill loses its cutting speed, this can be restored by drilling into a suitable piece of silicone carbide grinding disk of approximately 120/J grit.
- Where a hole is required with no shelling on the back surface, it is the usual practice to drill from both sides.

Continental Fitting Sintered Drills 75mm Long ▼



CAT. NO.

DESCRIPTION

100604C 4mm*	100627C 27mm*
100605C 5mm*	100628C 28mm*
100606C 6mm*	100629C 29mm*
100607C 7mm*	100630C 30mm*
100608C 8mm*	100632C 32mm*
100609C 9mm*	100633C 33mm*
100610C 10mm*	100634C 34mm*
100611C 11mm*	100635C 35mm*
100612C 12mm*	100636C 36mm*
100613C 13mm*	100638C 38mm*
100614C 14mm*	100640C 40mm*
100615C 15mm*	100642C 42mm*
100616C 16mm*	100644C 44mm*
100617C 17mm*	100645C 45mm*
100618C 18mm*	100646C 46mm*
100619C 19mm*	100648C 48mm*
100620C 20mm*	100650C 50mm*
100621C 21mm*	100652C 52mm*
100622C 22mm*	100655C 55mm*
100623C 23mm*	100660C 60mm*
100624C 24mm*	100675C 75mm*
100625C 25mm*	
100626C 26mm*	

CRL Diamond Drill Continental Fit 1/2" Gas Shank Sintered

- European manufactured
- 20mm across top of thread
- Also known as 'Belgian' fit

*Hole Diameter

Continental Fitting Sintered Drills 95mm Long for Forvet Machine ▼



102404C 4mm*	102427C 27mm*
102405C 5mm*	102428C 28mm*
102406C 6mm*	102429C 29mm*
102407C 7mm*	102430C 30mm*
102408C 8mm*	102432C 32mm*
102409C 9mm*	102433C 33mm*
102410C 10mm*	102434C 34mm*
102411C 11mm*	102435C 35mm*
102412C 12mm*	102436C 36mm*
102413C 13mm*	102438C 38mm*
102414C 14mm*	102440C 40mm*
102415C 15mm*	102442C 42mm*
102416C 16mm*	102444C 44mm*
102417C 17mm*	102445C 45mm*
102418C 18mm*	102446C 46mm*
102419C 19mm*	102448C 48mm*
102420C 20mm*	102450C 50mm*
102421C 21mm*	102452C 52mm*
102422C 22mm*	102455C 55mm*
102423C 23mm*	102460C 60mm*
102424C 24mm*	102465C 65mm*
102425C 25mm*	
102426C 26mm*	

CRL Diamond Drill Continental Fit 1/2" Gas Shank Sintered


- European manufactured
- 20mm across top of thread
- Also known as 'Belgian' fit

*Hole Diameter


Countersink for Forvet Machine ▼

	CAT. NO.	DESCRIPTION
	10460435M 4-35mm diameter	CRL Diamond Countersink for Forvet Machine <ul style="list-style-type: none">• Belgian type 1/2" gas shank• Sintered
	10463065M 30-65mm diameter	

Variable Diamond Drills ▼

	1012UAC Continental fit	CRL Variable Diamond Drill 90-140 mm Diameter <ul style="list-style-type: none">• Uses four separate sintered drill segments to produce holes from 90 to 140mm diameter
	1012UAH Habit fit	

Habit Fitting Combined Drill & Countersink ▼

	101406H 6mm hole diameter	CRL Combined Drill and Countersink Adjustable Sintered Habit Fit <ul style="list-style-type: none">• High quality well engineered tool
	101410H 10mm hole diameter	
	101426H 26mm hole diameter	
	101430H 30mm hole diameter	

Continental Fit Diamond Countersinks ▼



CAT. NO.

105115C 15mm diameter
105125C 25mm diameter
105138C 38mm diameter
105150C 50mm diameter
105160C 60mm diameter

DESCRIPTION

CRL Diamond Countersink Continental Fit

- Belgian type 1/2" gas shank
- Sintered
- Centre water feed supply to diamond face

Parallel Shank Diamond Countersinks ▼



1060025 25mm diameter
1060040 40mm diameter
1060050 50mm diameter
1060080 80mm diameter

CRL Diamond Countersink Solid Parallel Shank Sintered

- Requires manual water feed to grinding point

Habit Fit Diamond Countersinks ▼



1065015 15mm diameter
1065025 25mm diameter
1065038 38mm diameter
1065050 50mm diameter
1065060 60mm diameter


CRL Diamond Countersink Slotted Habit Fit Sintered




- Centre water feed supply to diamond face

Drilling/Grinding Accessories ▼




	CAT. NO.	DESCRIPTION
	1010	CRL Centre Water Feed Chuck Habit Fit <ul style="list-style-type: none"> • JT33 used in conjunction with chuck arbor, CAT. NO. 1011, please see below • Water is fed into chuck via pipe fitted onto side, which then comes through core of drill bit during drilling operation
	1011	CRL Chuck Arbor No. 2 Morse Taper/Jacobs 33 <ul style="list-style-type: none"> • For use with CRL centre water feed chuck, CAT. NO. 1010, please see above
	DRB14	CRL Pencil Edge Diamond Grinding Bit <ul style="list-style-type: none"> • For glass edging of small areas • 220 grit • 6.35mm x 19mm straight shank
	DSB14	CRL Seamed Edge Diamond Grinding Bit <ul style="list-style-type: none"> • For glass edging • 220 grit • 6.35mm x 19mm straight shank



Dressing Blocks & Sticks ▼

	1205B 3mm thick 1205C 4mm thick 1206 5mm thick 1207 6mm thick 1208 8mm thick 1209 10mm thick 1209A 13mm thick 1210 19mm thick 1213 30mm thick	CRL Aluminium Oxide Dressing Slab <ul style="list-style-type: none"> • 180mm long • 100mm wide
---	--	---





	CAT. NO.	DESCRIPTION
	1211	CRL Pumice Dressing Block <ul style="list-style-type: none"> Used for dressing resin bond diamond wheels 190mm x 60mm
	1211B	CRL Carborundum Dressing Stick <ul style="list-style-type: none"> Used for dressing metal bond diamond wheels 12mm diameter 150mm length
	1205 13mm square 1205A 25mm square	CRL Aluminium Oxide Dressing Stick <ul style="list-style-type: none"> Always remember to sharpen your drill regularly for a longer life and better edge 150mm length

Coolants & Grinding Additives ▼

	EU1218025L 25 litres	CRL Vitrolube 4m Coolant Additive Semi-Synthetic for Use in Recirculating Tanks <ul style="list-style-type: none"> Environmentally improved - does not contain sodium nitrate, phenols, triazene, PTBBA or chlorinated additives Extended sump life compared to conventional fluids Optimum tool life Good corrosion protection even at low concentrations
	EUUTC1271L 1 litre EUUTC1275L 5 litres EUUTC12725L 25 litres	CRL 25L Vitrolube 127 Diamond Tool Coolant <ul style="list-style-type: none"> Recommended for use with CRL Cat. No. 5993 Fully synthetic water-soluble grinding fluid Used for edging and bevelling machines
	EUUTC801L 1 litre EUUTC805L 5 litres EUUTC8025L 25 litres	CRL Vitrolube Diamond Tool Coolant <ul style="list-style-type: none"> Fully synthetic water-soluble grinding fluid Used for edging and bevelling machines Reduces heat generated by the grinding process and improves wheel life

	CAT. NO.	DESCRIPTION
	1229	CRL RD Anti Foam Emulsion <ul style="list-style-type: none"> • Used where water conditions cause foaming • Sold per 5kg
	1225	CRL Sof-Set 500 for Tank Cleaning <ul style="list-style-type: none"> • Makes tank cleaning easy by soft-setting the glass powder • Dilution ratio 500 parts to 1 • Sold per 5 litre bottle

Clean 20 Consumables ▼

	5993	CRL Flocculent 7418 <ul style="list-style-type: none"> • Specifically developed to be used with flat glass • Fast-acting • Chloride-free • Used for the purification of process water • Use with clean 20 system
	59955L1TRE	Biozid <ul style="list-style-type: none"> • Anti-fungal additive for use with Clean 20
	5994A Clean 10 machine 5994 Clean 20 machine	CRL Slurry Bag for Clean 10/20 Machine <ul style="list-style-type: none"> • Also referred to as a filter bag • Filter bags for clean 10/20 water treatment system
	5996	pH Dipsticks <ul style="list-style-type: none"> • pH test sticks used to maintain neutral water levels in Clean 20 • Test strips pH (litmus) • Measurement: pH 1-14 • Indicator strips 6 x 85mm for a rapid pH-measurement of the cleaned water. • The high quality of the indicator dyes result in no pollution • Packed per 100 strips in a plastic box

Diamond Grinding Belts ▼

CAT. NO.

DESCRIPTION



13A6465J3 1180 x 80mm
13A6405J 70 x 1010mm
1316465J 100 x 1830mm
13C6465J 100 x 1990mm
13F6465J 100 x 3350mm
ZB11821220 29 x 533mm*

CRL 3M Diamond Belt

For Automatic Grinding

- Suitable with: lisee, metral, ashton
- Stocked in five sizes for many popular brands of belt machines
- Consistent edge quality
- Longer life than silicon carbide
- N74 grit (*ZB11821220 is 220 grit)

Key Benefits of a Diamond Belt

LONGER BELT LIFE The 3M diamond belt has been developed to provide an extensive long life. Test results in key accounts have provided CRL with the confidence to provide clients with a quality longer lasting product.

EXTENDED LIFE With its durable nature and ability to be reversed the lifetime of a 3M diamond belt can be further extended. This also avoids the belt distorting from 'tracking' on an uneven contact wheel.

STRONG, DURABLE & FLEXIBLE With a thick poly backing material, the belt will not tear.

PRECISE & CONSISTENT A consistent cut and quality grinding are produced through the life of a diamond belt from the very first piece of glass processed. Any thickness of glass will have a minimal effect on the grinding time.

FAST & RELIABLE Reduced grinding time with fewer rejects during tempering created from the consistent edge quality produced. Single rather than multiple pass aris, leading to increased production.

QUALITY RESULTS Diamond belts produce no rogue scratching, which can be a common problem with traditional silicon belts.



Trizact Discs ▼



TD335P A35 76mm
TD320P A20 76mm
TD310P A10 76mm
TD35P A5 76mm
TD3CP Cerium 76mm
TD535P A35 127mm
TD520P A20 127mm
TD510P A10 127mm
TD55P A5 127mm
TD5CP Cerium 127mm


CRL 3M™ Trizact™ A35 PSA Polishing Disc

- 3M™ Trizact™ films - a cleaner, long lasting abrasive system for glass scratch repair
- Material uses natural abrasive formed in the shape of small pyramids, and provides uniform layers of abrasive throughout the pyramid

Manual Hand Grinding Pads & Blocks ▼

CAT. NO.

DESCRIPTION



51015002 Black 120 grit
51015003 Red 220 grit
51015004 Yellow 400 grit

CRL Diaface Foam Hand Pad

- Used for rubbing down and polishing the edges of glass
- 90mm x 55mm

DHP60 Green 60X grit
DHP120 Black 120X grit
DHP220 Red 220X grit
DHP400 Yellow 400X grit
DHPSET Set of above pads

CRL Diamond Hand Pad

- Long-lasting diamond abrasive
- Works great on smooth or uneven surfaces
- Use wet or dry
- 57mm x 95mm


Best Seller



Z2G6021 Green 60X grit
Z2B12018 Black 120X grit
Z2R22018 Red 220X grit
Z2Y40018 Yellow 400X grit
Z2SET Set of above pads

CRL 3M™ Grit Flexible Diamond Hand Pad


- Great for edging
- Use wet or dry
- 57mm X 95mm



510110A Green 60X grit
510112A Black 120X grit
510114A Red 200X grit
510116A Yellow 400X grit
510118A White 600X grit
510120A Blue 1000X grit

CRL 3M6002J 70/125 Diamond Sheet


- Can be hook & looped onto a foam hand pad and used for rubbing down and polishing the edges of glass




1313F
Medium red
1313G
Coarse black

CRL Spare Diapad


- Hook & Loop backed




	CAT. NO.	DESCRIPTION
	1313H	CRL Hand-E-Files Diamond Coated <ul style="list-style-type: none"> • Pack of 4 medium red.
	2612251 Seamer 2612252 Replacement stone	CRL Hand Glass Seamer <ul style="list-style-type: none"> • For 3mm to 12mm thick glass • Removes sharp edges • Seams both edges of glass at once • Quick and easy to use

Abrasive Belts ▼


For Ashton Belt Machines ▼

	CAT. NO.	DESCRIPTION
	CRL4X13260X 60 grit CRL4X13280X 80 grit CRL4X132120X 120 grit CRL4X132220X 220 grit CRL4X132400X 400 grit CRL4X132C0RK Cork	CRL Wet Abrasive Belts for Ashton Belt Machines 100mm x 3350mm <ul style="list-style-type: none"> • Fast-grinding 100% polyester backed belts • 100% polyester backing so you can use them wet or dry • All upright sander belts come five belts per box (CRL4X132C0RK - 2 per box) • Sold per box
	Grit	Cork


For Metral Belt Machines ▼

	13094K 80 grit 13095BK 120 grit 13095K 180 grit 13095AK 220 grit 13096K 400 grit 13097K cork	CRL Abrasive Belts for Metral Belt Machines 100mm x 2000mm <ul style="list-style-type: none"> • Polyester wet-dry backing • Sold individually
	Grit	Cork


For Bohle Belt Machines ▼

	CAT. NO.	DESCRIPTION
 GritCork	13317K 60 grit	CRL Belt for Bohle Belt Machines 100mm x 1830mm <ul style="list-style-type: none">• Polyester wet-dry backing
	1317BK 80 grit	
	1317DK 100 grit	
	1317B05K 120 grit	
	13320K 150 grit	
	1317B1K 180 grit	
	1317B3K 220 grit	
	1317B2K 400 grit	
	1317EK cork	


For Ebor Belt Machines ▼

 GritCork	1304K 80 grit	CRL Belt for Ebor Belt Machines 100mm x 2400mm <ul style="list-style-type: none">• Polyester wet-dry backing
	1305K 180 grit	
	1305AK 220 grit	
	1306K 400 grit	
	1311K grit	

For Knopp Belt Machines ▼

 GritCork	1332AK 80 grit	CRL Abrasive Belts for Knopp Machines 100mm x 3000mm <ul style="list-style-type: none">• Polyester wet-dry backing
	1332BK 120 grit	
	1333K 180 grit	
	1334K 400 grit	
	1336K cork	

For Glasmek Belt Machines ▼

 GritCork	13309K 60 grit	CRL Abrasive Belts for Glasmek Machines 100 x 1800mm <ul style="list-style-type: none">• Polyester wet-dry backing
	13310K 80 grit	
	1327K 120 grit	
	13143K 180 grit	
	1317HK 220 grit	
	1317AK cork	

Small Machinery

Belt Machines ▼

CAT. NO.

DESCRIPTION



3300RP

**CRL Wet Abrasive 220 Volt Belt Sander**

- CE compliant
- Uses industry standard 102mm x 2690mm abrasive belts
- Durable urethane roller platen and front rest guide roller bar
- Rugged construction and powerful 1H.P. Direct drive motor
- Thick-walled, rustproof high density polyethylene tank extends machine life
- Fast abrasive belt changing mechanism



CRL4X10660X 60 grit
 CRL4X10680X 80 grit
 CRL4X106120X 120 grit
 CRL4X106180X 180 grit
 CRL4X106220X 220 grit
 CRL4X106400X 400 grit
 CRL4X106CORK cork

**CRL Wet Abrasive Belts for Upright Belt Sanders
100mm x 2690mm**

- Fast-grinding 100% polyester backed belts
- 100% polyester backing so you can use them wet or dry
- All upright sander belts come with five belts per box (crl4x106c0rk - 2 per box)

EU9031M

CRL Makita® 29mm x 533mm Sander 240V

- Extremely popular portable sander for sanding notches and cut-outs
- Side handle for easy manoeuvrability



CRL118X2140X 40 grit
 CRL118X2160X 60 grit
 CRL118X2180X 80 grit
 CRL118X21120X 120 grit
 CRL118X21180X 180 grit
 CRL118X21220X 220 grit
 CRL118X21400X 400 grit
 CRL118X21CORK cork

**CRL Glass Grinding Belts for Portable Sanders
29mm x 533mm**

- Designed for use with the CRL 9031M sander
- Fast grinding 100% polyester backed belts for notches and cut-outs
- Stock sizes (plus other sizes on special order) to fit virtually all portable belt sanders
- Selected 3M™ brand belts also available
- 10 per box



CAT. NO.

DESCRIPTION



15635

CRL Makita® Belt Sander with Dust Bag 76mm x 457mm

- Popular 240V European model
- Uses 76mm x 457mm belts
- Electronic speed control
- Light enough to be easily manoeuvred, and still sturdy enough for production or job site use
- Adjustable tracking mechanism to ensure proper belt tension
- Externally accessible motor brushes for easy maintenance



CRL3X1860X 60 grit
CRL3X1880X 80 grit
CRL3X18120X 120 grit
CRL3X18220X 220 grit
CRL3X18400X 400 grit
CRL3X18C0RK grit

CRL Glass Grinding Belts for Portable Sanders 76mm x 457mm

- Tough, fast grinding, 100% polyester backed belts are long lasting
- 10 per box



EU9903

CRL Makita® Sander with Dust Bag 240v 76mm x 533mm

- Double insulated, operates on 240V AC
- Sands cleanly with dust collector
- Lever control for belt replacement
- Fast and even belt tracking, efficient dust collector, lock-on switch, extra long power cord and flush-to-wall standard design



CRL3X2160X 60 grit
CRL3X2180X 80 grit
CRL3X21120X 120 grit
CRL3X21180X 180 grit
CRL3X21220X 220 grit
CRL3X21400X 400 grit
CRL3X21C0RK cork

CRL Glass Grinding Belts for Portable Sanders 76mm x 533mm

- Tough, fast grinding
- 100% polyester backed belts are long lasting

Somaca Straight Line Edger ▼


EU11

CRL/Somaca 1-Spindle Automatic Edger

- Diamond flat and seam, plus a polishing wheel are all included
- Single spindle for 3mm to 12mm glass
- Depending on the type of wheel used, the machine can pencil edge, miter, and flat and seam your glass.
- The single spindle can accommodate two wheels which can be easily repositioned as needed




Upright Diamond Edger ▼




	CAT. NO.	DESCRIPTION
	6004	CRL Ebor Diamond Edger EG600 MK2 Single Phase 240V <ul style="list-style-type: none">• Operates on 240V• Includes splash guard, diamond wheels for 4mm and 6mm glass and a polishing wheel.
	6005	CRL Ebor Diamond Edger EG600 MK2 Three Phase 415V <ul style="list-style-type: none">• Operates on 415V• Includes splash guard, diamond wheels for 4mm and 6mm glass and a polishing wheel.

Replacement wheels available

Portable Drilling Machines ▼



	EUAMZ1	CRL Production Diamond Glass Drilling Machine <ul style="list-style-type: none">• Precise twin post design with built-in water coolant chuck drills• Faster and more precise than any other portable drilling machine• Accepts 3mm - 102mm Belgian thread diamond drills• Variable speed control• High torque DC motor - operates on 240V AC - European plug• Locking vacuum cup base• Uses 1006 range drills
--	---------------	--

Scratch Polishing Machine ▼


CAT. NO.	DESCRIPTION
 <p>1520</p>	<p>CRL Heavy-Duty 230V Scratch Polisher 230V</p> <ul style="list-style-type: none"> Polishes all types of glass, from windshields to watch crystals Use it hand-held or bench mounted for added stability Operates on 230V AC Powered by a heavy-duty, double-insulated motor Sure grip handles on each end of the tool assembly provide control Includes felt wheel and 1kg of Cerium Oxide
 <p>1520A</p>	<p>CRL Heavy-Duty 110V Scratch Polisher 110V</p> <ul style="list-style-type: none"> Polishes all types of glass, from windshields to watch crystals Use it hand-held or bench mounted for added stability Operates on 110V Powered by a heavy-duty, double-insulated motor Sure grip handles on each end of the tool assembly provide control Includes felt wheel and 1kg of Cerium Oxide
 <p>1322</p>	<p>Felt Wheel for the CRL Scratch Polishing Machine</p> <ul style="list-style-type: none"> 150mm diameter 70mm bore 40mm thick Suitable for use with 1520/1520A
 <p>1222A 1kg C0301 454g C0453 20kg</p>	<p>CRL Cerium Oxide</p> <ul style="list-style-type: none"> Premium cerium oxide for fast stock removal Exceptional suspension qualities Ideal for recirculating slurry systems Easily cleaned from glass and equipment Contains no zinc Pink colour
 <p>C0453W 25kg</p> <p>GREAT VALUE</p>	<p>CRL Polishing Cerium Oxide Hi-Grade NEW</p> <ul style="list-style-type: none"> Premium quality cerium oxide for fast stock removal High TREO content Ideal for bevelling, edging and scratch polishing, easily cleaned for glass and equipment White colour

	CAT. NO.	DESCRIPTION
	1523A	CRL Scratch-A-Way® Pneumatic Glass Polishing System <ul style="list-style-type: none"> • Sold as a kit
	S93054	CRL Scratch-A-Way® Cerium Oxide Polishing Disc <ul style="list-style-type: none"> • Used with the CRL Scratch-A-Way® system • 50mm in diameter • Estimated work life of approximately 20 scratches that are 50mm long
	S93075	CRL Scratch-A-Way® Basic Hook & Loop Backup Plate <ul style="list-style-type: none"> • Replacement backup plate with Hook & Loop

Multi Function Tool ▼

	MFT1EU 	CRL Multi Function Tool <ul style="list-style-type: none"> • Full range of accessory spares available. Ask for details • Oscillating head • Variable speed, 11,000 to 22,000 OPM • Adjustable blade angle • CE certified • 220V, 50HZ, 260W, euro plug 	Great Value
---	--	---	--------------------

Diamond Cut Out Saw ▼

	15605	Makita® CC300DWE Cordless Diamond Saw 10.8V <ul style="list-style-type: none"> • Sold as a kit • Recommended replacement blade: CRL CAT. NO. NS3B • Complete with battery, battery charger, diamond saw blade and water feed bottle
---	-------	---


	CAT. NO.	DESCRIPTION
	NS3B	CRL Spare Diamond Blade <ul style="list-style-type: none"> • Produces a clean, chip-free cut in glass and mirror • Perfect choice for cutting notches and straight lines • Suitable for use with 15605 • 85mm diameter blade
	ADB153060 GREEN grade M60 for grinding ADB1530120 BLACK grade M120 for grinding ADB1530200 RED grade M200 for grinding ADB1530400 YELLOW grade M400 for grinding ADB1530800 WHITE grade M800 for grinding ADB15301800 BLUE grade R1800 for polishing ADB153012000 ORANGE grade R12000 for polishing	CRL Abrasive Diamond Band <ul style="list-style-type: none"> • 15mm diameter • 30mm height
	ADB1530M	CRL Expanding Rubber Mandral <ul style="list-style-type: none"> • For use with 15mm x 30mm CRL Abrasive Diamond Bands • 6mm diameter fitting
	ADB453060 GREEN grade M60 for grinding ADB4530120 BLACK grade M12 for grinding ADB4530200 RED grade M200 for grinding ADB4530400 YELLOW grade M400 for grinding ADB4530800 WHITE grade M800 for grinding ADB45301800 BLUE grade R1800 for polishing ADB453012000 ORANGE grade R12000 for polishing	CRL Abrasive Diamond Band <ul style="list-style-type: none"> • 45mm diameter • Height 30mm
	ADB4530M	CRL Expanding Rubber Mandral <ul style="list-style-type: none"> • For use with 45mm X 30mm CRL Abrasive Diamond Bands • 6mm diameter fitting

**CRL
RECOMMENDS
USING CAT. NO.
EUDTC801L
COOLANT**

Further Information

If there is a product you can't find please let us know at CRL@crlaurence.co.uk

At CRL we offer over 60,000 products and continue to listen to your ideas for new ones. We are manufacturers and have a significant capacity for development new glass products.



Online Ordering

The easiest way to shop at CR Laurence.

At crlaurence.co.uk there are thousands of pages of quality products and helpful information just clicks away, any time and at your convenience.

On the site you can have instant access to pricing, stock availability, information about your CRL Account and other valuable services as well as the ability to see price breaks for quantity orders.

Our home page is regularly updated with the latest offers and newest products. You can also get free bonuses for qualifying orders.

To sign up for access to crlaurence.co.uk, simply follow the steps below.

For any assistance please call CRL Customer Services on **00 800 0421 6144**.

How to sign up for an account...

Step 1

Request Customer Number at
www.crlaurence.co.uk/crlapps/newcustomer/intro.aspx

Step 2

Go to www.crlaurence.co.uk and click 'Sign On' at top of page

Step 3

Click on 'Don't Have a User Name Yet? Create One Here'

Step 4

Fill out the page to create a user name and password, then click on 'Submit'

Step 5

Once the information is accepted, you will see an 'Account Sign On Confirmation Page.'

Step 6

Click 'Home' to begin using full web site



FREE Gift online buying promotion


Order online and receive a **FREE gift with orders of over £300, £500, and £1000**. You can choose a FREE bonus item when your internet order meets the specified minimum amounts.

If you don't have an account set up with us, just **call CRL on 00 800 0421 6144** and we will arrange this for you.




Log into your CRL account and see all the FREE gifts available when ordering online at crlaurence.co.uk

Everything CRL in the palm of your hand



Our new mobile site makes it easy to:

 Search our vast product database

 Get your pricing

 Check stock availability

 Order with express checkout

 Find CRL service centre locations

 Contact us

Visit **crlaurence.co.uk** from your smart phone or scan the QR code for the total CRL experience on the move.



Order it quicker

Make re-ordering simple with CRL Personal Catalogue.

TAPER-LOC®

Install glass with ease



PROTECT IT WITH 6K

For further information visit: crl6k.co.uk




CAT. NO. EUTL12

CRL proudly presents the innovative Dry Glaze TAPER-LOC® Glass Balustrade System designed for quick, easy and secure installations.

- 50% faster to install than traditional alternatives
- For toughened/toughened laminated glass from 12mm-25.52mm thick
- Dry glaze system, no need for cement
- Tested to meet the strictest building code requirements BS 6180: 2011 and AbZ
- The product is completely unique because it uses a horizontal TAPER-LOC® design, which allows the system to be adjusted, dismantled and re-set
- Ideal for replacing scratched and broken panels in existing applications

TAPER-LOC[®]
DRY GLAZE RAILING SYSTEM

It's what all installers have been waiting for...



Some of the products featured in the catalogue

Base Shoes



Taper Sets



Installation/Removal Tool kits



**Get your FREE catalogue today - call 00 800 0421 6144
or view or download it at crlaurence.co.uk**

New!

TAPER-LOC®XA

Something good just got better

TAPER-LOC®XA lets you compensate for uneven surfaces so glass panels can be perfectly plumb.

- Next generation Taper Sets install easily using our TLK12 Installation/Removal Tool and new TLXAAT Angle Adjustment Tool
- Taper Sets for monolithic and laminated toughened glass work with our most commonly used aluminium base shoe




TLXATSM
Taper Set for Monolithic
Toughened Glass

TLXATSL
Taper Set for Laminated
Toughened Glass



TLK12
Installation/Removal Tool

TLXAAT
Angle Adjustment Tool



When job site conditions aren't perfect it's good to know you can rely on a product that will help you achieve results that are. That's what you get with TAPER-LOC®XA.

'A' stands for Adjustable and TAPER-LOC®XA is especially designed to allow vertical adjustment of the glass panels to perfect plumb, no matter how uneven the floor beneath the base shoe. Glass setting strips adhered to the lower edges of the panel rest on a setting base that allows you to adjust the glass panel to plumb, even if the base shoe segments do not align perfectly.

Unlike the original TAPER-LOC® System, the 'XA' Taper Sets are placed on both sides of the glass panel. That gives you the flexibility to perfectly align and plumb the glass panels in every segment. The addition of our TLXAAT Angle Adjustment Tool even lets you make adjustments to panels that are already installed on balconies or elevated concourses without the need for scaffolding or inconveniently leaning over the balustrade.

TAPER-LOC®XA
DRY GLAZE RAILING SYSTEM

Ordering Information for TAPER-LOC®XA Installation Components

TAPER-LOC®XA Taper Sets in two sizes for monolithic or laminated toughened glass


The TAPER-LOC®XA System gives you choices because it will accommodate types and thicknesses of glass panels used in your balustrade project.






The Taper Sets for monolithic glazing will work with 12 to 15mm thick panels. Laminated panels from 17.52 to 21.52mm thick can be used with another set of Tapers specifically for laminated glass. The Taper Sets are specific to monolithic and laminated glazing types, as are the Glass Setting Strips with pre-positioned adhesive strips.

You also have choices of heavy base shoe in pre-drilled base mount or fascia mount standard lengths. The Setting Base that is inserted into the Heavy Base Shoe is specific to the base shoe being used, and is not interchangeable.


To finish off the installation use our Top Load Gasket. This black coloured vinyl rolls into the cavity between the glass and the base shoe to keep out water and debris.

If you are planning your first balustrade project and would like ordering assistance, contact CRL at 00 800 0421 6144. For email go to the home page of crlaurence.co.uk and click on Contact Us.



	CAT. NO.	DESCRIPTION
	TLXATSM Monolithic Glazing	Taper Sets • In Boxes of 20 Sets of One Kind
	TLXATSL Laminated Glazing	
	BSG100 Monolithic Glazing LBSG100 Laminated Glazing	Top Load Gaskets • in 30.5m Rolls (Black)
	TLXAM0N0 Monolithic Glazing TLXALAM Laminated Glazing	Glass Setting Strips • In 1.45m Lengths (Minimum Order: 10)
	TLXA12SB Monolithic Glazing for B5S, B5G, B5T Base Shoe Types TLXA15SB Monolithic Glazing for B6S, B6N Base Shoe Types TLXA17SB Laminated Glazing for L68S Base Shoe Type TLXA21SB Laminated Glazing for L21S Base Shoe Type	Setting Bases • In 254mm Pieces (Minimum Order: 10)
	B5S10D Monolithic Glazing 3.05m B6S10D Monolithic Glazing 3m L68S10D Laminated Glazing 3m L21S10D Laminated Glazing 3m	Heavy Base Shoe • In Pre-Drilled Base Mount Configuration (Other standard lengths and Fascia Mount configurations of Heavy Base Shoe can be found online at crlaurence.co.uk)

Aluminium Railing & Windscreens



CAT. NO. RS12UK


CRL's high quality commercial or residential Aluminium Railing Systems are manufactured from extruded aluminium frames, utilising toughened glass or aluminium pickets.

Our railing systems provide superior colour retention, impact and weather resistance in any environment.

Our AWS Aluminium Windscreen System was developed to provide an attractive, maintenance-free glass wall.


All AWS Systems can be used in conjunction with a concrete slab, block wall or individual footings.

Typical Mounting Options




Some of the products featured in the catalogue

200 Series Aluminium Railing



Our 200 Series Railing System uses a continuous flat top rail, which helps achieve a modern look. While most companies in the industry offer very typical top rails, the 200 Series maintains an extremely low profile while outperforming competitive systems for strength and durability. At 47.6mm it has the lowest profile of all the top rails.

300 Series Aluminium Railing



The 300 Series offers the largest profile of all our top rails. At 73mm high the 300 Series offers a stylish and continuous large round top rail, while maintaining the strength and durability of all of our Aluminium Railing Systems.

Rectangular Aluminium Posts



180 Degree Centre/
End Post Kits

90 Degree
Post Kits

135 Degree
Post Kits

Round Aluminium Posts



180 Degree Centre/
End Post Kits

90 Degree
Post Kits

135 Degree
Post Kits

**Get your FREE catalogue today - call 00 800 0421 6144
or view or download it at crlaurence.co.uk**

Frameless Shower Door Hardware



PROTECT IT WITH 6K

For further information visit: crl6k.co.uk



CAT. NO. SDH12UK

From complete systems such as the popular CRL Hydroslide Sliding Shower Door Kit and the new CRL Serenity Series Sliding Door System, to accessories such as hinges, handles, door knobs, channels and clamps, CRL offers the complete package of quality hardware and accessories.

CRL offers the largest variety of Frameless Shower Door Hardware in the glass industry.

- Hinges
- Sliding Shower Door Kits
- U-Channels
- Glass Door Clamps
- Pull Handles & Knobs
- Support Bars & Headers
- Glass Door Locks
- Towel Bars
- Shower Door Seals

Some of the products featured in the catalogue


Geneva Hinge Series




Vienna Hinge Series



Pull Handles & Knobs




Support Bars



Heavy-Duty Glass Clamps



Shower Door Seals



Hydroslide Shower Door Kit




Serenity Series Sliding Door System



**Get your FREE catalogue today - call 00 800 0421 6144
or view or download it at crlaurence.co.uk**

Structural Glass Fixing Systems



The CRL Glass Awning Support System will give any entrance an uncomplicated, graceful look, enhancing the design of any building.

With the use of toughened laminated glass you can add a range of glass colours, textures, and special effects not available with typical monolithic glass. This complements and enhances the design of any building.

- High grade 316 stainless steel for durability in even the harshest of environments
- Complete hardware system for 13.52mm toughened laminated glass awnings
- Provides protection from the weather without obstructing the view
- Adjustable slope for most weather conditions
- All high grade 316 alloy stainless steel components for panel sizes up to 1219mm wide and 1829mm long with two rods and mounting kits
- Easy installation

Some of the products featured in the catalogue

Awning Mounting Kit



Awning Connecting Rods



Double Plate Glass Awning Pivot



Wall Mounted Brackets & Arm Fitting




Standoffs



Spider Fittings




Fixing Brackets



**Get your FREE catalogue today - call 00 800 0421 6144
or view or download it at crlaurence.co.uk**

Door Hardware & Partitioning Systems




Create stylish door entrances and partition systems from our extensive range of handles, patch fittings, floorsprings, locks, sliding door systems and channels.

CAT. NO. DH12UK

Some of the products featured in the catalogue

Floorsprings



Door Hinges



Patch Fittings




Door Rails and Locks



Middle Locks



Partitioning Systems - U-Channels



End Caps




Gaskets



**Get your FREE catalogue today - call 00 800 0421 6144
or view or download it at crlaurence.co.uk**

Sliding Door Systems



CAT. NO. SDS12UK

CRL has a fantastic range of Sliding Door Hardware to suit a variety of glass door applications.

The range consists of beautiful, easy to install systems, including the CRL280 series Top Hung Sliding Door System, the most versatile system of its kind. There are six different CRL280 kits to choose from, offering configurations with or without fixed panels, and the ability to mount either to the wall, ceiling or glass panels.

We also feature the popular Laguna series and EZ – Slide Top Hung Single Track Sliding Door System for 10mm and 12mm toughened glass within this brochure.

Some of the products featured in the catalogue

CRL280 Series Sliding Door System with Soft-close



The new CRL280 Series Sliding Door System with Soft-close is truly the most versatile system of its kind.

There are six different kits to choose from, offering configurations with or without fixed panels, and the ability to mount either to the wall, ceiling or glass panels.

The CRL280 System has no bottom track, so a tripping hazard is eliminated, and the smooth sliding action allows for finger touch control. The upper clamp and roller assemblies have a fine tune adjustment feature allowing for openings and floors that are not true and level. Each kit comes with concealed stops in the top track to hold the door open or closed.

Kits are available in a satin anodised finish, with a special order option to clad or powder paint in any architectural finish desired.

CRL Laguna Series Sliding Glass Door System with Anti-Lift Safety Features




We have upgraded our popular Laguna Series Sliding Glass Door System to now include a new 'anti-lift' feature.

Through a combination of additions and very subtle changes, we have improved the performance, safety, and security while still offering a clean, simple look. The Laguna Series Sliding Glass Door System can be installed on glass partitions or directly to the side of a sufficiently reinforced wall. The adjustable Top Rollers make final adjustments quick and easy, without the need to remove the door. Their smooth operation and solid stainless steel construction minimises maintenance issues.

CRL provides you with all the glass attachment fasteners for either flush mounting, requiring a countersunk hole, or surface mounting, requiring a straight hole. The glass attachment fasteners accommodate either 10mm or 12mm toughened glass.

**Get your FREE catalogue today - call 00 800 0421 6144
or view or download it at crlaurence.co.uk**

Service & Shipping Information



CRL Service Information

The CRL offices and warehouse are open from Monday to Friday, 8am – 5pm.

Call our International Freephone number 00 800 0421 6144 and ask to speak to 'Sales Operations' or 'Tech Sales'. Tech Sales is a dedicated team to advise you on technical issues and drawings relating to CRL glass hardware installations.

Visit www.crlaurence.co.uk to place orders, enter your own 'personal catalogue' for quick and easy repeat ordering, request a quote, check stock availability and manage your company account.

Enter any product code in the search 'magnifying glass sign' box and view a picture and all technical information relating to that product including MSDS information and installation guidelines.

Freephone 00 800 0421 6144 / Freefax 00 800 0262 3299 / Email: CRL@crlaurence.co.uk

Shipping Information

Regular orders are shipped each day from the CRL warehouse via UPS, TNT or special delivery services. While orders are generally received the next day the shipping service is actually a 2 – 3 day service. If a particular delivery date, time or address is required please inform a CRL Sales Adviser to make arrangements, special timed deliveries will incur an additional charge.

Special orders requiring specific delivery arrangements will be charged at cost (oversized or long products are classed as special orders).

Returns

All returns must be agreed in advance and it is the responsibility of the customer to return any products in good condition. Standard products (non-custom) returned within 30 days of purchase are eligible for a full credit; a restocking charge will apply to any products returned beyond 30 days.

Custom orders will generally require payment in advance and are non-returnable.

Please visit crlaurence.co.uk (General Information section) for details of our full terms and conditions

Index ▼

1-9

1-Spindle Automatic Edger	150
2-Speed Portable Drill Machine	151
3M Diamond Belt	145
3M Trizact PSA Polishing Disc	145
6 Wheel Replacement Cutter Turret	102
6K Hydrophobic Surface Protection System	
for Glass and Stainless Steel	41
for Sandblasted Glass	42
Pre-Clean Cloth	41
Protect Cloth	41

A

Abrasive Belts	147-150
Abrasive Diamond Band	154
Acetic Cure Silicone	20
Acrylic Hi-Bond Adhesive Tape	38
Adhesive	
for Mirrors	23, 32-33
Low Viscosity UV	26
Medium Viscosity UV/Visible Light	26
Transparent Medium Viscosity UV	26
UV/Visible Light	26
Adjustable Shelf Bracket	70
Aftercare Glass Cleaner	41
All Terrain Dolly	15
All-Purpose Foam Mounting Tape	37-38
Aluminium	
Angle Extrusion	36-37
Divider Bar	37
Face L-Bar Extrusion	37
Flat Bar Extrusion	37
H-Bar Extrusion for Showcases	76
Lower Channel	77
Oxide Dressing Slab	142
Oxide Dressing Stick	143
Plastic Lined Double Upper Channel	75
Railing and Windscreens	162-163
Shelving Extrusions	71
Tape with Liner	35
U-Channel	88-90
Angle Locator	116
Anti-Lift Clip for Showcase Track	77
Apron, Kevlar Cutter's	66
Apron, Leather	66
Apron, Plastic	66

Armadillo Knee Pads	68
Auto Glass Cut-Out Knives	58
Automatic Glass Edger	150

B

Backer Rod	31
Backer Rod Roller Tool	31
Band Mount Hearing Protectors	68
Baume Gauge	136
Bavelloni Edger Wheels	133
Belt Sanders, Portable	149-150
Belts, Abrasive	147-150
Bench Felt	111
Bevelling Machine Wheels	133-135
Biozid Anti-Fungal	144
Blast Pack Safety Marking Kit	116
Blast Pistol for Sandblasting	116
Block Lever	56
Block Lever Plastic Head	56
Blocks, Plastic Glazing	28
Blocks, Setting	29
Blocks, Wood Glazing	28
Bolts, Hanger	87
Bottero Beveller Wheels	135
Bottero Edger Wheels	129
Bovone Beveller Wheels	134
Bovone Edger Wheels	128
Breakaway Blades	52
Brilliant Cut Polish Wheel	134
BTU Digital Solar Power Meter	120
Bumpads	18

C

Cabinet Locks	74
Carbide Cutting Wheel Axles	105
Carbide Cutting Wheels for Automatic Tables	105
Carbide Wheel 'Push Fit' Units	106
Carborundum Dressing Stick	143
Carton Cutter	54
Caulking Gun	
Sausage and Cartridge	25
Skeleton	24
Standard Smooth Rod	24
Strap Frame	24-25
Variable Speed Cordless	25
Centre Water Feed Chuck	142

D

Straight Line Edger	127-130
Trapezoidal	125-126
Upright Edgers	122
Digital Tin Side Detector	119
Disposable Dust Mask	68
Disposable Foam Ear Plugs	68
Disposable Gloves	66
Dollies, Glass Handling	16
Door Hardware and Partitioning Systems	168-169
Door Lock, Plunger Type	73
Doors, Sliding	170-171
Double Sided Foam Glazing Tape	30
Dow Corning Silicone	22
Dressing Block	143
Dressing Stick	143
Drilling Machine, Glass	151
Drills, Diamond	126, 137, 139
Drop Jaw Pliers	112
Dry Glaze U-Channel	91
Dust Mask	68

E

Ear Plugs	68
Ebor Diamond Edger	151
Ebor Lifting Grab	16
Edge Deletion Polishing Wheel	108
EG310ULTRA Adhesive	23, 33
Electronic Level and Angle Locator	116
End Cap	
for Aluminium H-Bar	75
for Aluminium Shelving Extrusion	71
for Sliding Door Lock	76
for U-Channel	89-90, 92-93
Evaporating Oil	107
Evergrip Mirror Adhesive	32
Expanding Rubber Mandral	154
Extrusions, Aluminium	36-37, 71, 76-77, 162-163
E-Z Mount Mirror Clip Sets	38
E.Z.D. Glazer De-Glazing Tool	25

F

Felt Polish Wheels	
for Bavelloni Bevelling Machines	133
for Bottero Bevelling Machines	135
for Bovone Bevelling Machines	134
for Bovone Straight Line Edgers	128
for Schiatti Straight Line Edgers	131
Felt Wheel for Scratch Polishing Machine	152
Finger Pulls	73
First Aid Kit	68
Flat Face Mirror Edge Molding	36
Flat/2 Arris Diamond Wheel	122
Flared Jaw Pliers	112
Fleximeter	116
Flocculent	144

Flotex Water Tolerant Table Top Cover	111
Foam Glazing Tape	31
Foam Mounting Tape	37-38
Fractional/Metric Tape Rules	115
Frame Master Point Driver	55

G

Glass	
Chip Brush	104
Clamps	78-82
Cleaners	41, 43-44
Cleaners, Own Label	44
Cutter and Pencil Pouch	57
Cutter Wheels	105-106
Cutters	98-102
Cutting Oils	99, 107
Cutting Squares	109-111
Cutting Straight Edges	112
Dolly, Glasstrax	16
Dolly, Heavy-Duty Steel Frame	16
Dolly, Plate Glass	16
Door Hinges	72
Drilling Machine	151
Drills, Spear Point	137
Grinding Belts	149-150
Handling Gloves	65-66
Marking Pencils	117
Measuring Gauge	118
Nipping Pliers	113
Polishing System	153
Running Pliers	113
Sanding Belts	147-150
Seamer	147
Showcase Lock	73
Slicker	104
Surface Sealer	44
Washing Machine Cleaner	45
Glass-Chek Pro	119
Glazier's Hammer	56
Glazing	
Blocks	28
Gasket	93
Shovel	56
Tape	30, 57
Gloves	
Atlas Kevlar Cut Resistant	65
Disposable Latex	66
Easyflex Light Nitrile	65
Fuzzy Duck PVC	65
Gauntlet Cuff Smooth Palm	66
GripPro Impact Performance	66
Gristle Type	64
Knit Wrist Smooth Palm	66
Latex	65
Marigold Industrial Green	65
Powerflex Kevlar	65
Textured Latex	65

Grinding Belts	149-150
Guns, Caulking	24-25
Gunther	
Premier Plus Mirror Mastic	33
Prime-N-Seal Primer	33
Seal-Kwik Mirror Edge Sealant	33
Ultra/Bond Mastic	33

H

H-Bar End Caps	75
Habit Fit Electroplated Diamond Drills	138
Habit Fit Sintered Diamond Drills	138
Hacking Knife	50
Hand	
Glass Seamer	147
Held UV Curing Lamp	27
Pad, 3M Grit Flexible Diamond	146
Pad, Diaface Foam	146
Pad, Diamond	146
Hand-E-Files Diamond Coated	147
Handling Laps	67
Hanger Bolt Driver	87
Hanger Bolts	87
Hearing Protectors	68
Heated Mirror Pads	35
Heavy-Duty	
6-Wheel Glass Cutter	101
Cotton Webbing	9
Industrial Blades	53
Scratch Polisher	152
Hi-Bond Adhesive Tape	38
High Performance Adhesive System	27
High-Intensity Hand-Held UV Curing Lamp	27
High-Intensity LED UV Curing Lamp Kit	27
Hinge Cover Plate	72-73
Hinge, Glass Door Inset	72
Hinge, Glass Door Overlay	72
Hinge Mounting Plate	72
Horseshoe Shims	29

I

Impact Gloves	66
Indicator, Toughened Glass	118
Industrial Blades	53
Insulating Glass Caliper	116
Interior Shower Clamps	70
Intermac Machine Wheels	135
Invisible Shield Glass Surface Sealer	44
Invisible Shield Pre-Clean Cream Cleaner	44

J

J-Bar for Mirrors	36
Joint, Glass Partition	94

K

Kevlar Gloves	65
Kevlar Sleeves	64
Kevlar Wrist Guards	64
Klick-Klack Clips	38
Klingspor Abrasive Belts	147-148
Knee Pads	68
Knife	
Hacking	50
Putty	48-50
Razor Blade	53
Red Devil Bent	50
Red Devil Stiff	49
Retractable Blade	51-52
Knife Blades	
Heavy-Duty Utility	52
Long Shank Stainless Steel Cold	58
Standard Utility	52
Stanley Type Utility	52
UltraWiz Ultra-Thin Cold	58
Knuckle Saver Lifter	8

L

Lamps for Curing Adhesives	27
Latex Gloves	65
Lazer Glass Measuring Gauge	118
Lazer Toughened Glass Indicator	118
Leather Apron	66
Leather Lifting Sling Lifts	9
LED UV Curing Lamp Kit	27
Level, Electronic	116
Little Grabber Lifter	8
Little Red Nozzle Caps	23
Lock for Cabinet Glass Door	74
Locks, Showcase	73
Low Modulus Silicone	21
L-Squares	109-111

M

Makita Belt Sander	149-150
Makita Cordless Diamond Saw	153
Mallet, Rubber	57
Merlin Lazer Glass Measuring Gauge	118
Merlin Lazer Toughened Glass Indicator	118
Metric Insulating Glass Caliper	116
Metric Scale Glass Thickness Laser	119
Mirabac Backing for Mirrors	35
Mirror	
Adhesive	32
Backing, Mirabac Polypropylene	35
Backing, White Woven Category II	35
Clips	38
Edge Sealant	33

Fixing Trim J-Bar	36
Mastic	33
Mounting Sets	34
Mirrors, Convex	35
MS-POLYMER Neutral Cure Silicone	22
Multi Function Tool	153

N

Needle Set	26
Neutral Cure Low Modulus Silicone	21
Nitrile Gloves	65
No-Drill Shelf Clamps	70
Nozzle Caps	23
Nozzle Cutter	23
Nylon Wrist Protectors	64

O

Octopus Suction Lifters	9
Offset Glass Pliers	112
Oil Type Glass Cutters	98-101
Oiling Cutter Stand	104
Online Ordering	156-157

P

Pads, Diamond	146
Pads, Heated Mirror	35
Pattern Head Oil Cutters	99-101
Pencil Edge	
Diamond Wheel for Bovone	
Bevelling Machines	134
Diamond Wheel for Schiatti Double Edgers	123
Diamond Wheel for Upright Edgers	122
Wheels	122-123, 125
Pencil, Glass Marking	117
PH Dipsticks	144
Phenolic Straight Edge	112
Plastic	
Apron	66
Cleaner and Polish	45
Horseshoe Shims	29
Stick Tool	23
Plate Glass Dollies	16
Plate Glass Lifting Tool	56
Pliers	
Drop Jaw Glass	112
Flared Jaw Glass	112
Glass Running	113
Lightweight Glass Running and Nipping	113
Offset Glass	112
PPG Glass Running	113
Replacement Jaws	113
TOYO Power Breaker	112
Point Driver, Diamond	55

Point Driver, Fletcher Frame Master	55
Points, Diamond	55
Points, Framemaster	55
Points, Push	55
Polish, Cerium Oxide	136, 152
Polish Wheel for Intermac Machines	135
Polish Wheels	123, 127-134
Polishing	
Bob	136
Cerium Oxide	136, 152
Discs	145
Head Assembly	136
Wheels	123, 127-135
Portable Drill Machine	151
Precision Circle Cutter	102
Premier Plus Mirror Mastic	33
Prime-N-Seal Primer	33
Production Diamond Glass Drilling Machine	151
Production Speed Cutter	102
Protective Goggles	67
Protectors, Glass Corner	18
Pry Bar	57
Pulls	
Laguna Series Thru-Glass	73
Showcase Threaded Finger	73
Stick-On Finger	73
Thru-Glass	73
Pumice Dressing Block	143
Push Points	55
Putty Chisels	49-50
Putty Knives	48-50
Pyrosil Adhesion Pretreatment Kit	26
Pyrosil Replacement Gas Cartridge	27
Pyrosil Replacement Primer	26

R

Razor Blade Holder and Scraper	53-54
Razor Blade Knife	53
Razor Blades, Single Edge	53
RD Anti Foam Emulsion	143
Red Devil Safety Scraper	54
Repel Cleaner and Protectant	44
Replacement Heads, Glass Cutter	102-103
Replacement Wiper Blade	46
Roll-In Glazing Gasket	93
Roller Tool for Backer Rod	31
Rollertrack Bottom Track	74
Rollertrack Top Track	74
Round Edge Template Guide	108
Round Mirror Clip Set	38
Routers, Diamond	124, 126
Rubber Mallet	57

Stanley FATMAX	115
Stanley Powerlock	115
Stanley Steel Tape	115
Steel Tape Rule	116
Steel Wool	45
Stick Handle with Chisel End Stick Tool	23
Sticker-Tite Closed Cell Sponge Rubber	30
Straight Edges	112
Straight Head Oil Cutters	98-101
Straight Line Edger Wheels	127-130
Strengthened Glass Detector	119
Structural Glass Fixing Systems	166-167
Suction	
Cups	6-9
Lathe	109
Lifter, Aluminium Triple Pad	8
Lifter, Double Pad	8
Lifters, Octopus Pump Action Type	9
Surface Protection System	41-43

T

E178

U

U-Channel	
Aluminium	88-90
Dry Glaze	91
End Cap for	89-90, 92-93
Single Aluminium	93
Wet/Dry Glaze	92
Ultra/Bond Mastic	33
Upright Edger Wheels	122
Utility Knife	
Autoloading	51
Blades	52
Fixed Blade	51
Retractable Blade	51
Stanley Heavy-Duty Retractable Blade	51
UV Adhesives	26
UV Curing Lamp	27

V

Vacuum Cups	
All Rubber Auto	9
CRL Brand	6-8
Vertical Handle	9
Wood's Powr-Grip	7, 9
Vacuum Lifters	
ABS Handle	7
Aluminium Double Pad	7
Aluminium Single Pad	8
Aluminium Triple Pad	8
Plastic Double Pad	8
Plastic Triple Pad	8
Pump-Action	7
Sure-Grip	6
Vacuum Ratchet Tensioning Kit	9, 95
Vapourmax Cutting Oil	99
Variable Diamond Drill	140
Vent-A-Matic	59-61
Ventimatic	62
Vertical Handle Vacuum Cups	9
Vinyl for "H" Bar	76
Vinyl Roller Tools	56-57
Visitor Spectacles	67
Vitrobor Surface Protection Film	18
Vitrolube Coolant Additive	143
Vitrolube Diamond Tool Coolant	143

W

Water Clear Silicone	22
Wet Abrasive Belt Sander	149
Wet Abrasive Belts	147, 149
Wet/Dry Glaze U-Channel	92
Wheel Inserts	106
Wheel, Edge Deletion	108
Wheels, Diamond	122, 124-130, 133-135
Wheels, Glass Cutter	105-106
Wheels, Polishing	123, 127-135
White SF Glass Marking Sticks	117
Window	
Cleaners	43-44
De-Glazing Tool	25
Energy Profiler	120
Fan	62
Wipes	
in a Bucket	45
Industrial	45
Lint Free Glass	45
Micro Fibre	45
Wood Composite Shims	29
Wood's	
Powr-Grip Vacuum Cups	7, 9
Powr-Grip Vacuum Lifting Frames	11-12, 14
Quadra Tilt Rotator	13-14
Stowaway Tilt Table	114
Wrench, Spanner	87
Wrist Guards	64
Wrist Protectors	64

Y

Yellow Glass Marking Pencil	117
-----------------------------	-----

Z

Z-Clamp Bolt	83
Z-Clamp Lag Bolt	83
Z-Series Glass Clamps	78-82

**Manchester**

Charles Babbage Avenue
Kingsway Business Park,
Rochdale, OL16 4NW, England
Tel: +44 (0) 1706 863 600
Fax: +44 (0) 1706 869 860
Email: crl@crlaurence.co.uk
www.crlaurence.co.uk

**Stuttgart**

Boschstrasse 7
D-74360 Ilsfeld
Germany
Tel: +49 (0) 7062 915 93 15
Fax: +49 (0) 7062 915 93 16
Email: crl@crlaurence.de
www.crlaurence.de

**Copenhagen**

Stamholmen 70 Unit B,
DK-2650 Hvidovre
Denmark
Tel: +45 36 72 09 00
Fax: +45 36 70 33 35
Email: crl@crlaurence.dk
www.crlaurence.dk

**France**

Boschstrasse 7
D-74360 Ilsfeld
Germany
Tel: +49 (0) 7062 915 93 15
Fax: +49 (0) 7062 915 93 16
Email: crl@crlaurence.fr
www.crlaurence.fr

**A Global Company**

C.R. Laurence operates from 40 locations
throughout the world covering three continents –
North America, Europe and Australia.